



# Quartz Medicare Advantage (HMO) and Dual Eligible 2024 Formulary

**PLEASE READ:**

**THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 24483, Version Number 19

This formulary was updated on 12/01/2024. For more recent information or other questions, please call a Quartz Champion at **(800) 394-5566 (TTY: 711)**, Monday through Friday, from 8 a.m. to 8 p.m. October 1 through March 31, we're available daily from 8 a.m. to 8 p.m. You can also reach us on our website at **[QuartzBenefits.com/MedicareAdvantage](https://QuartzBenefits.com/MedicareAdvantage)**.

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to "we," "us," or "our," it means Quartz Health Plan Corporation and Quartz Health Plan MN Corporation. When it refers to "plan" or "our plan," it means Quartz Medicare Advantage (HMO) and Quartz Dual Eligible.

This document includes a list of the drugs (formulary) for Medicare Advantage and Dual Eligible plans, which is current as of 12/01/2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appear on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

## **What is the formulary?**

A formulary is a list of covered drugs selected by us in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. We will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Quartz Medicare Advantage network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the formulary (drug list) change?**

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the drug list during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

### **Changes that can affect you this year**

In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our drug list but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.

- If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception. You can find information in the section below titled "How do I request an exception to the formulary?"
- **Drugs removed from the market.** If the Food and Drug Administration (FDA) deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary, or add new restrictions to the brand-name drug or move it to a different cost-sharing tier, or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits, and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception. You can also find information in the section below entitled "How do I request an exception to the formulary?"

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get a direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 12/01/2024. To get updated information about the drugs covered by Quartz Medicare Advantage and Dual Eligible, please contact us. Our contact information appears on the front and back cover pages. You may find the most up-to-date formulary by visiting our website at [QuartzBenefits.com/MedicareAdvantage](https://www.QuartzBenefits.com/MedicareAdvantage). If we update our printed formulary with non-maintenance formulary changes, we will send you a notice that includes this information.

## How do I use the formulary?

There are two ways to find your drug within the formulary:

### 1. Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Agents." If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

### 2. Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that can be found at the end of this document. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Our plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that we will cover. For example, our plan provides 30 tablets per month for desloratadine. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking at the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appear on the front and back cover pages.

You can ask us to make an exception to these restrictions or limits or for a list of other similar drugs that may treat your health condition. See the section, "How do I request an exception to the formulary?" below for information about how to request an exception.

### **What if my drug is not on the formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact a Quartz Champion and ask if your drug is covered.

If you learn that we do not cover your drug, you have two options:

- You can ask a Quartz Champion for a list of similar drugs that are covered by us. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by our plan.
- You can ask us to make an exception and cover your drug. See below for information about how to request an exception.

### **How do I request an exception to the formulary?**

You can ask us to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a predetermined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, we will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug, or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception, you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or another prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member of our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary, or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan for less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

## **What if I experience a change in the level of care that I have been receiving, such as a transition from one facility or treatment center to another?**

We will make every effort to expedite these transitions in collaboration with the pharmacy benefit manager. There will be automated claims processing logic to override refills too soon, non-formulary, prior authorization requirements, step therapy requirements, or non-safety related drug utilization review (DUR) reasons to facilitate a smooth transition between the level of care issues.

### **For more information**

For more detailed information about your Quartz Medicare Advantage or Dual Eligible prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day/7 days a week. TTY users should call **1-877-486-2048**. Or, visit [medicare.gov](http://medicare.gov).

## Quartz Medicare Advantage and Dual Eligible Formulary

The formulary starting on page 1 provides coverage information about the drugs covered by us. If you have trouble finding your drug in the list, turn to the Index that can be found at the end of this document.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., ELIQUIS), and generic drugs are listed in lowercase italics (e.g., *atorvastatin*).

The information in the Requirements/Limits column tells you if we have any special requirements for the coverage of your drug.

## How much do I pay for Part D medications?\*

The Initial coverage stage begins after you pay your deductible (if applicable). Find the table that applies to the plan you are in. You pay the amounts shown in the table until you reach the Initial Coverage Limit of **\$5,030** (this is the total drug cost paid by both you and your Quartz Medicare Advantage plan). After you reach the Initial Coverage Limit, you enter the Gap Stage of coverage and will pay 25% of the total drug cost until your true out-of-pocket cost (TrOOP) reaches \$8,000. After this, you enter the Catastrophic Stage of coverage which is when the plan pays the full cost for your covered Part D drugs and you pay nothing.

| Aurora Health Quartz Medicare Advantage (HMO) plans | Deductible | Retail          |             |             | Mail-Order 3-month |
|---|------------|-----------------|-------------|-------------|--------------------|
|   |            | 30-Day          | 60-Day      | 90-Day      |                    |
| Tier 1: Preferred Generic                           | \$0        | \$0             | \$0         | \$0         | \$0                |
| Tier 2: Generic                                     | \$0        | \$5             | \$10        | \$15        | \$0                |
| Tier 3: Preferred Brand                             | \$0        | \$47            | \$94        | \$141       | \$118              |
| Tier 4: Non-Preferred Drug                          | \$0        | \$100           | \$200       | \$300       | \$300              |
| Tier 5: Specialty                                   | \$0        | 33% of the cost | Not offered | Not offered | Not offered        |
| Tier 6: Vaccines                                    | \$0        | \$0 copay       | Not offered | Not offered | Not offered        |

**Note:** Insulin costs no more than \$35 for 30-day, \$70 for 60-day, \$105 for 90-day, and \$105 for mail-order (3-month supply)

| Gundersen Quartz Medicare Advantage (HMO) plans | Deductible  | Retail                                      |             |             | Mail-Order 3-month |
|---|---|---|-------------|-------------|--------------------|
|   |   | 30-Day                                      | 60-Day      | 90-Day      |                    |
| Tier 1: Preferred Generic                       | \$0   | \$5   | \$10        | \$15        | \$12.50            |
| Tier 2: Generic                                 | \$0   | \$15  | \$30        | \$45        | \$38               |
| Tier 3: Preferred Brand                         | Core D: \$300<br>Value D: \$250<br>Elite D: \$200 | \$47  | \$94        | \$141       | \$117.50           |
| Tier 4: Non-Preferred Drug                      |   | \$100                                       | \$200       | \$300       | \$300              |
| Tier 5: Specialty                               |   | Core D: 28%<br>Value D: 29%<br>Elite D: 30% | Not offered | Not offered | Not offered        |
| Tier 6: Vaccines                                | \$0   | \$0 copay                                   | Not offered | Not offered | Not offered        |

**Note:** Insulin costs no more than \$35 for 30-day, \$70 for 60-day, \$105 for 90-day, and \$105 for mail-order (3-month supply)

| UW Health Quartz Medicare Advantage (HMO) plans | Deductible  | Retail                                      |             |             | Mail-Order 3-month |
|---|---|---|-------------|-------------|--------------------|
|   |   | 30-Day                                      | 60-Day      | 90-Day      |                    |
| Tier 1: Preferred Generic                       | \$0   | \$5   | \$10        | \$15        | \$12.50            |
| Tier 2: Generic                                 | \$0   | \$15  | \$30        | \$45        | \$38               |
| Tier 3: Preferred Brand                         | Core D: \$300<br>Value D: \$250<br>Elite D: \$200 | \$47  | \$94        | \$141       | \$117.50           |
| Tier 4: Non-Preferred Drug                      |   | \$100                                       | \$200       | \$300       | \$300              |
| Tier 5: Specialty                               |   | Core D: 28%<br>Value D: 29%<br>Elite D: 30% | Not offered | Not offered | Not offered        |
| Tier 6: Vaccines                                | \$0   | \$0 copay                                   | Not offered | Not offered | Not offered        |

**Note:** Insulin costs no more than \$35 for 30-day, \$70 for 60-day, \$105 for 90-day, and \$105 for mail-order (3-month supply)



| UW Health Illinois Quartz Medicare Advantage (HMO) plans | Deductible  | Retail                                      |             |             | Mail-Order 3-month |
|--|---|---|-------------|-------------|--------------------|
|  |   | 30-Day                                      | 60-Day      | 90-Day      |                    |
| Tier 1: Preferred Generic                                | \$0   | \$10  | \$20        | \$30        | \$25               |
| Tier 2: Generic  | \$0   | \$20  | \$40        | \$60        | \$50               |
| Tier 3: Preferred Brand                                  | Core D: \$300<br>Value D: \$250<br>Elite D: \$200 | \$47  | \$94        | \$141       | \$117.50           |
| Tier 4: Non-Preferred Drug                               |   | \$100                                       | \$200       | \$300       | \$300              |
| Tier 5: Specialty  |   | Core D: 28%<br>Value D: 29%<br>Elite D: 30% | Not offered | Not offered | Not offered        |
| Tier 6: Vaccines   | \$0   | \$0 copay                                   | Not offered | Not offered | Not offered        |

**Note:** Insulin costs no more than \$35 for 30-day, \$70 for 60-day, \$105 for 90-day, and \$105 for mail-order (3-month supply)

| Quartz Medicare Advantage (HMO) Dual Eligible plans          | Retail                                 |  |  | Mail-Order 3-Month                     |
|--|--|--|--|--|
|  | 30-Day                                 | 60-Day                                 | 90-Day                                 |  |
| <b>Extra Help Copay if you have LIS Level 3</b>              |  |  |  |  |
| Generic drugs  | \$0                                    | \$0                                    | \$0                                    | \$0                                    |
| Brand/Other drugs  | \$0                                    | \$0                                    | \$0                                    | \$0                                    |
| Vaccines   | \$0                                    | Not offered                            | Not offered                            | Not offered                            |
| <b>Extra Help Copay if you have LIS Level 2</b>              |  |  |  |  |
| Generic drugs  | \$1.55                                 | \$1.55                                 | \$1.55                                 | \$1.55                                 |
| Brand/Other drugs  | \$4.60                                 | \$4.60                                 | \$4.60                                 | \$4.60                                 |
| Vaccines   | \$0                                    | Not offered                            | Not offered                            | Not offered                            |
| <b>Extra Help Copay if you have LIS Level 1</b>              |  |  |  |  |
| Generic drugs  | \$4.50                                 | \$4.50                                 | \$4.50                                 | \$4.50                                 |
| Brand/Other drugs  | \$11.20                                | \$11.20                                | \$11.20                                | \$11.20                                |
| Vaccines   | \$0                                    | Not offered                            | Not offered                            | Not offered                            |
| <b>Standard Part D Benefit – Does not receive Extra Help</b> |  |  |  |  |
| Generic and Brand/Other drugs                                | Deductible \$545, then 25% coinsurance | Deductible \$545, then 25% coinsurance | Deductible \$545, then 25% coinsurance | Deductible \$545, then 25% coinsurance |
| Insulins   | \$35                                   | \$70                                   | \$105                                  | \$105                                  |
| Vaccines   | \$0                                    | Not offered                            | Not offered                            | Not offered                            |

| Legend        |   |   |
|---------------|---|---|
| Tier          | Label   | Description   |
| 1             | Preferred Generic   | Generic drugs covered at the lowest cost-sharing level.   |
| 2             | Generic   | Generic drugs.  |
| 3             | Preferred Brand   | Brand drugs covered at the lowest cost-sharing level available to brand drugs.  |
| 4             | Non-Preferred Drug  | Brand and generic drugs covered at the highest cost-sharing level.  |
| 5             | Specialty   | High-cost and some injectable drugs.  |
| 6             | Vaccines  | Your copay is \$0 in all phases of coverage.  |
| Symbol        | Description   | Explanation   |
| <b>NEDS</b>   | Non-Extended Days' Supply   | This drug is limited to a 30-day supply per fill.   |
| <b>NM</b>     | No Mail Order   | This drug is not available through mail order.  |
| <b>PA</b>     | Prior Authorization Restriction                                     | You (or your provider) are required to get prior authorization from us before you fill your prescription for this drug. Without prior approval, we may not cover this drug.   |
| <b>PA B/D</b> | Prior Authorization Restriction for Part B vs. Part D Determination | This drug may be eligible for payment under Medicare Part B, or Part D. You (or your provider) may be required to get authorization from us to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, we may not cover this drug. |
| <b>PA NSO</b> | Prior Authorization Restriction for New Starts Only                 | If you are a new member or you have not taken this drug previously, you (or your provider) are required to get prior authorization from us before you fill your prescription for this drug. Without prior approval, we may not cover this drug.   |
| <b>QL</b>     | Quantity Limit Restriction  | We limit the amount of this drug that is covered per prescription, or within a specific time frame.   |
| <b>ST</b>     | Step Therapy Restriction  | Before we provide coverage for this drug, you must first try other drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) do not work for you.   |
| <b>ST NSO</b> | Step Therapy Restriction for New Starts Only                        | If you are a new member or you have not taken this drug previously, you must first try other drugs(s) to treat your medical condition before we provide coverage for this drug. This drug may only be covered if the other drug(s) do not work for you.   |

## Table of Contents

|   |    |
|---|----|
| <b>Analgesics</b> .....   | 3  |
| <b>Anesthetics</b> .....  | 7  |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b> .....                          | 7  |
| <b>Antibacterials</b> .....   | 8  |
| <b>Anticonvulsants</b> .....  | 15 |
| <b>Antidementia Agents</b> .....  | 19 |
| <b>Antidepressants</b> .....  | 20 |
| <b>Antiemetics</b> .....  | 22 |
| <b>Antifungals</b> .....  | 23 |
| <b>Antigout Agents</b> .....  | 25 |
| <b>Antimigraine Agents</b> .....  | 25 |
| <b>Antimyasthenic Agents</b> .....  | 26 |
| <b>Antimycobacterials</b> .....   | 26 |
| <b>Antineoplastics</b> .....  | 27 |
| <b>Antiparasitics</b> .....   | 39 |
| <b>Antiparkinson Agents</b> .....   | 39 |
| <b>Antipsychotics</b> .....   | 41 |
| <b>Antispasticity Agents</b> .....  | 44 |
| <b>Antivirals</b> .....   | 44 |
| <b>Anxiolytics</b> .....  | 49 |
| <b>Bipolar Agents</b> .....   | 50 |
| <b>Blood Glucose Regulators</b> .....   | 50 |
| <b>Blood Products and Modifiers</b> .....   | 54 |
| <b>Cardiovascular Agents</b> .....  | 57 |
| <b>Central Nervous System Agents</b> .....  | 66 |
| <b>Dental and Oral Agents</b> .....   | 70 |
| <b>Dermatological Agents</b> .....  | 72 |
| <b>Electrolytes/Minerals/Metals/Vitamins</b> .....                                    | 77 |
| <b>Gastrointestinal Agents</b> .....  | 80 |
| <b>Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment</b> ..... | 83 |
| <b>Genitourinary Agents</b> .....   | 85 |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal)</b> .....               | 86 |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary)</b> .....             | 87 |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Prostaglandins)</b> .....        | 87 |

|  |     |
|--|-----|
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers)</b> ..... | 87  |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid)</b> .....                | 94  |
| <b>Hormonal Agents, Suppressant (Adrenal)</b> .....                                    | 94  |
| <b>Hormonal Agents, Suppressant (Pituitary)</b> .....                                  | 94  |
| <b>Hormonal Agents, Suppressant (Thyroid)</b> .....                                    | 96  |
| <b>Immunological Agents</b> .....  | 96  |
| <b>Inflammatory Bowel Disease Agents</b> .....   | 106 |
| <b>Metabolic Bone Disease Agents</b> .....   | 107 |
| <b>Miscellaneous Therapeutic Agents</b> .....  | 107 |
| <b>Ophthalmic Agents</b> .....   | 109 |
| <b>Otic Agents</b> .....   | 112 |
| <b>Respiratory Tract/Pulmonary Agents</b> .....  | 112 |
| <b>Skeletal Muscle Relaxants</b> .....   | 118 |
| <b>Sleep Disorder Agents</b> .....   | 118 |

| Drug Name  | Drug Tier | Requirements/Limits         |
|--|-----------|-----------------------------|
| <b>Analgesics</b>  |           |                             |
| <b>Nonsteroidal Anti-inflammatory Drugs</b>                                    |           |                             |
| <i>celecoxib oral capsule 100 mg</i>   | 2         | QL (90 EA per 30 days)      |
| <i>celecoxib oral capsule 200 mg</i>   | 2         | QL (120 EA per 30 days)     |
| <i>celecoxib oral capsule 400 mg, 50 mg</i>                                    | 2         | QL (60 EA per 30 days)      |
| <i>diclofenac epolamine external patch 1.3 %</i>                               | 4         | PA; QL (60 EA per 30 days)  |
| <i>diclofenac potassium oral tablet 50 mg</i>                                  | 2         |                             |
| <i>diclofenac sodium ER oral tablet extended release 24 hour 100 mg</i>        | 2         |                             |
| <i>diclofenac sodium external gel 1 %</i>                                      | 2         |                             |
| <i>diclofenac sodium external solution 1.5 %</i>                               | 2         | PA; QL (300 ML per 30 days) |
| <i>diclofenac sodium oral tablet delayed release 25 mg, 50 mg, 75 mg</i>       | 2         |                             |
| <i>diclofenac-misoprostol oral tablet delayed release 50-0.2 mg, 75-0.2 mg</i> | 4         |                             |
| <i>diflunisal oral tablet 500 mg</i>   | 2         |                             |
| <i>ec-naproxen oral tablet delayed release 500 mg</i>                          | 4         |                             |
| <i>etodolac ER oral tablet extended release 24 hour 400 mg, 500 mg, 600 mg</i> | 4         |                             |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                    | 2         |                             |
| <i>etodolac oral tablet 400 mg, 500 mg</i>                                     | 2         |                             |
| <i>flurbiprofen oral tablet 100 mg</i>   | 2         |                             |
| <i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>                                  | 1         |                             |
| <i>ibuprofen oral suspension 100 mg/5ml</i>                                    | 2         |                             |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>                            | 1         |                             |
| <i>indomethacin ER oral capsule extended release 75 mg</i>                     | 2         | QL (60 EA per 30 days)      |
| <i>indomethacin oral capsule 25 mg</i>   | 2         | QL (240 EA per 30 days)     |
| <i>indomethacin oral capsule 50 mg</i>   | 2         | QL (120 EA per 30 days)     |
| <i>ketorolac tromethamine injection solution 15 mg/ml</i>                      | 4         | QL (40 ML per 30 days)      |
| <i>ketorolac tromethamine injection solution 30 mg/ml</i>                      | 4         | QL (20 ML per 30 days)      |
| <i>ketorolac tromethamine intramuscular solution 60 mg/2ml</i>                 | 4         | QL (20 ML per 30 days)      |
| <i>ketorolac tromethamine oral tablet 10 mg</i>                                | 2         | QL (20 EA per 5 days)       |
| <i>meclofenamate sodium oral capsule 100 mg, 50 mg</i>                         | 4         |                             |
| <i>mefenamic acid oral capsule 250 mg</i>                                      | 4         |                             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>  | 1                |                            |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>  | 2                |                            |
| <i>naproxen dr oral tablet delayed release 500 mg</i>   | 4                |                            |
| <i>naproxen oral suspension 125 mg/5ml</i>  | 2                | PA NSO                     |
| <i>naproxen oral tablet 250 mg, 500 mg</i>  | 1                |                            |
| <i>naproxen oral tablet 375 mg</i>  | 2                |                            |
| <i>naproxen oral tablet delayed release 375 mg, 500 mg</i>  | 4                |                            |
| <i>naproxen sodium oral tablet 275 mg</i>   | 4                |                            |
| <i>naproxen sodium oral tablet 550 mg</i>   | 2                |                            |
| <i>oxaprozin oral tablet 600 mg</i>   | 4                |                            |
| <i>piroxicam oral capsule 10 mg, 20 mg</i>  | 2                |                            |
| <i>sulindac oral tablet 150 mg, 200 mg</i>  | 2                |                            |
| <b>Opioid Analgesics, Long-acting</b>   |                  |                            |
| <i>BELBUCA BUCCAL FILM 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG</i>             | 4                | QL (60 EA per 30 days)     |
| <i>buprenorphine transdermal patch weekly 10 mcg/hr, 15 mcg/hr, 20 mcg/hr, 5 mcg/hr, 7.5 mcg/hr</i> | 2                | QL (4 EA per 28 days)      |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 75 mcg/hr</i>                                     | 2                | QL (10 EA per 30 days)     |
| <i>fentanyl transdermal patch 72 hour 12 mcg/hr, 25 mcg/hr, 50 mcg/hr</i>                           | 2                | QL (15 EA per 30 days)     |
| <i>methadone HCl intensol oral concentrate 10 mg/ml</i>   | 2                | QL (120 ML per 30 days)    |
| <i>methadone HCl oral concentrate 10 mg/ml</i>  | 2                | QL (120 EA per 30 days)    |
| <i>methadone HCl oral solution 10 mg/5ml, 5 mg/5ml</i>  | 2                | QL (1800 ML per 30 days)   |
| <i>methadone HCl oral tablet 10 mg</i>  | 2                | QL (120 EA per 30 days)    |
| <i>methadone HCl oral tablet 5 mg</i>   | 2                | QL (240 EA per 30 days)    |
| <i>morphine sulfate ER beads oral capsule extended release 24 hour 120 mg</i>                       | 4                | QL (30 EA per 30 days)     |
| <i>morphine sulfate ER beads oral capsule extended release 24 hour 30 mg, 45 mg</i>                 | 4                | QL (120 EA per 30 days)    |
| <i>morphine sulfate ER beads oral capsule extended release 24 hour 60 mg, 75 mg, 90 mg</i>          | 4                | QL (60 EA per 30 days)     |
| <i>morphine sulfate ER oral capsule extended release 24 hour 10 mg, 20 mg, 30 mg, 50 mg</i>         | 4                | QL (120 EA per 30 days)    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>morphine sulfate ER oral capsule extended release 24 hour 100 mg</i>                       | 4                | QL (30 EA per 30 days)     |
| <i>morphine sulfate ER oral capsule extended release 24 hour 60 mg, 80 mg</i>                 | 4                | QL (60 EA per 30 days)     |
| <i>morphine sulfate ER oral tablet extended release 100 mg, 200 mg, 60 mg</i>                 | 2                | QL (60 EA per 30 days)     |
| <i>morphine sulfate ER oral tablet extended release 15 mg</i>                                 | 2                | QL (180 EA per 30 days)    |
| <i>morphine sulfate ER oral tablet extended release 30 mg</i>                                 | 2                | QL (120 EA per 30 days)    |
| NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HOUR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG         | 4                | QL (60 EA per 30 days)     |
| <i>oxycodone HCl ER oral tablet ER 12 hour abuse-deterrent 10 mg, 20 mg, 40 mg</i>            | 2                | QL (120 EA per 30 days)    |
| <i>oxycodone HCl ER oral tablet ER 12 hour abuse-deterrent 80 mg</i>                          | 2                | QL (60 EA per 30 days)     |
| OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT 10 MG, 15 MG, 20 MG, 30 MG, 40 MG            | 3                | QL (120 EA per 30 days)    |
| OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT 60 MG  | 3                | QL (90 EA per 30 days)     |
| OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT 80 MG  | 3                | QL (60 EA per 30 days)     |
| <i>tramadol HCl (ER biphasic) oral tablet extended release 24 hour 100 mg, 200 mg, 300 mg</i> | 4                | QL (30 EA per 30 days)     |
| <i>tramadol HCl ER oral tablet extended release 24 hour 100 mg, 200 mg, 300 mg</i>            | 4                | QL (30 EA per 30 days)     |
| <b>Opioid Analgesics, Short-acting</b>  |                  |                            |
| <i>acetaminophen-codeine oral solution 120-12 mg/5ml</i>                                      | 2                | QL (4500 ML per 30 days)   |
| <i>acetaminophen-codeine oral tablet 300-15 mg</i>  | 2                | QL (390 EA per 30 days)    |
| <i>acetaminophen-codeine oral tablet 300-30 mg</i>  | 2                | QL (360 EA per 30 days)    |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i>  | 2                | QL (180 EA per 30 days)    |
| <i>ascomp-codeine oral capsule 50-325-40-30 mg</i>  | 2                |                            |
| <i>butalbital-apap-caff-cod oral capsule 50-325-40-30 mg</i>                                  | 2                |                            |
| <i>butalbital-asa-caff-codeine oral capsule 50-325-40-30 mg</i>                               | 2                |                            |
| <i>butorphanol tartrate nasal solution 10 mg/ml</i>   | 2                | QL (10 ML per 30 days)     |
| <i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>  | 2                | QL (180 EA per 30 days)    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|--|------------------|---------------------------------------|
| <i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>                           | 2                | QL (360 EA per 30 days)               |
| <i>fentanyl citrate buccal lozenge on a handle 1200 mcg, 1600 mcg, 400 mcg, 600 mcg, 800 mcg</i> | 5                | PA; NM; QL (120 EA per 30 days); NEDS |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>                                       | 4                | PA; QL (120 EA per 30 days)           |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml</i>                                   | 2                | QL (5550 ML per 30 days)              |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i>                     | 2                | QL (360 EA per 30 days)               |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>                         | 4                | QL (150 EA per 30 days)               |
| <i>hydromorphone HCl injection solution 1 mg/ml, 2 mg/ml</i>                                     | 2                |                                       |
| <i>hydromorphone HCl oral liquid 1 mg/ml</i>   | 2                | QL (1200 ML per 30 days)              |
| <i>hydromorphone HCl oral tablet 2 mg</i>  | 2                | QL (360 EA per 30 days)               |
| <i>hydromorphone HCl oral tablet 4 mg</i>  | 2                | QL (240 EA per 30 days)               |
| <i>hydromorphone HCl oral tablet 8 mg</i>  | 2                | QL (120 EA per 30 days)               |
| <i>hydromorphone HCl pf injection solution 1 mg/ml, 10 mg/ml, 2 mg/ml, 4 mg/ml, 50 mg/5ml</i>    | 2                |                                       |
| <i>morphine sulfate (concentrate) oral solution 100 mg/5ml</i>                                   | 2                | QL (540 ML per 30 days)               |
| <i>morphine sulfate (pf) injection solution 10 mg/ml, 2 mg/ml, 4 mg/ml, 5 mg/ml, 8 mg/ml</i>     | 2                |                                       |
| <i>morphine sulfate (pf) intravenous solution 10 mg/ml, 2 mg/ml, 4 mg/ml</i>                     | 2                |                                       |
| <i>morphine sulfate injection solution 2 mg/ml, 4 mg/ml</i>                                      | 2                |                                       |
| <i>morphine sulfate intravenous solution 10 mg/ml, 4 mg/ml, 50 mg/ml, 8 mg/ml</i>                | 2                |                                       |
| <i>morphine sulfate oral solution 10 mg/5ml</i>  | 2                | QL (3600 ML per 30 days)              |
| <i>morphine sulfate oral solution 20 mg/5ml</i>  | 2                | QL (2700 ML per 30 days)              |
| <i>morphine sulfate oral tablet 15 mg</i>  | 3                | QL (240 EA per 30 days)               |
| <i>morphine sulfate oral tablet 30 mg</i>  | 3                | QL (120 EA per 30 days)               |
| <b>NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG</b>  | 4                | QL (181 EA per 30 days)               |
| <i>oxycodone HCl oral capsule 5 mg</i>   | 4                | QL (480 EA per 30 days)               |
| <i>oxycodone HCl oral concentrate 100 mg/5ml</i>   | 4                | QL (360 ML per 30 days)               |
| <i>oxycodone HCl oral solution 5 mg/5ml</i>  | 2                | QL (2400 ML per 30 days)              |
| <i>oxycodone HCl oral tablet 10 mg</i>   | 2                | QL (240 EA per 30 days)               |
| <i>oxycodone HCl oral tablet 15 mg</i>   | 2                | QL (180 EA per 30 days)               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| Drug Name   | Drug Tier | Requirements/Limits             |
|---|-----------|---------------------------------|
| <i>oxycodone HCl oral tablet 20 mg</i>  | 2         | QL (120 EA per 30 days)         |
| <i>oxycodone HCl oral tablet 30 mg</i>  | 2         | QL (90 EA per 30 days)          |
| <i>oxycodone HCl oral tablet 5 mg</i>   | 2         | QL (480 EA per 30 days)         |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>  | 2         | QL (360 EA per 30 days)         |
| <i>pentazocine-naloxone HCl oral tablet 50-0.5 mg</i>                                   | 2         |                                 |
| <i>tramadol HCl oral tablet 50 mg</i>   | 2         | QL (240 EA per 30 days)         |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>                                   | 2         | QL (240 EA per 30 days)         |
| <b>Anesthetics</b>  |           |                                 |
| <b>Local Anesthetics</b>  |           |                                 |
| <i>lidocaine external ointment 5 %</i>  | 4         | PA                              |
| <i>lidocaine external patch 5 %</i>   | 2         | PA; QL (90 EA per 30 days)      |
| <i>lidocaine HCl (pf) injection solution 0.5 %, 1 %, 1.5 %, 2 %, 4 %</i>                | 2         |                                 |
| <i>lidocaine HCl external solution 4 %</i>  | 4         |                                 |
| <i>lidocaine HCl injection solution 0.5 %, 1 %, 2 %</i>                                 | 2         |                                 |
| <i>lidocaine HCl urethral/mucosal external gel 2 %</i>                                  | 2         |                                 |
| <i>lidocaine HCl urethral/mucosal external prefilled syringe 2 %</i>                    | 2         |                                 |
| <i>lidocaine-prilocaine external cream 2.5-2.5 %</i>                                    | 2         | PA; QL (30 GM per 30 days)      |
| LIDOCAN EXTERNAL PATCH 5 %  | 2         | PA; QL (90 EA per 30 days)      |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>                                  |           |                                 |
| <b>Alcohol Deterrents/Anti-craving</b>  |           |                                 |
| <i>acamprosate calcium oral tablet delayed release 333 mg</i>                           | 2         |                                 |
| <i>disulfiram oral tablet 250 mg, 500 mg</i>  | 2         |                                 |
| <i>naltrexone HCl oral tablet 50 mg</i>   | 2         |                                 |
| VIVITROL INTRAMUSCULAR SUSPENSION RECONSTITUTED 380 MG                                  | 5         | NM; QL (1 EA per 28 days); NEDS |
| <b>Opioid Dependence</b>  |           |                                 |
| <i>buprenorphine HCl sublingual tablet sublingual 2 mg, 8 mg</i>                        | 2         | QL (90 EA per 30 days)          |
| <i>buprenorphine HCl-naloxone HCl sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> | 2         |                                 |
| <i>buprenorphine HCl-naloxone HCl sublingual tablet sublingual 2-0.5 mg, 8-2 mg</i>     | 2         | QL (90 EA per 30 days)          |
| <b>Opioid Reversal Agents</b>   |           |                                 |
| <i>naloxone HCl injection solution 0.4 mg/ml, 4 mg/10ml</i>                             | 2         |                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits     |
|--|-----------|-------------------------|
| <i>naloxone HCl injection solution cartridge 0.4 mg/ml</i>   | 2         |                         |
| <i>naloxone HCl injection solution prefilled syringe 2 mg/2ml</i>  | 2         |                         |
| <i>naloxone HCl nasal liquid 4 mg/0.1ml</i>  | 1         | QL (4 EA per 1 day)     |
| OPVEE NASAL SOLUTION 2.7 MG/0.1ML  | 3         |                         |
| ZIMHI INJECTION SOLUTION PREFILLED SYRINGE 5 MG/0.5ML  | 3         |                         |
| <b>Smoking Cessation Agents</b>  |           |                         |
| <i>apo-varenicline oral tablet 0.5 mg, 1 mg</i>  | 2         | QL (60 EA per 30 days)  |
| <i>bupropion HCl ER (smoking det) oral tablet extended release 12 hour 150 mg</i>  | 2         | QL (60 EA per 30 days)  |
| NICOTROL INHALATION INHALER 10 MG  | 4         | QL (336 EA per 30 days) |
| NICOTROL NS NASAL SOLUTION 10 MG/ML  | 4         |                         |
| <i>varenicline tartrate (starter) oral tablet therapy pack 0.5 mg x 11 &amp; 1 mg x 42</i>                                       | 2         | QL (53 EA per 28 days)  |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i>   | 2         | QL (60 EA per 30 days)  |
| <i>varenicline tartrate oral tablet 1 mg (56 pack)</i>   | 2         | QL (56 EA per 28 days)  |
| <b>Antibacterials</b>  |           |                         |
| <b>Aminoglycosides</b>   |           |                         |
| ARIKAYCE INHALATION SUSPENSION 590 MG/8.4ML  | 5         | PA; NM; NEDS            |
| <i>gentamicin in saline intravenous solution 0.8-0.9 mg/ml-%, 1-0.9 mg/ml-%, 1.2-0.9 mg/ml-%, 1.6-0.9 mg/ml-%, 2-0.9 mg/ml-%</i> | 2         |                         |
| <i>gentamicin sulfate external cream 0.1 %</i>   | 2         | QL (90 GM per 30 days)  |
| <i>gentamicin sulfate external ointment 0.1 %</i>  | 2         | QL (90 GM per 30 days)  |
| <i>gentamicin sulfate injection solution 10 mg/ml, 40 mg/ml</i>  | 2         |                         |
| <i>neomycin sulfate oral tablet 500 mg</i>   | 2         |                         |
| <i>paromomycin sulfate oral capsule 250 mg</i>   | 2         |                         |
| <i>streptomycin sulfate intramuscular solution reconstituted 1 gm</i>  | 4         |                         |
| <i>tobramycin sulfate injection solution 1.2 gm/30ml, 10 mg/ml, 2 gm/50ml, 80 mg/2ml</i>   | 4         |                         |
| <b>Antibacterials, Other</b>   |           |                         |
| AEMCOLO ORAL TABLET DELAYED RELEASE 194 MG   | 4         |                         |
| <i>aztreonam injection solution reconstituted 1 gm, 2 gm</i>   | 4         |                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|------------------|----------------------------------|
| <i>chloramphenicol sod succinate intravenous solution reconstituted 1 gm</i>  | 2                |                                  |
| CLEOCIN VAGINAL SUPPOSITORY 100 MG  | 4                |                                  |
| <i>clindamycin HCl oral capsule 150 mg, 300 mg, 75 mg</i>   | 2                |                                  |
| <i>clindamycin palmitate HCl oral solution reconstituted 75 mg/5ml</i>  | 2                |                                  |
| <i>clindamycin phosphate external swab 1 %</i>  | 2                |                                  |
| <i>clindamycin phosphate in d5w intravenous solution 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i>                            | 2                |                                  |
| <i>clindamycin phosphate injection solution 300 mg/2ml, 600 mg/4ml, 900 mg/6ml, 9000 mg/60ml</i>                          | 2                |                                  |
| <i>clindamycin phosphate vaginal cream 2 %</i>  | 2                |                                  |
| <i>colistimethate sodium (cba) injection solution reconstituted 150 mg</i>  | 4                |                                  |
| <i>daptomycin intravenous solution reconstituted 350 mg, 500 mg</i>   | 5                | NM; NEDS                         |
| <i>daptomycin-NaCl intravenous solution 1000-0.9 mg/100ml-%, 350-0.9 mg/50ml-%, 500-0.9 mg/50ml-%, 700-0.9 mg/100ml-%</i> | 4                |                                  |
| <i>fosfomycin tromethamine oral packet 3 gm</i>   | 4                |                                  |
| IMPAVIDO ORAL CAPSULE 50 MG   | 5                | NM; QL (84 EA per 28 days); NEDS |
| <i>linezolid intravenous solution 600 mg/300ml</i>  | 4                |                                  |
| <i>linezolid oral suspension reconstituted 100 mg/5ml</i>   | 2                | QL (1800 ML per 30 days)         |
| <i>linezolid oral tablet 600 mg</i>   | 2                | QL (60 EA per 30 days)           |
| <i>methenamine hippurate oral tablet 1 gm</i>   | 2                |                                  |
| <i>metronidazole intravenous solution 500 mg/100ml</i>  | 2                |                                  |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>   | 2                |                                  |
| <i>metronidazole vaginal gel 0.75 %</i>   | 2                |                                  |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>  | 2                |                                  |
| <i>nitrofurantoin monohyd macro oral capsule 100 mg</i>   | 2                |                                  |
| <i>nitrofurantoin oral suspension 25 mg/5ml</i>   | 2                |                                  |
| NUVESSA VAGINAL GEL 1.3 %   | 4                |                                  |
| <i>polymyxin b sulfate injection solution reconstituted 500000 unit</i>   | 2                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                  |
|---|-----------|--------------------------------------|
| SIVEXTRO INTRAVENOUS SOLUTION RECONSTITUTED 200 MG  | 5         | PA; NM; QL (6 EA per 30 days); NEDS  |
| SIVEXTRO ORAL TABLET 200 MG   | 5         | PA; NM; QL (6 EA per 30 days); NEDS  |
| SYNERCID INTRAVENOUS SOLUTION RECONSTITUTED 150-350 MG  | 5         | NM; NEDS                             |
| <i>tigecycline intravenous solution reconstituted 50 mg</i>   | 4         |                                      |
| <i>tinidazole oral tablet 250 mg, 500 mg</i>  | 2         |                                      |
| <i>trimethoprim oral tablet 100 mg</i>  | 1         |                                      |
| <i>vancomycin HCl intravenous solution reconstituted 1 gm, 1.75 gm, 10 gm, 100 gm, 2 gm, 5 gm, 500 mg, 750 mg</i> | 2         |                                      |
| <i>vancomycin HCl oral capsule 125 mg</i>   | 2         |                                      |
| <i>vancomycin HCl oral capsule 250 mg</i>   | 4         |                                      |
| <i>vancomycin HCl oral solution reconstituted 25 mg/ml, 250 mg/5ml</i>  | 2         |                                      |
| VANDAZOLE VAGINAL GEL 0.75 %  | 3         |                                      |
| XENLETA ORAL TABLET 600 MG  | 5         | PA; NM; QL (60 EA per 30 days); NEDS |
| <b>Beta-lactam, Cephalosporins</b>  |           |                                      |
| AVYCAZ INTRAVENOUS SOLUTION RECONSTITUTED 2.5 (2-0.5) GM  | 5         | NM; NEDS                             |
| <i>cefaclor oral capsule 250 mg, 500 mg</i>   | 2         |                                      |
| <i>cefaclor oral suspension reconstituted 125 mg/5ml, 250 mg/5ml, 375 mg/5ml</i>                                  | 4         |                                      |
| <i>cefadroxil oral capsule 500 mg</i>   | 1         |                                      |
| <i>cefadroxil oral suspension reconstituted 250 mg/5ml, 500 mg/5ml</i>  | 2         |                                      |
| <i>cefadroxil oral tablet 1 gm</i>  | 2         |                                      |
| <i>cefazolin sodium injection solution reconstituted 1 gm, 10 gm, 100 gm, 2 gm, 3 gm, 300 gm, 500 mg</i>          | 2         |                                      |
| <i>cefazolin sodium intravenous solution reconstituted 1 gm, 2 gm, 3 gm</i>                                       | 2         |                                      |
| <i>cefdinir oral capsule 300 mg</i>   | 2         |                                      |
| <i>cefdinir oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>  | 2         |                                      |
| <i>cefepime HCl injection solution reconstituted 1 gm</i>   | 4         |                                      |
| <i>cefepime HCl intravenous solution 1 gm/50ml</i>  | 4         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>cefepime HCl intravenous solution reconstituted 2 gm</i>                                   | 4                |                            |
| <i>cefepime-dextrose intravenous solution reconstituted 1-5 gm-%(50ml)</i>                    | 4                |                            |
| <i>cefixime oral capsule 400 mg</i>   | 4                |                            |
| <i>cefixime oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>                          | 4                |                            |
| <i>cefotaxime sodium injection solution reconstituted 1 gm</i>                                | 4                |                            |
| <i>cefotaxime sodium injection solution reconstituted 2 gm</i>                                | 2                |                            |
| <i>cefoxitin sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i>                  | 2                |                            |
| <i>cefpodoxime proxetil oral suspension reconstituted 100 mg/5ml, 50 mg/5ml</i>               | 2                |                            |
| <i>cefpodoxime proxetil oral tablet 100 mg, 200 mg</i>  | 2                |                            |
| <i>cefprozil oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                         | 2                |                            |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>   | 2                |                            |
| <i>ceftazidime injection solution reconstituted 1 gm, 6 gm</i>                                | 2                |                            |
| <i>ceftazidime intravenous solution reconstituted 2 gm</i>                                    | 2                |                            |
| <i>ceftriaxone sodium injection solution reconstituted 1 gm, 100 gm, 2 gm, 250 mg, 500 mg</i> | 4                |                            |
| <i>ceftriaxone sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i>                | 4                |                            |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>   | 2                |                            |
| <i>cefuroxime sodium injection solution reconstituted 750 mg</i>                              | 2                |                            |
| <i>cefuroxime sodium intravenous solution reconstituted 1.5 gm</i>                            | 2                |                            |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>   | 2                |                            |
| <i>cephalexin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                        | 2                |                            |
| SUPRAX ORAL SUSPENSION RECONSTITUTED 500 MG/5ML   | 4                |                            |
| SUPRAX ORAL TABLET CHEWABLE 100 MG, 200 MG  | 4                |                            |
| TAZICEF INJECTION SOLUTION RECONSTITUTED 1 GM   | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| TAZICEF INTRAVENOUS SOLUTION RECONSTITUTED 1 GM, 2 GM, 6 GM   | 2                |                            |
| TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED 400 MG, 600 MG   | 5                | NM; NEDS                   |
| <b>Beta-lactam, Penicillins</b>   |                  |                            |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i>  | 1                |                            |
| <i>amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i>                                   | 1                |                            |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i>   | 1                |                            |
| <i>amoxicillin oral tablet chewable 125 mg, 250 mg</i>  | 1                |                            |
| <i>amoxicillin-pot clavulanate ER oral tablet extended release 12 hour 1000-62.5 mg</i>   | 2                |                            |
| <i>amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5 mg/5ml, 250-62.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml</i> | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i>   | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet chewable 200-28.5 mg, 400-57 mg</i>  | 2                |                            |
| <i>ampicillin oral capsule 500 mg</i>   | 2                |                            |
| <i>ampicillin sodium injection solution reconstituted 1 gm, 125 mg, 2 gm, 250 mg, 500 mg</i>                                      | 4                |                            |
| <i>ampicillin sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i>   | 4                |                            |
| <i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm</i>                                    | 2                |                            |
| <i>ampicillin-sulbactam sodium intravenous solution reconstituted 1.5 (1-0.5) gm, 15 (10-5) gm, 3 (2-1) gm</i>                    | 2                |                            |
| BICILLIN C-R 900/300 INTRAMUSCULAR SUSPENSION 900000-300000 UNIT/2ML  | 4                |                            |
| BICILLIN C-R INTRAMUSCULAR SUSPENSION 1200000 UNIT/2ML  | 4                |                            |
| BICILLIN L-A INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1200000 UNIT/2ML, 2400000 UNIT/4ML, 600000 UNIT/ML                        | 4                |                            |
| <i>dicloxacillin sodium oral capsule 250 mg, 500 mg</i>   | 2                |                            |
| <i>nafcillin sodium injection solution reconstituted 1 gm, 2 gm</i>   | 4                |                            |
| <i>nafcillin sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i>  | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>oxacillin sodium in dextrose intravenous solution 1 gm/50ml, 2 gm/50ml</i>   | 4                |                            |
| <i>oxacillin sodium injection solution reconstituted 1 gm, 2 gm</i>   | 4                |                            |
| <i>oxacillin sodium intravenous solution reconstituted 10 gm</i>  | 4                |                            |
| <i>penicillin g pot in dextrose intravenous solution 20000 unit/ml, 40000 unit/ml, 60000 unit/ml</i>  | 4                |                            |
| <i>penicillin g potassium injection solution reconstituted 20000000 unit, 5000000 unit</i>  | 4                |                            |
| <i>penicillin g procaine intramuscular suspension 600000 unit/ml</i>  | 4                |                            |
| <i>penicillin g sodium injection solution reconstituted 5000000 unit</i>  | 4                |                            |
| <i>penicillin v potassium oral solution reconstituted 125 mg/5ml, 250 mg/5ml</i>  | 1                |                            |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i>  | 1                |                            |
| <i>piperacillin sod-tazobactam so intravenous solution reconstituted 13.5 (12-1.5) gm, 2.25 (2-0.25) gm, 3.375 (3-0.375) gm, 4.5 (4-0.5) gm, 40.5 (36-4.5) gm</i> | 4                |                            |
| <b>Carbapenems</b>  |                  |                            |
| <i>ertapenem sodium injection solution reconstituted 1 gm</i>   | 4                |                            |
| <i>imipenem-cilastatin intravenous solution reconstituted 250 mg, 500 mg</i>  | 2                |                            |
| <i>meropenem intravenous solution reconstituted 1 gm, 2 gm, 500 mg</i>  | 4                |                            |
| <b>Macrolides</b>   |                  |                            |
| <i>azithromycin intravenous solution reconstituted 500 mg</i>   | 2                |                            |
| <i>azithromycin oral packet 1 gm</i>  | 4                |                            |
| <i>azithromycin oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>  | 2                |                            |
| <i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack)</i>  | 1                |                            |
| <i>azithromycin oral tablet 600 mg</i>  | 2                |                            |
| <i>clarithromycin ER oral tablet extended release 24 hour 500 mg</i>  | 2                |                            |
| <i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>  | 2                |                            |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|---|------------------|---------------------------------------|
| DIFICID ORAL SUSPENSION RECONSTITUTED 40 MG/ML  | 5                | PA; NM; QL (136 ML per 10 days); NEDS |
| DIFICID ORAL TABLET 200 MG  | 5                | PA; NM; QL (20 EA per 10 days); NEDS  |
| <i>ery-tab oral tablet delayed release 250 mg, 500 mg</i>                               | 4                |                                       |
| <i>erythrocin lactobionate intravenous solution reconstituted 500 mg</i>                | 4                |                                       |
| <i>erythrocin stearate oral tablet 250 mg</i>   | 4                |                                       |
| <i>erythromycin base oral capsule delayed release particles 250 mg</i>                  | 4                |                                       |
| <i>erythromycin base oral tablet 250 mg, 500 mg</i>                                     | 4                |                                       |
| <i>erythromycin ethylsuccinate oral suspension reconstituted 200 mg/5ml, 400 mg/5ml</i> | 4                |                                       |
| <i>erythromycin ethylsuccinate oral tablet 400 mg</i>                                   | 4                |                                       |
| <i>erythromycin lactobionate intravenous solution reconstituted 500 mg</i>              | 4                |                                       |
| <i>erythromycin oral tablet delayed release 250 mg, 333 mg, 500 mg</i>                  | 4                |                                       |
| <b>Quinolones</b>   |                  |                                       |
| BAXDELA ORAL TABLET 450 MG  | 5                | PA; NM; QL (28 EA per 14 days); NEDS  |
| <i>ciprofloxacin HCl oral tablet 100 mg</i>   | 4                |                                       |
| <i>ciprofloxacin HCl oral tablet 250 mg, 500 mg, 750 mg</i>                             | 1                |                                       |
| <i>ciprofloxacin in d5w intravenous solution 200 mg/100ml, 400 mg/200ml</i>             | 2                |                                       |
| <i>ciprofloxacin oral suspension reconstituted 250 mg/5ml (5%), 500 mg/5ml (10%)</i>    | 2                |                                       |
| <i>levofloxacin in d5w intravenous solution 250 mg/50ml, 500 mg/100ml, 750 mg/150ml</i> | 2                |                                       |
| <i>levofloxacin intravenous solution 25 mg/ml</i>                                       | 2                |                                       |
| <i>levofloxacin oral solution 25 mg/ml</i>  | 2                |                                       |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>                                  | 1                |                                       |
| <i>moxifloxacin HCl in NaCl intravenous solution 400 mg/250ml</i>                       | 2                |                                       |
| <i>moxifloxacin HCl oral tablet 400 mg</i>  | 2                |                                       |
| <i>ofloxacin oral tablet 300 mg, 400 mg</i>   | 4                |                                       |
| <b>Sulfonamides</b>   |                  |                                       |
| <i>sulfacetamide sodium (acne) external lotion 10 %</i>                                 | 2                |                                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| Drug Name   | Drug Tier | Requirements/Limits                       |
|---|-----------|---|
| <i>sulfadiazine oral tablet 500 mg</i>                                  | 2         |   |
| <i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5ml</i> | 2         |   |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i>      | 2         |   |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>  | 1         |   |
| <b>Tetracyclines</b>  |           |   |
| <i>demeclocycline HCl oral tablet 150 mg, 300 mg</i>                    | 4         |   |
| <i>doxy 100 intravenous solution reconstituted 100 mg</i>               | 4         |   |
| <i>doxycycline hyclate intravenous solution reconstituted 100 mg</i>    | 4         |   |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>                   | 2         |   |
| <i>doxycycline hyclate oral tablet 100 mg</i>                           | 2         |   |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>               | 2         |   |
| <i>doxycycline monohydrate oral suspension reconstituted 25 mg/5ml</i>  | 2         |   |
| <i>doxycycline monohydrate oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i> | 2         |   |
| MINOCIN INTRAVENOUS SOLUTION RECONSTITUTED 100 MG                       | 3         |   |
| <i>minocycline HCl oral capsule 100 mg, 50 mg, 75 mg</i>                | 2         |   |
| MONDOXYNE NL ORAL CAPSULE 100 MG  | 2         |   |
| NUZYRA INTRAVENOUS SOLUTION RECONSTITUTED 100 MG                        | 5         | PA; NM; NEDS                              |
| NUZYRA ORAL TABLET 150 MG   | 5         | PA; NM; QL (90 EA per 30 days); NEDS      |
| <i>tetracycline HCl oral capsule 250 mg, 500 mg</i>                     | 4         |   |
| <b>Anticonvulsants</b>  |           |   |
| <b>Anticonvulsants, Other</b>   |           |   |
| BRIVIACT ORAL SOLUTION 10 MG/ML   | 5         | ST NSO; NM; QL (600 ML per 30 days); NEDS |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG                 | 5         | ST NSO; NM; QL (60 EA per 30 days); NEDS  |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML                                       | 5         | PA NSO; NM; NEDS                          |
| EPRONTIA ORAL SOLUTION 25 MG/ML   | 4         | QL (480 ML per 30 days)                   |
| <i>felbamate oral suspension 600 mg/5ml</i>                             | 4         |   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>                |
|---|------------------|---|
| <i>felbamate oral tablet 400 mg, 600 mg</i>   | 4                |   |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML  | 5                | PA NSO; NM; QL (360 ML per 30 days); NEDS |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML   | 4                | ST NSO; QL (720 ML per 30 days)           |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG  | 5                | ST NSO; NM; QL (30 EA per 30 days); NEDS  |
| FYCOMPA ORAL TABLET 2 MG  | 4                | ST NSO; QL (30 EA per 30 days)            |
| <i>lamotrigine ER oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> | 4                |   |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>  | 1                |   |
| <i>lamotrigine oral tablet chewable 25 mg, 5 mg</i>   | 2                |   |
| <i>lamotrigine oral tablet dispersible 100 mg, 200 mg, 25 mg, 50 mg</i>                                 | 4                |   |
| <i>levetiracetam ER oral tablet extended release 24 hour 500 mg</i>                                     | 2                | QL (180 EA per 30 days)                   |
| <i>levetiracetam ER oral tablet extended release 24 hour 750 mg</i>                                     | 2                | QL (120 EA per 30 days)                   |
| <i>levetiracetam intravenous solution 500 mg/5ml</i>  | 4                |   |
| <i>levetiracetam oral solution 100 mg/ml</i>  | 2                |   |
| <i>levetiracetam oral tablet 1000 mg, 250 mg, 500 mg, 750 mg</i>  | 2                |   |
| NAYZILAM NASAL SOLUTION 5 MG/0.1ML  | 3                | PA NSO; QL (10 EA per 30 days)            |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 1000 MG, 250 MG, 500 MG, 750 MG                              | 4                |   |
| SUBVENITE ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG   | 1                |   |
| <i>topiramate ER oral capsule ER 24 hour sprinkle 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i>              | 4                |   |
| <i>topiramate oral capsule sprinkle 15 mg, 25 mg</i>  | 1                |   |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>  | 1                |   |
| <i>valproate sodium intravenous solution 100 mg/ml</i>  | 4                |   |
| XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG  | 4                | ST NSO; QL (60 EA per 30 days)            |
| XCOPRI (350 MG DAILY DOSE) ORAL TABLET THERAPY PACK 150 & 200 MG  | 4                | ST NSO; QL (60 EA per 30 days)            |
| XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG   | 4                | ST NSO; QL (30 EA per 30 days)            |
| XCOPRI ORAL TABLET 150 MG, 200 MG   | 4                | ST NSO; QL (60 EA per 30 days)            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                       |
|--|-----------|---|
| XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5 MG & 14 X 25 MG, 14 X 150 MG & 14 X200 MG, 14 X 50 MG & 14 X100 MG | 4         | ST NSO; QL (28 EA per 28 days)            |
| <b>Calcium Channel Modifying Agents</b>  |           |   |
| <i>ethosuximide oral capsule 250 mg</i>  | 2         |   |
| <i>ethosuximide oral solution 250 mg/5ml</i>   | 2         |   |
| <i>methsuximide oral capsule 300 mg</i>  | 4         |   |
| <b>Gamma-aminobutyric Acid (GABA) Augmenting Agents</b>  |           |   |
| <i>clobazam oral suspension 2.5 mg/ml</i>  | 4         | QL (480 ML per 30 days)                   |
| <i>clobazam oral tablet 10 mg, 20 mg</i>   | 2         |   |
| <i>clonazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>   | 2         |   |
| <i>clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>                              | 2         |   |
| DIACOMIT ORAL CAPSULE 250 MG   | 5         | PA NSO; NM; QL (360 EA per 30 days); NEDS |
| DIACOMIT ORAL CAPSULE 500 MG   | 5         | PA NSO; NM; QL (180 EA per 30 days); NEDS |
| DIACOMIT ORAL PACKET 250 MG  | 5         | PA NSO; NM; QL (360 EA per 30 days); NEDS |
| DIACOMIT ORAL PACKET 500 MG  | 5         | PA NSO; NM; QL (180 EA per 30 days); NEDS |
| <i>diazepam rectal gel 10 mg, 2.5 mg, 20 mg</i>  | 2         |   |
| <i>divalproex sodium ER oral tablet extended release 24 hour 250 mg, 500 mg</i>                              | 2         |   |
| <i>divalproex sodium oral capsule delayed release sprinkle 125 mg</i>  | 2         |   |
| <i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i>                                  | 2         |   |
| <i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>  | 1         |   |
| <i>gabapentin oral solution 250 mg/5ml</i>   | 2         |   |
| <i>gabapentin oral tablet 600 mg, 800 mg</i>   | 1         |   |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG  | 4         | QL (10 EA per 30 days)                    |
| <i>phenobarbital oral elixir 20 mg/5ml</i>   | 2         |   |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>             | 2         |   |
| <i>primidone oral tablet 250 mg, 50 mg</i>   | 1         |   |
| SYMPAZAN ORAL FILM 10 MG   | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                      |
|--|-----------|--|
| SYMPAZAN ORAL FILM 20 MG   | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS |
| SYMPAZAN ORAL FILM 5 MG  | 4         | PA NSO; QL (120 EA per 30 days)          |
| <i>tiagabine HCl oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>                            | 4         |  |
| VALTOCO 10 MG DOSE NASAL LIQUID 10 MG/0.1ML  | 3         | PA NSO; QL (10 EA per 30 days)           |
| VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 7.5 MG/0.1ML                            | 3         | PA NSO; QL (10 EA per 30 days)           |
| VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 10 MG/0.1ML                             | 3         | PA NSO; QL (10 EA per 30 days)           |
| VALTOCO 5 MG DOSE NASAL LIQUID 5 MG/0.1ML  | 3         | PA NSO; QL (10 EA per 30 days)           |
| <i>vigabatrin oral packet 500 mg</i>   | 5         | NM; QL (180 EA per 30 days); NEDS        |
| <i>vigabatrin oral tablet 500 mg</i>   | 5         | NM; QL (180 EA per 30 days); NEDS        |
| <i>vigadrone oral packet 500 mg</i>  | 5         | NM; QL (180 EA per 30 days); NEDS        |
| <i>vigadrone oral tablet 500 mg</i>  | 5         | NM; QL (180 EA per 30 days); NEDS        |
| VIGAFYDE ORAL SOLUTION 100 MG/ML   | 5         | NM; NEDS                                 |
| VIGPODER ORAL PACKET 500 MG  | 5         | NM; QL (180 EA per 30 days); NEDS        |
| <b>Sodium Channel Agents</b>   |           |  |
| APTIOM ORAL TABLET 200 MG, 600 MG, 800 MG  | 5         | ST NSO; NM; QL (60 EA per 30 days); NEDS |
| APTIOM ORAL TABLET 400 MG  | 5         | ST NSO; NM; QL (30 EA per 30 days); NEDS |
| <i>carbamazepine ER oral capsule extended release 12 hour 100 mg, 200 mg, 300 mg</i> | 2         |  |
| <i>carbamazepine ER oral tablet extended release 12 hour 100 mg, 200 mg, 400 mg</i>  | 2         |  |
| <i>carbamazepine oral suspension 100 mg/5ml</i>                                      | 2         |  |
| <i>carbamazepine oral tablet 200 mg</i>  | 2         |  |
| <i>carbamazepine oral tablet chewable 100 mg</i>                                     | 2         |  |
| DILANTIN INFATABS ORAL TABLET CHEWABLE 50 MG   | 3         |  |
| DILANTIN ORAL CAPSULE 100 MG, 30 MG  | 3         |  |
| DILANTIN ORAL SUSPENSION 125 MG/5ML  | 3         |  |
| EPITOL ORAL TABLET 200 MG  | 2         |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|---|------------------|------------------------------------|
| <i>fosphenytoin sodium injection solution 100 mg pe/2ml, 500 mg pe/10ml</i>         | 4                |                                    |
| <i>lacosamide oral solution 10 mg/ml</i>  | 4                | ST NSO; QL (1200 ML per 30 days)   |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>                         | 4                | ST NSO; QL (60 EA per 30 days)     |
| <i>oxcarbazepine ER oral tablet extended release 24 hour 150 mg, 300 mg, 600 mg</i> | 2                |                                    |
| <i>oxcarbazepine oral suspension 300 mg/5ml</i>                                     | 2                |                                    |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>                             | 2                |                                    |
| PHENYTEK ORAL CAPSULE 200 MG, 300 MG  | 4                |                                    |
| <i>phenytoin oral suspension 125 mg/5ml</i>   | 2                |                                    |
| <i>phenytoin oral tablet chewable 50 mg</i>   | 1                |                                    |
| <i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>                | 2                |                                    |
| <i>phenytoin sodium injection solution 50 mg/ml</i>                                 | 2                |                                    |
| <i>rufinamide oral suspension 40 mg/ml</i>  | 5                | NM; QL (2400 ML per 30 days); NEDS |
| <i>rufinamide oral tablet 200 mg</i>  | 4                | QL (240 EA per 30 days)            |
| <i>rufinamide oral tablet 400 mg</i>  | 5                | NM; QL (240 EA per 30 days); NEDS  |
| TEGRETOL-XR ORAL TABLET EXTENDED RELEASE 12 HOUR 100 MG, 200 MG, 400 MG             | 3                |                                    |
| ZONISADE ORAL SUSPENSION 100 MG/5ML   | 4                | PA NSO                             |
| <i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>                                 | 2                |                                    |
| <b>Antidementia Agents</b>  |                  |                                    |
| <b>Antidementia Agents, Other</b>   |                  |                                    |
| <i>ergoloid mesylates oral tablet 1 mg</i>  | 4                |                                    |
| <b>Cholinesterase Inhibitors</b>  |                  |                                    |
| ADLARITY TRANSDERMAL PATCH WEEKLY 10 MG/DAY, 5 MG/DAY                               | 4                | QL (4 EA per 28 days)              |
| <i>donepezil HCl oral tablet 10 mg, 5 mg</i>  | 1                |                                    |
| <i>donepezil HCl oral tablet 23 mg</i>  | 2                | QL (30 EA per 30 days)             |
| <i>donepezil HCl oral tablet dispersible 10 mg, 5 mg</i>                            | 1                |                                    |
| <i>galantamine HBr ER oral capsule extended release 24 hour 16 mg, 24 mg, 8 mg</i>  | 2                | QL (30 EA per 30 days)             |
| <i>galantamine HBr oral solution 4 mg/ml</i>  | 4                | QL (180 ML per 30 days)            |
| <i>galantamine HBr oral tablet 12 mg, 4 mg, 8 mg</i>                                | 2                | QL (60 EA per 30 days)             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|---|------------------|--|
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>                      | 2                | QL (60 EA per 30 days)                   |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24hr, 4.6 mg/24hr, 9.5 mg/24hr</i>      | 4                | QL (30 EA per 30 days)                   |
| <b>N-methyl-D-aspartate (NMDA) Receptor Antagonist</b>                                    |                  |  |
| <i>memantine HCl ER oral capsule extended release 24 hour 14 mg, 21 mg, 28 mg, 7 mg</i>   | 4                | ST; QL (30 EA per 30 days)               |
| <i>memantine HCl oral solution 2 mg/ml</i>  | 1                |  |
| <i>memantine HCl oral tablet 10 mg, 28 x 5 mg &amp; 21 x 10 mg, 5 mg</i>                  | 1                |  |
| <b>Antidepressants</b>  |                  |  |
| <b>Antidepressants, Other</b>   |                  |  |
| AUVELITY ORAL TABLET EXTENDED RELEASE 45-105 MG   | 4                | ST NSO; QL (60 EA per 30 days)           |
| <i>bupropion HCl ER (SR) oral tablet extended release 12 hour 100 mg</i>                  | 2                | QL (120 EA per 30 days)                  |
| <i>bupropion HCl ER (SR) oral tablet extended release 12 hour 150 mg</i>                  | 2                | QL (90 EA per 30 days)                   |
| <i>bupropion HCl ER (SR) oral tablet extended release 12 hour 200 mg</i>                  | 2                | QL (60 EA per 30 days)                   |
| <i>bupropion HCl ER (XL) oral tablet extended release 24 hour 150 mg, 300 mg</i>          | 2                |  |
| <i>bupropion HCl oral tablet 100 mg</i>   | 2                | QL (120 EA per 30 days)                  |
| <i>bupropion HCl oral tablet 75 mg</i>  | 2                | QL (180 EA per 30 days)                  |
| <i>chlordiazepoxide-amitriptyline oral tablet 10-25 mg, 5-12.5 mg</i>                     | 4                |  |
| <i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg</i>  | 1                |  |
| <i>mirtazapine oral tablet 7.5 mg</i>   | 2                | QL (30 EA per 30 days)                   |
| <i>mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg</i>                            | 2                | QL (30 EA per 30 days)                   |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i> | 4                |  |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG  | 5                | PA NSO; NM; QL (28 EA per 14 days); NEDS |
| ZURZUVAE ORAL CAPSULE 30 MG   | 5                | PA NSO; NM; QL (14 EA per 14 days); NEDS |
| <b>Monoamine Oxidase Inhibitors</b>   |                  |  |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24HR, 6 MG/24HR, 9 MG/24HR                          | 5                | NM; QL (30 EA per 30 days); NEDS         |
| MARPLAN ORAL TABLET 10 MG   | 4                |  |
| <i>phenelzine sulfate oral tablet 15 mg</i>   | 2                |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits            |
|--|-----------|--------------------------------|
| <i>tranylcypromine sulfate oral tablet 10 mg</i>   | 4         |                                |
| <b>SSRIs/SNRIs (Selective Serotonin Reuptake Inhibitors/Serotonin and Norepinephrine Reuptake Inhibitor)</b> |           |                                |
| <i>citalopram HBr oral solution 10 mg/5ml</i>  | 2         | QL (600 ML per 30 days)        |
| <i>citalopram HBr oral tablet 10 mg, 20 mg, 40 mg</i>  | 1         |                                |
| <i>desvenlafaxine succinate ER oral tablet extended release 24 hour 100 mg</i>                               | 2         | QL (120 EA per 30 days)        |
| <i>desvenlafaxine succinate ER oral tablet extended release 24 hour 25 mg, 50 mg</i>                         | 2         | QL (30 EA per 30 days)         |
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 20 MG, 60 MG   | 4         | QL (60 EA per 30 days)         |
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 30 MG, 40 MG   | 4         | QL (90 EA per 30 days)         |
| <i>duloxetine HCl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i>                             | 2         |                                |
| <i>escitalopram oxalate oral solution 5 mg/5ml</i>   | 2         | QL (600 ML per 30 days)        |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>   | 1         |                                |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 20 MG, 40 MG, 80 MG                                    | 4         | ST NSO; QL (30 EA per 30 days) |
| FETZIMA TITRATION ORAL CAPSULE ER 24 HOUR THERAPY PACK 20 & 40 MG  | 4         | ST NSO; QL (28 EA per 28 days) |
| <i>fluoxetine HCl (PMDD) oral tablet 10 mg, 20 mg</i>  | 2         |                                |
| <i>fluoxetine HCl oral capsule 10 mg, 20 mg, 40 mg</i>   | 1         |                                |
| <i>fluoxetine HCl oral solution 20 mg/5ml</i>  | 2         | QL (600 ML per 30 days)        |
| <i>fluoxetine HCl oral tablet 10 mg, 20 mg</i>   | 2         |                                |
| <i>fluvoxamine maleate ER oral capsule extended release 24 hour 100 mg, 150 mg</i>                           | 4         | QL (60 EA per 30 days)         |
| <i>fluvoxamine maleate oral tablet 100 mg, 25 mg, 50 mg</i>  | 2         | QL (90 EA per 30 days)         |
| <i>nefazodone HCl oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>                                      | 2         |                                |
| <i>paroxetine HCl ER oral tablet extended release 24 hour 12.5 mg, 25 mg, 37.5 mg</i>                        | 4         |                                |
| <i>paroxetine HCl oral suspension 10 mg/5ml</i>  | 4         | QL (900 ML per 30 days)        |
| <i>paroxetine HCl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>   | 1         |                                |
| <i>sertraline HCl oral concentrate 20 mg/ml</i>  | 2         | QL (300 ML per 30 days)        |
| <i>sertraline HCl oral tablet 100 mg, 25 mg, 50 mg</i>   | 1         |                                |
| <i>trazodone HCl oral tablet 100 mg, 150 mg, 50 mg</i>   | 1         |                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--|------------------|--------------------------------|
| <i>trazodone HCl oral tablet 300 mg</i>  | 2                |                                |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG  | 4                | ST NSO; QL (30 EA per 30 days) |
| <i>venlafaxine besylate ER oral tablet extended release 24 hour 112.5 mg</i>           | 4                | ST NSO; QL (60 EA per 30 days) |
| <i>venlafaxine HCl ER oral capsule extended release 24 hour 150 mg, 37.5 mg, 75 mg</i> | 1                |                                |
| <i>venlafaxine HCl oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>                | 1                |                                |
| <i>vilazodone HCl oral tablet 10 mg, 20 mg, 40 mg</i>                                  | 4                | QL (30 EA per 30 days)         |
| <b>Tricyclics</b>  |                  |                                |
| <i>amitriptyline HCl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>        | 2                |                                |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>                              | 2                |                                |
| <i>clomipramine HCl oral capsule 25 mg, 50 mg, 75 mg</i>                               | 4                | ST NSO                         |
| <i>desipramine HCl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>          | 2                |                                |
| <i>doxepin HCl oral capsule 10 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                     | 2                |                                |
| DOXEPIN HCL ORAL CAPSULE 100 MG  | 2                |                                |
| <i>doxepin HCl oral concentrate 10 mg/ml</i>   | 2                |                                |
| <i>imipramine HCl oral tablet 10 mg, 25 mg, 50 mg</i>                                  | 2                |                                |
| <i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>                   | 4                |                                |
| <i>nortriptyline HCl oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>                       | 2                |                                |
| <i>nortriptyline HCl oral solution 10 mg/5ml</i>                                       | 4                |                                |
| <i>protriptyline HCl oral tablet 10 mg, 5 mg</i>                                       | 4                |                                |
| <i>trimipramine maleate oral capsule 100 mg, 25 mg, 50 mg</i>                          | 2                |                                |
| <b>Antiemetics</b>   |                  |                                |
| <b>Antiemetics, Other</b>  |                  |                                |
| COMPRO RECTAL SUPPOSITORY 25 MG  | 2                |                                |
| <i>meclizine HCl oral tablet 12.5 mg, 25 mg</i>  | 2                |                                |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>                                | 2                |                                |
| <i>prochlorperazine rectal suppository 25 mg</i>                                       | 2                |                                |
| <i>promethazine HCl oral solution 6.25 mg/5ml</i>                                      | 2                |                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|---|------------------|--------------------------------|
| <i>promethazine HCl oral tablet 12.5 mg, 25 mg, 50 mg</i>   | 2                |                                |
| <i>promethazine HCl rectal suppository 12.5 mg, 25 mg</i>   | 2                |                                |
| <i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>   | 2                |                                |
| <i>scopolamine transdermal patch 72 hour 1 mg/3days</i>   | 4                | QL (10 EA per 30 days)         |
| <i>trimethobenzamide HCl oral capsule 300 mg</i>  | 2                |                                |
| <b>Emetogenic Therapy Adjuncts</b>  |                  |                                |
| <i>aprepitant oral capsule 125 mg, 40 mg</i>  | 2                | PA B/D; QL (1 EA per 1 day)    |
| <i>aprepitant oral capsule 80 &amp; 125 mg</i>  | 2                | PA B/D; QL (6 EA per 28 days)  |
| <i>aprepitant oral capsule 80 mg</i>  | 2                | PA B/D; QL (4 EA per 28 days)  |
| <i>dronabinol oral capsule 10 mg</i>  | 4                | PA; QL (60 EA per 30 days)     |
| <i>dronabinol oral capsule 2.5 mg, 5 mg</i>   | 4                | PA; QL (180 EA per 30 days)    |
| <i>granisetron HCl oral tablet 1 mg</i>   | 2                | PA B/D; QL (60 EA per 30 days) |
| <i>ondansetron HCl oral solution 4 mg/5ml</i>   | 4                | PA B/D                         |
| <i>ondansetron HCl oral tablet 4 mg, 8 mg</i>   | 2                | PA B/D                         |
| <i>ondansetron oral tablet dispersible 4 mg, 8 mg</i>   | 2                | PA B/D                         |
| <b>Antifungals</b>  |                  |                                |
| <b>Antifungals</b>  |                  |                                |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML  | 4                | PA B/D                         |
| <i>amphotericin b intravenous solution reconstituted 50 mg</i>  | 2                | PA B/D                         |
| <i>amphotericin b liposome intravenous suspension reconstituted 50 mg</i>                                 | 5                | PA B/D; NM; NEDS               |
| <i>casprofungin acetate intravenous solution reconstituted 50 mg</i>                                      | 5                | NM; NEDS                       |
| <i>casprofungin acetate intravenous solution reconstituted 70 mg</i>                                      | 4                |                                |
| <i>clotrimazole external cream 1 %</i>  | 2                |                                |
| <i>clotrimazole external solution 1 %</i>   | 2                |                                |
| <i>clotrimazole mouth/throat troche 10 mg</i>   | 2                |                                |
| CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG   | 5                | PA; NM; NEDS                   |
| <i>econazole nitrate external cream 1 %</i>   | 2                |                                |
| <i>fluconazole in NaCl intravenous solution 100-0.9 mg/50ml-%, 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-%</i> | 2                |                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|---|------------------|-----------------------------|
| <i>fluconazole oral suspension reconstituted 10 mg/ml, 40 mg/ml</i>                     | 2                |                             |
| <i>fluconazole oral tablet 100 mg, 200 mg, 50 mg</i>                                    | 2                |                             |
| <i>fluconazole oral tablet 150 mg</i>   | 1                |                             |
| <i>flucytosine oral capsule 250 mg, 500 mg</i>  | 5                | NM; NEDS                    |
| <i>griseofulvin microsize oral suspension 125 mg/5ml</i>                                | 2                |                             |
| <i>griseofulvin microsize oral tablet 500 mg</i>  | 4                |                             |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>                           | 4                |                             |
| GYNAZOLE-1 VAGINAL CREAM 2 %  | 3                |                             |
| <i>itraconazole oral capsule 100 mg</i>   | 2                | PA; QL (120 EA per 30 days) |
| <i>itraconazole oral solution 10 mg/ml</i>  | 4                | PA                          |
| <i>ketoconazole external cream 2 %</i>  | 2                |                             |
| <i>ketoconazole external shampoo 2 %</i>  | 2                |                             |
| <i>ketoconazole oral tablet 200 mg</i>  | 2                |                             |
| <i>klayesta external powder 100000 unit/gm</i>  | 2                |                             |
| <i>miconazole sodium intravenous solution reconstituted 100 mg</i>                      | 4                |                             |
| <i>miconazole sodium intravenous solution reconstituted 50 mg</i>                       | 5                | NM; NEDS                    |
| <i>miconazole sodium-NaCl intravenous solution 100-0.9 mg/100ml-%, 50-0.9 mg/50ml-%</i> | 4                |                             |
| <i>miconazole 3 vaginal suppository 200 mg</i>  | 2                |                             |
| <i>naftifine HCl external cream 1 %</i>   | 4                |                             |
| NOXAFIL ORAL PACKET 300 MG  | 5                | PA; NM; NEDS                |
| NYAMYC EXTERNAL POWDER 100000 UNIT/GM   | 2                |                             |
| <i>nystatin external cream 100000 unit/gm</i>   | 2                | QL (90 GM per 30 days)      |
| <i>nystatin external ointment 100000 unit/gm</i>  | 2                | QL (90 GM per 30 days)      |
| <i>nystatin external powder 100000 unit/gm</i>  | 2                |                             |
| <i>nystatin mouth/throat suspension 100000 unit/ml</i>                                  | 2                |                             |
| <i>nystatin oral tablet 500000 unit</i>   | 2                |                             |
| NYSTOP EXTERNAL POWDER 100000 UNIT/GM   | 2                |                             |
| <i>oxiconazole nitrate external cream 1 %</i>   | 4                |                             |
| <i>posaconazole intravenous solution 300 mg/16.7ml</i>                                  | 5                | PA; NM; NEDS                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| <i>posaconazole oral suspension 40 mg/ml</i>                             | 5         | PA; NM; QL (840 ML per 28 days); NEDS |
| <i>posaconazole oral tablet delayed release 100 mg</i>                   | 2         | PA                                    |
| <i>terbinafine HCl oral tablet 250 mg</i>                                | 2         |                                       |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>                            | 2         |                                       |
| <i>terconazole vaginal suppository 80 mg</i>                             | 2         |                                       |
| VIVJOA ORAL CAPSULE THERAPY PACK 150 MG                                  | 4         | PA; QL (18 EA per 84 days)            |
| <i>voriconazole intravenous solution reconstituted 200 mg</i>            | 5         | NM; NEDS                              |
| <i>voriconazole oral suspension reconstituted 40 mg/ml</i>               | 2         | PA                                    |
| <i>voriconazole oral tablet 200 mg, 50 mg</i>                            | 2         | PA; QL (120 EA per 30 days)           |
| <b>Antigout Agents</b>   |           |                                       |
| <b>Antigout Agents</b>   |           |                                       |
| <i>allopurinol oral tablet 100 mg, 300 mg</i>                            | 1         |                                       |
| <i>colchicine oral tablet 0.6 mg</i>                                     | 2         | QL (120 EA per 30 days)               |
| <i>colchicine-probenecid oral tablet 0.5-500 mg</i>                      | 2         |                                       |
| <i>febuxostat oral tablet 40 mg, 80 mg</i>                               | 2         | ST; QL (30 EA per 30 days)            |
| <i>probenecid oral tablet 500 mg</i>                                     | 1         |                                       |
| <b>Antimigraine Agents</b>   |           |                                       |
| <b>Ergot Alkaloids</b>   |           |                                       |
| <i>dihydroergotamine mesylate nasal solution 4 mg/ml</i>                 | 4         | QL (8 ML per 30 days)                 |
| <i>ergotamine-caffeine oral tablet 1-100 mg</i>                          | 2         |                                       |
| MIGERGOT RECTAL SUPPOSITORY 2-100 MG                                     | 5         | NM; QL (20 EA per 28 days); NEDS      |
| <b>Prophylactic</b>  |           |                                       |
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML                    | 4         | PA; QL (1 ML per 30 days)             |
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 70 MG/ML                     | 4         | PA; QL (2 ML per 30 days)             |
| AJOVY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 225 MG/1.5ML                   | 4         | PA; QL (1.5 ML per 30 days)           |
| AJOVY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 225 MG/1.5ML               | 4         | PA; QL (1.5 ML per 30 days)           |
| EMGALITY (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | 3         | PA; QL (3 ML per 30 days)             |
| EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 120 MG/ML                   | 3         | PA; QL (1 ML per 30 days)             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits        |
|---|-----------|----------------------------|
| EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML                              | 3         | PA; QL (1 ML per 30 days)  |
| NURTEC ORAL TABLET DISPERSIBLE 75 MG  | 4         | PA; QL (16 EA per 30 days) |
| QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG   | 4         | PA; QL (30 EA per 30 days) |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                   | 2         |                            |
| UBRELVY ORAL TABLET 100 MG, 50 MG   | 4         | PA; QL (16 EA per 30 days) |
| <b>Serotonin (5-HT) Receptor Agonist</b>  |           |                            |
| <i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>                                  | 4         | QL (18 EA per 30 days)     |
| <i>eletriptan HBr oral tablet 20 mg, 40 mg</i>  | 4         | QL (12 EA per 30 days)     |
| <i>naratriptan HCl oral tablet 1 mg, 2.5 mg</i>   | 2         | QL (18 EA per 28 days)     |
| REYVOW ORAL TABLET 100 MG, 50 MG  | 4         | PA; QL (16 EA per 30 days) |
| <i>rizatriptan benzoate oral tablet 10 mg, 5 mg</i>                                     | 2         | QL (12 EA per 30 days)     |
| <i>rizatriptan benzoate oral tablet dispersible 10 mg, 5 mg</i>                         | 2         | QL (12 EA per 30 days)     |
| <i>sumatriptan nasal solution 20 mg/act</i>   | 4         | QL (8 EA per 30 days)      |
| <i>sumatriptan nasal solution 5 mg/act</i>  | 4         | QL (32 EA per 30 days)     |
| <i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>                           | 2         | QL (18 EA per 30 days)     |
| <i>sumatriptan succinate refill subcutaneous solution cartridge 6 mg/0.5ml</i>          | 4         | QL (8 ML per 30 days)      |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i>                           | 4         | QL (8 ML per 30 days)      |
| <i>sumatriptan succinate subcutaneous solution auto-injector 4 mg/0.5ml, 6 mg/0.5ml</i> | 4         | QL (8 ML per 30 days)      |
| <i>zolmitriptan nasal solution 2.5 mg, 5 mg</i>   | 4         | QL (12 EA per 30 days)     |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>  | 4         | QL (12 EA per 30 days)     |
| <i>zolmitriptan oral tablet dispersible 2.5 mg, 5 mg</i>                                | 4         | QL (12 EA per 30 days)     |
| <b>Antimyasthenic Agents</b>  |           |                            |
| <b>Parasympathomimetics</b>   |           |                            |
| <i>pyridostigmine bromide ER oral tablet extended release 180 mg</i>                    | 2         |                            |
| <i>pyridostigmine bromide oral solution 60 mg/5ml</i>                                   | 2         |                            |
| <i>pyridostigmine bromide oral tablet 60 mg</i>   | 2         |                            |
| <b>Antimycobacterials</b>   |           |                            |
| <b>Antimycobacterials, Other</b>  |           |                            |
| <i>dapsone oral tablet 100 mg, 25 mg</i>  | 2         |                            |
| <i>pretomanid oral tablet 200 mg</i>  | 4         | QL (30 EA per 30 days)     |
| <i>rifabutin oral capsule 150 mg</i>  | 4         |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                       |
|--|-----------|---|
| <b>Antituberculars</b>   |           |   |
| <i>ethambutol HCl oral tablet 100 mg, 400 mg</i>   | 2         |   |
| <i>isoniazid oral syrup 50 mg/5ml</i>  | 2         |   |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>  | 2         |   |
| PRIFTIN ORAL TABLET 150 MG   | 4         |   |
| <i>pyrazinamide oral tablet 500 mg</i>   | 2         |   |
| <i>rifampin intravenous solution reconstituted 600 mg</i>  | 4         |   |
| <i>rifampin oral capsule 150 mg, 300 mg</i>  | 2         |   |
| SIRTURO ORAL TABLET 100 MG, 20 MG  | 5         | NM; NEDS                                  |
| TRECTOR ORAL TABLET 250 MG   | 4         |   |
| <b>Antineoplastics</b>   |           |   |
| <b>Alkylating Agents</b>   |           |   |
| <i>cyclophosphamide intravenous solution 1 gm/2ml, 1 gm/5ml, 1000 mg/10ml, 2 gm/10ml, 2 gm/4ml, 2000 mg/20ml, 500 mg/2.5ml, 500 mg/5ml</i> | 4         |   |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>  | 4         | PA B/D                                    |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i>   | 2         | PA B/D                                    |
| GLEOSTINE ORAL CAPSULE 10 MG, 40 MG  | 4         | PA NSO                                    |
| GLEOSTINE ORAL CAPSULE 100 MG  | 5         | PA NSO; NM; NEDS                          |
| LEUKERAN ORAL TABLET 2 MG  | 3         |   |
| MATULANE ORAL CAPSULE 50 MG  | 5         | NM; NEDS                                  |
| VALCHLOR EXTERNAL GEL 0.016 %  | 5         | PA NSO; NM; NEDS                          |
| ZEPZELCA INTRAVENOUS SOLUTION RECONSTITUTED 4 MG   | 5         | PA NSO; NM; NEDS                          |
| <b>Antiandrogens</b>   |           |   |
| <i>abiraterone acetate oral tablet 250 mg</i>  | 2         | QL (120 EA per 30 days)                   |
| <i>bicalutamide oral tablet 50 mg</i>  | 2         |   |
| ERLEADA ORAL TABLET 240 MG   | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| ERLEADA ORAL TABLET 60 MG  | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| <i>nilutamide oral tablet 150 mg</i>   | 5         | NM; NEDS                                  |
| NUBEQA ORAL TABLET 300 MG  | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| XTANDI ORAL CAPSULE 40 MG  | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                       |
|---|-----------|---|
| XTANDI ORAL TABLET 40 MG  | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| XTANDI ORAL TABLET 80 MG  | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| YONSA ORAL TABLET 125 MG  | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| <b>Antiangiogenic Agents</b>  |           |   |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG                                     | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG                              | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| QINLOCK ORAL TABLET 50 MG   | 5         | PA NSO; NM; QL (90 EA per 30 days); NEDS  |
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG            | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| TABRECTA ORAL TABLET 150 MG, 200 MG                                       | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG                       | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| <b>Antiestrogens/Modifiers</b>  |           |   |
| EMCYT ORAL CAPSULE 140 MG   | 5         | NM; NEDS                                  |
| SOLTAMOX ORAL SOLUTION 10 MG/5ML  | 4         |   |
| <i>tamoxifen citrate oral tablet 10 mg, 20 mg</i>                         | 1         |   |
| <i>toremifene citrate oral tablet 60 mg</i>                               | 5         | NM; NEDS                                  |
| <b>Antimetabolites</b>  |           |   |
| <i>clofarabine intravenous solution 1 mg/ml</i>                           | 5         | NM; NEDS                                  |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG                                | 3         |   |
| <i>floxuridine injection solution reconstituted 0.5 gm</i>                | 2         | PA B/D                                    |
| <i>hydroxyurea oral capsule 500 mg</i>                                    | 2         |   |
| <i>mercaptopurine oral tablet 50 mg</i>                                   | 2         |   |
| PURIXAN ORAL SUSPENSION 2000 MG/100ML                                     | 5         | NM; NEDS                                  |
| TABLOID ORAL TABLET 40 MG   | 4         |   |
| VYXEOS INTRAVENOUS SUSPENSION RECONSTITUTED 44-100 MG                     | 5         | NM; NEDS                                  |
| <b>Antineoplastics, Other</b>   |           |   |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG                                  | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                       |
|--|-----------|---|
| <i>arsenic trioxide intravenous solution 10 mg/10ml, 12 mg/6ml</i>                               | 5         | NM; NEDS                                  |
| BESREMI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 500 MCG/ML                                       | 5         | PA NSO; NM; NEDS                          |
| <i>bortezomib injection solution reconstituted 1 mg, 2.5 mg, 3.5 mg</i>                          | 5         | PA NSO; NM; NEDS                          |
| <i>bortezomib intravenous solution reconstituted 3.5 mg</i>                                      | 5         | PA NSO; NM; NEDS                          |
| <i>decitabine intravenous solution reconstituted 50 mg</i>                                       | 5         | NM; NEDS                                  |
| ELREXFIO SUBCUTANEOUS SOLUTION 44 MG/1.1ML, 76 MG/1.9ML  | 5         | PA NSO; NM; NEDS                          |
| EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8ML, 48 MG/0.8ML  | 5         | PA NSO; NM; NEDS                          |
| GAVRETO ORAL CAPSULE 100 MG  | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG  | 5         | PA NSO; NM; QL (21 EA per 28 days); NEDS  |
| IDHIFA ORAL TABLET 100 MG, 50 MG   | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| INREBIC ORAL CAPSULE 100 MG  | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| ITOVEBI ORAL TABLET 3 MG   | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| ITOVEBI ORAL TABLET 9 MG   | 5         | PA NSO; NM; NEDS                          |
| IWILFIN ORAL TABLET 192 MG   | 5         | PA NSO; NM; NEDS                          |
| IXEMPRA KIT INTRAVENOUS SOLUTION RECONSTITUTED 15 MG, 45 MG                                      | 5         | NM; NEDS                                  |
| KISQALI FEMARA (200 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG                               | 5         | PA NSO; NM; QL (49 EA per 28 days); NEDS  |
| KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG                               | 5         | PA NSO; NM; QL (70 EA per 28 days); NEDS  |
| KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG                               | 5         | PA NSO; NM; QL (91 EA per 28 days); NEDS  |
| KRAZATI ORAL TABLET 200 MG   | 5         | PA NSO; NM; QL (180 EA per 30 days); NEDS |
| LAZCLUZE ORAL TABLET 240 MG  | 5         | PA NSO; NM; NEDS                          |
| LAZCLUZE ORAL TABLET 80 MG   | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| <i>leucovorin calcium injection solution 100 mg/10ml</i>   | 4         |   |
| <i>leucovorin calcium injection solution reconstituted 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i> | 4         |   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                       |
|--|-----------|---|
| LONSURF ORAL TABLET 15-6.14 MG   | 5         | PA NSO; NM; QL (100 EA per 28 days); NEDS |
| LONSURF ORAL TABLET 20-8.19 MG   | 5         | PA NSO; NM; QL (80 EA per 28 days); NEDS  |
| LUMAKRAS ORAL TABLET 120 MG  | 5         | PA NSO; NM; QL (240 EA per 30 days); NEDS |
| LUMAKRAS ORAL TABLET 320 MG  | 5         | PA NSO; NM; QL (90 EA per 30 days); NEDS  |
| LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML, 30 MG/30ML                                | 5         | PA NSO; NM; NEDS                          |
| LYTGOBI (12 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG                         | 5         | PA NSO; NM; QL (140 EA per 28 days); NEDS |
| LYTGOBI (16 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG                         | 5         | PA NSO; NM; QL (140 EA per 28 days); NEDS |
| LYTGOBI (20 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG                         | 5         | PA NSO; NM; QL (140 EA per 28 days); NEDS |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG  | 5         | PA NSO; NM; QL (3 EA per 28 days); NEDS   |
| OGSIVEO ORAL TABLET 100 MG, 150 MG   | 5         | PA NSO; QL (60 EA per 30 days); NEDS      |
| OGSIVEO ORAL TABLET 50 MG  | 5         | PA NSO; NM; QL (180 EA per 30 days); NEDS |
| ONUREG ORAL TABLET 200 MG, 300 MG  | 5         | PA NSO; NM; QL (14 EA per 28 days); NEDS  |
| ORSERDU ORAL TABLET 345 MG   | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| ORSERDU ORAL TABLET 86 MG  | 5         | PA NSO; NM; QL (90 EA per 30 days); NEDS  |
| <i>paclitaxel protein-bound part intravenous suspension reconstituted 100 mg</i> | 5         | PA NSO; NM; NEDS                          |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG                                       | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| RETEVMO ORAL CAPSULE 40 MG   | 5         | PA NSO; NM; QL (180 EA per 30 days); NEDS |
| RETEVMO ORAL CAPSULE 80 MG   | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| RETEVMO ORAL TABLET 120 MG, 160 MG   | 5         | PA NSO; NM; NEDS                          |
| RETEVMO ORAL TABLET 40 MG  | 5         | PA NSO; NM; QL (90 EA per 30 days); NEDS  |
| RETEVMO ORAL TABLET 80 MG  | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG  | 5         | PA NSO; NM; NEDS                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>                |
|--|------------------|---|
| SYNRIBO SUBCUTANEOUS SOLUTION RECONSTITUTED 3.5 MG                   | 5                | PA NSO; NM; NEDS                          |
| TALVEY SUBCUTANEOUS SOLUTION 3 MG/1.5ML, 40 MG/ML                    | 5                | PA NSO; NM; NEDS                          |
| TAZVERIK ORAL TABLET 200 MG  | 5                | PA NSO; NM; QL (240 EA per 30 days); NEDS |
| TRUSELTIQ (100MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 MG        | 5                | NM; NEDS                                  |
| TRUSELTIQ (125MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 & 25 MG   | 5                | NM; NEDS                                  |
| TRUSELTIQ (50MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG          | 5                | NM; NEDS                                  |
| TRUSELTIQ (75MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG          | 5                | NM; NEDS                                  |
| TUKYSA ORAL TABLET 150 MG  | 5                | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| TUKYSA ORAL TABLET 50 MG   | 5                | PA NSO; NM; QL (360 EA per 30 days); NEDS |
| TURALIO ORAL CAPSULE 125 MG  | 5                | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| <i>vinorelbine tartrate intravenous solution 10 mg/ml, 50 mg/5ml</i> | 2                |   |
| VONJO ORAL CAPSULE 100 MG  | 5                | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG           | 5                | PA NSO; NM; QL (8 EA per 28 days); NEDS   |
| XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG            | 5                | PA NSO; NM; QL (4 EA per 28 days); NEDS   |
| XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG           | 5                | PA NSO; NM; QL (8 EA per 28 days); NEDS   |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG            | 5                | PA NSO; NM; QL (4 EA per 28 days); NEDS   |
| XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG           | 5                | PA NSO; NM; QL (24 EA per 28 days); NEDS  |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG            | 5                | PA NSO; NM; QL (8 EA per 28 days); NEDS   |
| XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG           | 5                | PA NSO; NM; QL (32 EA per 28 days); NEDS  |
| ZOLINZA ORAL CAPSULE 100 MG  | 5                | PA NSO; NM; NEDS                          |
| <b>Aromatase Inhibitors, 3rd Generation</b>                          |                  |   |
| <i>anastrozole oral tablet 1 mg</i>                                  | 1                |   |
| <i>exemestane oral tablet 25 mg</i>                                  | 2                | QL (60 EA per 30 days)                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>                |
|--|------------------|---|
| <i>letrozole oral tablet 2.5 mg</i>                                      | 1                |   |
| <b>Enzyme Inhibitors</b>   |                  |   |
| ETOPOPHOS INTRAVENOUS SOLUTION RECONSTITUTED 100 MG                      | 4                |   |
| <i>etoposide intravenous solution 1 gm/50ml, 100 mg/5ml, 500 mg/25ml</i> | 4                |   |
| TOPOSAR INTRAVENOUS SOLUTION 1 GM/50ML, 100 MG/5ML, 500 MG/25ML          | 4                |   |
| <i>topotecan HCl intravenous solution 4 mg/4ml</i>                       | 5                | NM; NEDS                                  |
| <i>topotecan HCl intravenous solution reconstituted 4 mg</i>             | 5                | NM; NEDS                                  |
| <b>Molecular Target Inhibitors</b>                                       |                  |   |
| ALECENSA ORAL CAPSULE 150 MG   | 5                | PA NSO; NM; QL (240 EA per 30 days); NEDS |
| ALUNBRIG ORAL TABLET 180 MG  | 5                | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| ALUNBRIG ORAL TABLET 30 MG   | 5                | PA NSO; NM; QL (180 EA per 30 days); NEDS |
| ALUNBRIG ORAL TABLET 90 MG   | 5                | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180 MG                            | 5                | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG                 | 5                | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG                                    | 5                | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| BOSULIF ORAL CAPSULE 100 MG, 50 MG                                       | 5                | PA NSO; NM; NEDS                          |
| BOSULIF ORAL TABLET 100 MG   | 5                | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| BOSULIF ORAL TABLET 400 MG, 500 MG                                       | 5                | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| BRAFTOVI ORAL CAPSULE 75 MG  | 5                | PA NSO; NM; QL (180 EA per 30 days); NEDS |
| BRUKINSA ORAL CAPSULE 80 MG  | 5                | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG                                | 5                | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| CALQUENCE ORAL CAPSULE 100 MG  | 5                | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| CALQUENCE ORAL TABLET 100 MG   | 5                | PA NSO; NM; QL (60 EA per 30 days); NEDS  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                       |
|---|-----------|---|
| CAPRELSA ORAL TABLET 100 MG                               | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| CAPRELSA ORAL TABLET 300 MG                               | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG          | 5         | PA NSO; NM; QL (56 EA per 28 days); NEDS  |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG   | 5         | PA NSO; NM; QL (112 EA per 28 days); NEDS |
| COMETRIQ (60 MG DAILY DOSE) ORAL KIT 20 MG                | 5         | PA NSO; NM; QL (84 EA per 28 days); NEDS  |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG                        | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| COTELLIC ORAL TABLET 20 MG                                | 5         | PA NSO; NM; QL (90 EA per 30 days); NEDS  |
| <i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg</i> | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| <i>dasatinib oral tablet 20 mg</i>                        | 5         | PA NSO; NM; QL (90 EA per 30 days); NEDS  |
| <i>dasatinib oral tablet 80 mg</i>                        | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| DAURISMO ORAL TABLET 100 MG                               | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| DAURISMO ORAL TABLET 25 MG                                | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| ERIVEDGE ORAL CAPSULE 150 MG                              | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| <i>erlotinib HCl oral tablet 100 mg</i>                   | 4         | PA NSO; QL (30 EA per 30 days)            |
| <i>erlotinib HCl oral tablet 150 mg</i>                   | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| <i>erlotinib HCl oral tablet 25 mg</i>                    | 4         | PA NSO; QL (120 EA per 30 days)           |
| <i>everolimus oral tablet 10 mg</i>                       | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| <i>everolimus oral tablet 2.5 mg</i>                      | 4         | PA NSO; QL (30 EA per 30 days)            |
| <i>everolimus oral tablet 5 mg, 7.5 mg</i>                | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| <i>everolimus oral tablet soluble 2 mg, 3 mg, 5 mg</i>    | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| EXKIVITY ORAL CAPSULE 40 MG                               | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| FRUZAQLA ORAL CAPSULE 1 MG, 5 MG                          | 5         | PA NSO; NM; NEDS                          |
| <i>gefitinib oral tablet 250 mg</i>                       | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                       |
|--|-----------|---|
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG                   | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG                 | 5         | PA NSO; NM; QL (21 EA per 28 days); NEDS  |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG             | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| <i>imatinib mesylate oral tablet 100 mg</i>                | 2         | QL (90 EA per 30 days)                    |
| <i>imatinib mesylate oral tablet 400 mg</i>                | 2         | QL (60 EA per 30 days)                    |
| IMBRUVICA ORAL CAPSULE 140 MG                              | 5         | PA NSO; NM; QL (90 EA per 30 days); NEDS  |
| IMBRUVICA ORAL CAPSULE 70 MG                               | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML                         | 5         | PA NSO; NM; QL (240 ML per 30 days); NEDS |
| IMBRUVICA ORAL TABLET 420 MG, 560 MG                       | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| INLYTA ORAL TABLET 1 MG                                    | 5         | PA NSO; NM; QL (240 EA per 30 days); NEDS |
| INLYTA ORAL TABLET 5 MG                                    | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| INQOVI ORAL TABLET 35-100 MG                               | 5         | PA NSO; NM; QL (5 EA per 28 days); NEDS   |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG        | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| JAYPIRCA ORAL TABLET 100 MG                                | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| JAYPIRCA ORAL TABLET 50 MG                                 | 5         | PA NSO; NM; QL (90 EA per 30 days); NEDS  |
| KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK 200 MG      | 5         | PA NSO; NM; QL (63 EA per 21 days); NEDS  |
| KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK 200 MG      | 5         | PA NSO; NM; QL (63 EA per 21 days); NEDS  |
| KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK 200 MG      | 5         | PA NSO; NM; QL (63 EA per 21 days); NEDS  |
| KOSELUGO ORAL CAPSULE 10 MG                                | 5         | PA NSO; NM; QL (300 EA per 30 days); NEDS |
| KOSELUGO ORAL CAPSULE 25 MG                                | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| <i>lapatinib ditosylate oral tablet 250 mg</i>             | 5         | PA NSO; NM; QL (150 EA per 30 days); NEDS |
| LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG | 5         | PA NSO; NM; NEDS                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                        |
|---|-----------|--|
| LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 3 X 4 MG         | 5         | PA NSO; NM; NEDS                           |
| LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 & 4 MG        | 5         | PA NSO; NM; NEDS                           |
| LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG & 2 X 4 MG | 5         | PA NSO; NM; NEDS                           |
| LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG        | 5         | PA NSO; NM; NEDS                           |
| LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG & 4 MG | 5         | PA NSO; NM; NEDS                           |
| LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 4 MG              | 5         | PA NSO; NM; NEDS                           |
| LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 4 MG          | 5         | PA NSO; NM; NEDS                           |
| LORBRENA ORAL TABLET 100 MG, 25 MG                                    | 5         | PA NSO; NM; NEDS                           |
| LYNPARZA ORAL TABLET 100 MG, 150 MG                                   | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS  |
| MEKINIST ORAL SOLUTION RECONSTITUTED 0.05 MG/ML                       | 5         | PA NSO; NM; QL (1260 ML per 30 days); NEDS |
| MEKINIST ORAL TABLET 0.5 MG   | 5         | PA NSO; NM; QL (90 EA per 30 days); NEDS   |
| MEKINIST ORAL TABLET 2 MG   | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS   |
| MEKTOVI ORAL TABLET 15 MG   | 5         | PA NSO; NM; QL (180 EA per 30 days); NEDS  |
| NERLYNX ORAL TABLET 40 MG   | 5         | PA NSO; NM; QL (180 EA per 30 days); NEDS  |
| ODOMZO ORAL CAPSULE 200 MG  | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS   |
| OJEMDA ORAL SUSPENSION RECONSTITUTED 25 MG/ML                         | 5         | PA NSO; NM; NEDS                           |
| OJEMDA ORAL TABLET 100 MG, 100 MG (16 PACK), 100 MG (24 PACK)         | 5         | PA NSO; NM; NEDS                           |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG                            | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS   |
| <i>pazopanib HCl oral tablet 200 mg</i>                               | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS  |
| PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 MG            | 5         | PA NSO; NM; QL (28 EA per 28 days); NEDS   |
| PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 & 50 MG       | 5         | PA NSO; NM; QL (56 EA per 28 days); NEDS   |
| PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK 2 X 150 MG        | 5         | PA NSO; NM; QL (56 EA per 28 days); NEDS   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                       |
|---|-----------|---|
| REZLIDHIA ORAL CAPSULE 150 MG   | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| ROZLYTREK ORAL CAPSULE 100 MG   | 5         | PA NSO; NM; QL (180 EA per 30 days); NEDS |
| ROZLYTREK ORAL CAPSULE 200 MG   | 5         | PA NSO; NM; QL (90 EA per 30 days); NEDS  |
| ROZLYTREK ORAL PACKET 50 MG   | 5         | PA NSO; NM; QL (84 EA per 28 days); NEDS  |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG                            | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| RYDAPT ORAL CAPSULE 25 MG   | 5         | PA NSO; NM; QL (240 EA per 30 days); NEDS |
| <i>sorafenib tosylate oral tablet 200 mg</i>                          | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| STIVARGA ORAL TABLET 40 MG  | 5         | PA NSO; NM; QL (84 EA per 28 days); NEDS  |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i>   | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG                                    | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| TAFINLAR ORAL TABLET SOLUBLE 10 MG                                    | 5         | PA NSO; NM; QL (900 EA per 30 days); NEDS |
| TAGRISSE ORAL TABLET 40 MG, 80 MG                                     | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| TASIGNA ORAL CAPSULE 150 MG   | 5         | PA NSO; NM; QL (150 EA per 30 days); NEDS |
| TASIGNA ORAL CAPSULE 200 MG   | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| TASIGNA ORAL CAPSULE 50 MG  | 5         | PA NSO; NM; QL (240 EA per 30 days); NEDS |
| TEPMETKO ORAL TABLET 225 MG   | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| TIBSOVO ORAL TABLET 250 MG  | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| TRUQAP ORAL TABLET 160 MG, 200 MG                                     | 5         | PA NSO; NM; QL (64 EA per 28 days); NEDS  |
| TRUQAP ORAL TABLET THERAPY PACK 160 MG, 200 MG                        | 5         | PA NSO; NM; NEDS                          |
| TURALIO ORAL CAPSULE 200 MG   | 5         | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG                                 | 5         | PA NSO; NM; NEDS                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>                |
|---|------------------|---|
| VENCLEXTA ORAL TABLET 10 MG                                       | 4                | PA NSO; QL (60 EA per 30 days)            |
| VENCLEXTA ORAL TABLET 100 MG                                      | 5                | PA NSO; NM; QL (180 EA per 30 days); NEDS |
| VENCLEXTA ORAL TABLET 50 MG                                       | 5                | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100 MG | 5                | PA NSO; NM; NEDS                          |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                | 5                | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| VITRAKVI ORAL CAPSULE 100 MG                                      | 5                | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| VITRAKVI ORAL CAPSULE 25 MG                                       | 5                | PA NSO; NM; QL (240 EA per 30 days); NEDS |
| VITRAKVI ORAL SOLUTION 20 MG/ML                                   | 5                | PA NSO; NM; QL (300 ML per 30 days); NEDS |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG                          | 5                | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| VORANIGO ORAL TABLET 10 MG  | 5                | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| VORANIGO ORAL TABLET 40 MG  | 5                | PA NSO; NM; NEDS                          |
| WELIREG ORAL TABLET 40 MG   | 5                | PA NSO; NM; QL (90 EA per 30 days); NEDS  |
| XALKORI ORAL CAPSULE 200 MG, 250 MG                               | 5                | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| XALKORI ORAL CAPSULE SPRINKLE 150 MG, 20 MG                       | 5                | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| XALKORI ORAL CAPSULE SPRINKLE 50 MG                               | 5                | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| XOSPATA ORAL TABLET 40 MG   | 5                | PA NSO; NM; QL (120 EA per 30 days); NEDS |
| ZEJULA ORAL CAPSULE 100 MG  | 5                | PA NSO; NM; QL (90 EA per 30 days); NEDS  |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG                         | 5                | PA NSO; NM; QL (30 EA per 30 days); NEDS  |
| ZELBORAF ORAL TABLET 240 MG                                       | 5                | PA NSO; NM; QL (240 EA per 30 days); NEDS |
| ZYDELIG ORAL TABLET 100 MG, 150 MG                                | 5                | PA NSO; NM; QL (60 EA per 30 days); NEDS  |
| ZYKADIA ORAL TABLET 150 MG  | 5                | PA NSO; NM; QL (150 EA per 30 days); NEDS |
| <b>Monoclonal Antibody/Antibody-Drug Conjugate</b>                |                  |   |
| ALYMSYS INTRAVENOUS SOLUTION 100 MG/4ML, 400 MG/16ML              | 5                | PA NSO; NM; NEDS                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                      |
|---|-----------|--|
| ERBITUX INTRAVENOUS SOLUTION 100 MG/50ML, 200 MG/100ML      | 5         | PA NSO; NM; NEDS                         |
| HERZUMA INTRAVENOUS SOLUTION RECONSTITUTED 150 MG, 420 MG   | 5         | PA NSO; NM; NEDS                         |
| KANJINTI INTRAVENOUS SOLUTION RECONSTITUTED 150 MG, 420 MG  | 5         | PA NSO; NM; NEDS                         |
| LOQTORZI INTRAVENOUS SOLUTION 240 MG/6ML                    | 5         | PA NSO; NM; NEDS                         |
| MVASI INTRAVENOUS SOLUTION 100 MG/4ML, 400 MG/16ML          | 5         | PA NSO; NM; NEDS                         |
| OGIVRI INTRAVENOUS SOLUTION RECONSTITUTED 150 MG, 420 MG    | 5         | PA NSO; NM; NEDS                         |
| ONTRUZANT INTRAVENOUS SOLUTION RECONSTITUTED 150 MG, 420 MG | 5         | PA NSO; NM; NEDS                         |
| RIABNI INTRAVENOUS SOLUTION 100 MG/10ML, 500 MG/50ML        | 5         | PA NSO; NM; NEDS                         |
| RUXIENCE INTRAVENOUS SOLUTION 100 MG/10ML, 500 MG/50ML      | 5         | PA NSO; NM; NEDS                         |
| TEVIMBRA INTRAVENOUS SOLUTION 100 MG/10ML                   | 5         | PA NSO; NM; NEDS                         |
| TRAZIMERA INTRAVENOUS SOLUTION RECONSTITUTED 150 MG, 420 MG | 5         | PA NSO; NM; NEDS                         |
| TRUXIMA INTRAVENOUS SOLUTION 100 MG/10ML, 500 MG/50ML       | 5         | PA NSO; NM; NEDS                         |
| VEGZELMA INTRAVENOUS SOLUTION 100 MG/4ML, 400 MG/16ML       | 5         | PA NSO; NM; NEDS                         |
| ZIRABEV INTRAVENOUS SOLUTION 100 MG/4ML, 400 MG/16ML        | 5         | PA NSO; NM; NEDS                         |
| <b>Retinoids</b>  |           |  |
| <i>bexarotene external gel 1 %</i>                          | 5         | PA NSO; NM; QL (60 GM per 28 days); NEDS |
| <i>bexarotene oral capsule 75 mg</i>                        | 5         | PA NSO; NM; NEDS                         |
| PANRETIN EXTERNAL GEL 0.1 %                                 | 5         | NM; NEDS                                 |
| <i>tretinoin oral capsule 10 mg</i>                         | 5         | NM; NEDS                                 |
| <b>Treatment Adjuncts</b>                                   |           |  |
| ELITEK INTRAVENOUS SOLUTION RECONSTITUTED 1.5 MG, 7.5 MG    | 5         | NM; NEDS                                 |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg</i>   | 4         |  |
| <i>leucovorin calcium oral tablet 5 mg</i>                  | 1         |  |
| <i>mesna intravenous solution 100 mg/ml</i>                 | 4         |  |
| MESNEX ORAL TABLET 400 MG                                   | 5         | NM; NEDS                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| Drug Name   | Drug Tier | Requirements/Limits     |
|---|-----------|-------------------------|
| <b>Antiparasitics</b>   |           |                         |
| <b>Anthelmintics</b>  |           |                         |
| <i>albendazole oral tablet 200 mg</i>                                   | 2         |                         |
| EMVERM ORAL TABLET CHEWABLE 100 MG                                      | 3         |                         |
| <i>ivermectin oral tablet 3 mg</i>                                      | 2         | QL (8 EA per 28 days)   |
| <i>praziquantel oral tablet 600 mg</i>                                  | 2         |                         |
| <b>Antiprotozoals</b>   |           |                         |
| <i>atovaquone oral suspension 750 mg/5ml</i>                            | 2         |                         |
| <i>atovaquone-proguanil HCl oral tablet 250-100 mg, 62.5-25 mg</i>      | 2         |                         |
| <i>benznidazole oral tablet 100 mg, 12.5 mg</i>                         | 2         |                         |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>                 | 2         |                         |
| COARTEM ORAL TABLET 20-120 MG   | 4         |                         |
| <i>hydroxychloroquine sulfate oral tablet 200 mg</i>                    | 2         |                         |
| KRINTAFEL ORAL TABLET 150 MG  | 4         |                         |
| LAMPIT ORAL TABLET 120 MG, 30 MG  | 4         |                         |
| <i>mefloquine HCl oral tablet 250 mg</i>                                | 2         |                         |
| <i>nitazoxanide oral tablet 500 mg</i>                                  | 4         | QL (150 EA per 30 days) |
| PENTAM INJECTION SOLUTION RECONSTITUTED 300 MG                          | 4         |                         |
| <i>pentamidine isethionate inhalation solution reconstituted 300 mg</i> | 2         | PA B/D                  |
| <i>pentamidine isethionate injection solution reconstituted 300 mg</i>  | 4         |                         |
| <i>primaquine phosphate oral tablet 26.3 (15 base) mg</i>               | 4         |                         |
| <i>pyrimethamine oral tablet 25 mg</i>                                  | 5         | NM; NEDS                |
| <i>quinine sulfate oral capsule 324 mg</i>                              | 4         | PA                      |
| <b>Antiparkinson Agents</b>   |           |                         |
| <b>Anticholinergics</b>   |           |                         |
| <i>benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg</i>              | 2         |                         |
| <i>trihexyphenidyl HCl oral solution 0.4 mg/ml</i>                      | 1         |                         |
| <i>trihexyphenidyl HCl oral tablet 2 mg, 5 mg</i>                       | 1         |                         |
| <b>Antiparkinson Agents, Other</b>                                      |           |                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                   |
|---|-----------|---------------------------------------|
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 4         |                                       |
| <i>entacapone oral tablet 200 mg</i>  | 2         | QL (270 EA per 30 days)               |
| <i>tolcapone oral tablet 100 mg</i>   | 5         | NM; NEDS                              |
| <b>Dopamine Agonists</b>  |           |                                       |
| <i>apomorphine HCl subcutaneous solution cartridge 30 mg/3ml</i>  | 5         | NM; QL (90 ML per 30 days); NEDS      |
| <i>bromocriptine mesylate oral capsule 5 mg</i>   | 2         |                                       |
| <i>bromocriptine mesylate oral tablet 2.5 mg</i>  | 2         |                                       |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24HR, 2 MG/24HR, 3 MG/24HR, 4 MG/24HR, 6 MG/24HR, 8 MG/24HR   | 4         | QL (30 EA per 30 days)                |
| <i>pramipexole dihydrochloride ER oral tablet extended release 24 hour 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i>              | 4         | QL (30 EA per 30 days)                |
| <i>pramipexole dihydrochloride oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>   | 1         |                                       |
| <i>ropinirole HCl ER oral tablet extended release 24 hour 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>   | 4         |                                       |
| <i>ropinirole HCl oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>   | 2         |                                       |
| <b>Dopamine Precursors and/or L-Amino Acid Decarboxylase Inhibitors</b>   |           |                                       |
| <i>carbidopa oral tablet 25 mg</i>  | 4         |                                       |
| <i>carbidopa-levodopa ER oral tablet extended release 25-100 mg, 50-200 mg</i>  | 1         |                                       |
| <i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>   | 1         |                                       |
| <i>carbidopa-levodopa oral tablet dispersible 10-100 mg, 25-100 mg, 25-250 mg</i>   | 4         |                                       |
| INBRIJA INHALATION CAPSULE 42 MG  | 5         | PA; NM; QL (300 EA per 30 days); NEDS |
| RYTARY ORAL CAPSULE EXTENDED RELEASE 23.75-95 MG, 36.25-145 MG, 48.75-195 MG, 61.25-245 MG  | 4         | ST                                    |
| <b>Monoamine Oxidase B (MAO-B) Inhibitors</b>   |           |                                       |
| <i>rasagiline mesylate oral tablet 0.5 mg</i>   | 4         | QL (30 EA per 30 days)                |
| <i>rasagiline mesylate oral tablet 1 mg</i>   | 2         | QL (30 EA per 30 days)                |
| <i>selegiline HCl oral capsule 5 mg</i>   | 2         |                                       |
| <i>selegiline HCl oral tablet 5 mg</i>  | 2         |                                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits     |
|--|-----------|-------------------------|
| ZELAPAR ORAL TABLET DISPERSIBLE 1.25 MG  | 5         | NM; NEDS                |
| <b>Antipsychotics</b>  |           |                         |
| <b>1st Generation/Typical</b>  |           |                         |
| <i>chlorpromazine HCl oral concentrate 100 mg/ml, 30 mg/ml</i>   | 4         |                         |
| <i>chlorpromazine HCl oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>                              | 2         |                         |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i>  | 4         |                         |
| <i>fluphenazine HCl injection solution 2.5 mg/ml</i>   | 4         |                         |
| <i>fluphenazine HCl oral concentrate 5 mg/ml</i>   | 2         |                         |
| <i>fluphenazine HCl oral elixir 2.5 mg/5ml</i>   | 4         |                         |
| <i>fluphenazine HCl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>  | 4         |                         |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml 1 ml, 50 mg/ml, 50 mg/ml(1ml)</i> | 4         |                         |
| <i>haloperidol lactate injection solution 5 mg/ml</i>  | 2         |                         |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i>  | 2         |                         |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>                                  | 2         |                         |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>                                       | 2         |                         |
| <i>molindone HCl oral tablet 10 mg</i>   | 4         | QL (240 EA per 30 days) |
| <i>molindone HCl oral tablet 25 mg</i>   | 4         | QL (270 EA per 30 days) |
| <i>molindone HCl oral tablet 5 mg</i>  | 4         | QL (120 EA per 30 days) |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>  | 2         |                         |
| <i>pimozide oral tablet 1 mg, 2 mg</i>   | 4         |                         |
| <i>thioridazine HCl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>  | 2         |                         |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>  | 2         |                         |
| <i>trifluoperazine HCl oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>   | 2         |                         |
| <b>2nd Generation/Atypical</b>   |           |                         |
| ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE 300 MG, 400 MG  | 5         | NM; NEDS                |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 300 MG, 400 MG                              | 5         | NM; NEDS                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                      |
|---|-----------|--|
| <i>aripiprazole oral solution 1 mg/ml</i>                                 | 2         | QL (750 ML per 30 days)                  |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i>                | 2         | QL (30 EA per 30 days)                   |
| <i>aripiprazole oral tablet 2 mg, 5 mg</i>                                | 2         | QL (60 EA per 30 days)                   |
| <i>aripiprazole oral tablet dispersible 10 mg, 15 mg</i>                  | 4         | ST NSO; QL (60 EA per 30 days)           |
| ARISTADA INITIO INTRAMUSCULAR PREFILLED SYRINGE 675 MG/2.4ML              | 5         | NM; NEDS                                 |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 1064 MG/3.9ML                    | 5         | NM; QL (3.9 ML per 56 days); NEDS        |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 441 MG/1.6ML                     | 5         | NM; QL (1.6 ML per 28 days); NEDS        |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 662 MG/2.4ML                     | 5         | NM; QL (2.4 ML per 28 days); NEDS        |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 882 MG/3.2ML                     | 5         | NM; QL (3.2 ML per 28 days); NEDS        |
| <i>asenapine maleate sublingual tablet sublingual 10 mg, 2.5 mg, 5 mg</i> | 4         | ST NSO; QL (60 EA per 30 days)           |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG                                | 4         | ST NSO; QL (30 EA per 30 days)           |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 6 MG, 8 MG                   | 5         | ST NSO; NM; QL (60 EA per 30 days); NEDS |
| FANAPT ORAL TABLET 4 MG   | 4         | ST NSO; QL (60 EA per 30 days)           |
| FANAPT TITRATION PACK ORAL TABLET 1 & 2 & 4 & 6 MG                        | 4         | ST NSO; QL (8 EA per 8 days)             |
| INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1092 MG/3.5ML   | 5         | NM; QL (3.5 ML per 180 days); NEDS       |
| INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1560 MG/5ML     | 5         | NM; QL (5 ML per 180 days); NEDS         |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML  | 5         | NM; QL (0.75 ML per 28 days); NEDS       |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 156 MG/ML      | 5         | NM; QL (1 ML per 28 days); NEDS          |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 234 MG/1.5ML   | 5         | NM; QL (1.5 ML per 28 days); NEDS        |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 39 MG/0.25ML   | 4         | QL (0.25 ML per 28 days)                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                      |
|--|-----------|--|
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 78 MG/0.5ML                   | 5         | NM; QL (0.5 ML per 28 days); NEDS        |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 273 MG/0.88ML                   | 5         | NM; QL (0.88 ML per 84 days); NEDS       |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 410 MG/1.32ML                   | 5         | NM; QL (1.32 ML per 84 days); NEDS       |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 546 MG/1.75ML                   | 5         | NM; QL (1.75 ML per 84 days); NEDS       |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 819 MG/2.63ML                   | 5         | NM; QL (2.63 ML per 84 days); NEDS       |
| <i>lurasidone HCl oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i>                            | 4         | QL (30 EA per 30 days)                   |
| <i>lurasidone HCl oral tablet 80 mg</i>  | 4         | QL (60 EA per 30 days)                   |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG                                | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS |
| NUPLAZID ORAL CAPSULE 34 MG  | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS |
| NUPLAZID ORAL TABLET 10 MG   | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS |
| <i>olanzapine intramuscular solution reconstituted 10 mg</i>                             | 4         |  |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>                  | 2         |  |
| <i>olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg</i>                      | 4         | QL (30 EA per 30 days)                   |
| <i>paliperidone ER oral tablet extended release 24 hour 1.5 mg, 3 mg, 9 mg</i>           | 4         | QL (30 EA per 30 days)                   |
| <i>paliperidone ER oral tablet extended release 24 hour 6 mg</i>                         | 4         | QL (60 EA per 30 days)                   |
| PERSERIS SUBCUTANEOUS PREFILLED SYRINGE 120 MG, 90 MG                                    | 5         | NM; QL (1 EA per 30 days); NEDS          |
| <i>quetiapine fumarate ER oral tablet extended release 24 hour 150 mg, 200 mg</i>        | 2         | QL (30 EA per 30 days)                   |
| <i>quetiapine fumarate ER oral tablet extended release 24 hour 300 mg, 400 mg, 50 mg</i> | 2         | QL (60 EA per 30 days)                   |
| <i>quetiapine fumarate oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>      | 2         |  |
| <i>quetiapine fumarate oral tablet 150 mg</i>  | 4         | QL (60 EA per 30 days)                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                      |
|---|-----------|--|
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG                                 | 5         | NM; QL (30 EA per 30 days); NEDS         |
| <i>risperidone microspheres ER intramuscular suspension reconstituted ER 12.5 mg, 25 mg</i> | 4         | QL (4 EA per 28 days)                    |
| <i>risperidone microspheres ER intramuscular suspension reconstituted ER 37.5 mg, 50 mg</i> | 5         | NM; QL (4 EA per 28 days); NEDS          |
| <i>risperidone oral solution 1 mg/ml</i>  | 2         | QL (480 ML per 30 days)                  |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>                      | 1         |  |
| <i>risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>          | 4         | QL (120 EA per 30 days)                  |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24HR, 5.7 MG/24HR, 7.6 MG/24HR                     | 5         | ST NSO; NM; QL (30 EA per 30 days); NEDS |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG   | 5         | ST NSO; NM; QL (30 EA per 30 days); NEDS |
| VRAYLAR ORAL CAPSULE THERAPY PACK 1.5 & 3 MG  | 4         | ST NSO; QL (7 EA per 7 days)             |
| <i>ziprasidone HCl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>                              | 2         |  |
| <i>ziprasidone mesylate intramuscular solution reconstituted 20 mg</i>                      | 4         | QL (60 EA per 30 days)                   |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG, 300 MG, 405 MG              | 4         |  |
| <b>Treatment-Resistant</b>  |           |  |
| <i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>                                   | 2         |  |
| <i>clozapine oral tablet dispersible 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg</i>             | 4         |  |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML  | 5         | NM; QL (540 ML per 30 days); NEDS        |
| <b>Antispasticity Agents</b>  |           |  |
| <b>Antispasticity Agents</b>  |           |  |
| <i>baclofen oral tablet 10 mg, 20 mg</i>  | 2         |  |
| <i>baclofen oral tablet 5 mg</i>  | 4         |  |
| <i>dantrolene sodium oral capsule 100 mg, 25 mg, 50 mg</i>                                  | 4         |  |
| REVONTO INTRAVENOUS SOLUTION RECONSTITUTED 20 MG  | 2         |  |
| <i>tizanidine HCl oral tablet 2 mg, 4 mg</i>  | 2         |  |
| <b>Antivirals</b>   |           |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                   |
|---|-----------|---------------------------------------|
| <b>Anti-cytomegalovirus (CMV) Agents</b>                            |           |                                       |
| <i>ganciclovir sodium intravenous solution 500 mg/10ml</i>          | 2         | PA B/D                                |
| <i>ganciclovir sodium intravenous solution reconstituted 500 mg</i> | 2         | PA B/D                                |
| LIVTENCITY ORAL TABLET 200 MG                                       | 5         | PA; NM; NEDS                          |
| PREVYMIS ORAL TABLET 240 MG, 480 MG                                 | 5         | PA; NM; QL (30 EA per 30 days); NEDS  |
| <i>valganciclovir HCl oral solution reconstituted 50 mg/ml</i>      | 2         |                                       |
| <i>valganciclovir HCl oral tablet 450 mg</i>                        | 2         | QL (120 EA per 30 days)               |
| <b>Anti-hepatitis B (HBV) Agents</b>                                |           |                                       |
| <i>adefovir dipivoxil oral tablet 10 mg</i>                         | 4         |                                       |
| BARACLUDGE ORAL SOLUTION 0.05 MG/ML                                 | 3         | QL (600 ML per 30 days)               |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i>                           | 2         | QL (30 EA per 30 days)                |
| <i>lamivudine oral tablet 100 mg</i>                                | 2         |                                       |
| VEMLIDY ORAL TABLET 25 MG   | 5         | PA; NM; QL (30 EA per 30 days); NEDS  |
| <b>Anti-hepatitis C (HCV) Agents</b>                                |           |                                       |
| MAVYRET ORAL PACKET 50-20 MG  | 5         | PA; NM; QL (140 EA per 28 days); NEDS |
| MAVYRET ORAL TABLET 100-40 MG                                       | 5         | PA; NM; QL (90 EA per 30 days); NEDS  |
| <i>ribavirin oral capsule 200 mg</i>                                | 2         |                                       |
| <i>ribavirin oral tablet 200 mg</i>                                 | 2         |                                       |
| <i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i>                | 5         | PA; NM; QL (30 EA per 30 days); NEDS  |
| VOSEVI ORAL TABLET 400-100-100 MG                                   | 5         | PA; NM; QL (30 EA per 30 days); NEDS  |
| <b>Antitherpetic Agents</b>   |           |                                       |
| <i>acyclovir oral capsule 200 mg</i>                                | 2         |                                       |
| <i>acyclovir oral suspension 200 mg/5ml</i>                         | 2         |                                       |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                         | 2         |                                       |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i>               | 4         | PA B/D                                |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>               | 2         |                                       |
| <i>valacyclovir HCl oral tablet 1 gm, 500 mg</i>                    | 2         |                                       |
| <b>Anti-HIV Agents, Integrase Inhibitors (INSTI)</b>                |           |                                       |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG                     | 5         | NM; QL (30 EA per 30 days); NEDS      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits              |
|--|-----------|----------------------------------|
| CABENUVA INTRAMUSCULAR SUSPENSION EXTENDED RELEASE 400 & 600 MG/2ML              | 5         | NM; QL (2 ML per 28 days); NEDS  |
| CABENUVA INTRAMUSCULAR SUSPENSION EXTENDED RELEASE 600 & 900 MG/3ML              | 5         | NM; QL (3 ML per 28 days); NEDS  |
| DOVATO ORAL TABLET 50-300 MG   | 5         | NM; QL (30 EA per 30 days); NEDS |
| GENVOYA ORAL TABLET 150-150-200-10 MG  | 5         | NM; QL (30 EA per 30 days); NEDS |
| ISENTRESS HD ORAL TABLET 600 MG  | 5         | NM; QL (60 EA per 30 days); NEDS |
| ISENTRESS ORAL PACKET 100 MG   | 4         |                                  |
| ISENTRESS ORAL TABLET 400 MG   | 5         | NM; QL (60 EA per 30 days); NEDS |
| ISENTRESS ORAL TABLET CHEWABLE 100 MG, 25 MG                                     | 4         |                                  |
| JULUCA ORAL TABLET 50-25 MG  | 5         | NM; QL (30 EA per 30 days); NEDS |
| STRIBILD ORAL TABLET 150-150-200-300 MG  | 5         | NM; QL (30 EA per 30 days); NEDS |
| TIVICAY ORAL TABLET 10 MG  | 4         | QL (60 EA per 30 days)           |
| TIVICAY ORAL TABLET 25 MG, 50 MG   | 5         | NM; QL (60 EA per 30 days); NEDS |
| TIVICAY PD ORAL TABLET SOLUBLE 5 MG  | 3         | QL (180 EA per 30 days)          |
| VOCABRIA ORAL TABLET 30 MG   | 5         | NM; QL (30 EA per 30 days); NEDS |
| <b>Anti-HIV Agents, Non-nucleoside Reverse Transcriptase Inhibitors (NNRTI)</b>  |           |                                  |
| COMPLERA ORAL TABLET 200-25-300 MG   | 5         | NM; QL (30 EA per 30 days); NEDS |
| DELSTRIGO ORAL TABLET 100-300-300 MG   | 5         | NM; QL (30 EA per 30 days); NEDS |
| EDURANT ORAL TABLET 25 MG  | 5         | NM; QL (60 EA per 30 days); NEDS |
| <i>efavirenz oral capsule 200 mg</i>   | 2         | QL (90 EA per 30 days)           |
| <i>efavirenz oral capsule 50 mg</i>  | 2         | QL (360 EA per 30 days)          |
| <i>efavirenz oral tablet 600 mg</i>  | 2         |                                  |
| <i>efavirenz-emtricitab-tenofovir oral tablet 600-200-300 mg</i>                 | 4         | QL (30 EA per 30 days)           |
| <i>efavirenz-lamivudine-tenofovir oral tablet 400-300-300 mg, 600-300-300 mg</i> | 5         | NM; QL (30 EA per 30 days); NEDS |
| <i>etravirine oral tablet 100 mg</i>   | 4         | QL (120 EA per 30 days)          |
| <i>etravirine oral tablet 200 mg</i>   | 5         | NM; QL (60 EA per 30 days); NEDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| Drug Name   | Drug Tier | Requirements/Limits               |
|---|-----------|-----------------------------------|
| INTELENCE ORAL TABLET 25 MG   | 4         | QL (480 EA per 30 days)           |
| <i>nevirapine ER oral tablet extended release 24 hour 100 mg, 400 mg</i>                  | 2         |                                   |
| <i>nevirapine oral suspension 50 mg/5ml</i>   | 2         |                                   |
| <i>nevirapine oral tablet 200 mg</i>  | 2         |                                   |
| PIFELTRO ORAL TABLET 100 MG   | 5         | NM; NEDS                          |
| <b>Anti-HIV Agents, Nucleoside and Nucleotide Reverse Transcriptase Inhibitors (NRTI)</b> |           |                                   |
| <i>abacavir sulfate oral solution 20 mg/ml</i>  | 2         |                                   |
| <i>abacavir sulfate oral tablet 300 mg</i>  | 2         | QL (60 EA per 30 days)            |
| <i>abacavir sulfate-lamivudine oral tablet 600-300 mg</i>                                 | 2         | QL (30 EA per 30 days)            |
| CIMDUO ORAL TABLET 300-300 MG   | 5         | NM; QL (30 EA per 30 days); NEDS  |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG  | 5         | NM; QL (30 EA per 30 days); NEDS  |
| <i>emtricitabine oral capsule 200 mg</i>  | 4         | QL (30 EA per 30 days)            |
| <i>emtricitabine-tenofovir df oral tablet 100-150 mg, 200-300 mg</i>                      | 4         | QL (30 EA per 30 days)            |
| <i>emtricitabine-tenofovir df oral tablet 133-200 mg, 167-250 mg</i>                      | 5         | NM; QL (30 EA per 30 days); NEDS  |
| EMTRIVA ORAL SOLUTION 10 MG/ML  | 4         |                                   |
| <i>lamivudine oral solution 10 mg/ml</i>  | 2         |                                   |
| <i>lamivudine oral tablet 150 mg, 300 mg</i>  | 2         |                                   |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i>                                       | 2         | QL (60 EA per 30 days)            |
| ODEFSEY ORAL TABLET 200-25-25 MG  | 5         | NM; QL (30 EA per 30 days); NEDS  |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML  | 4         |                                   |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>                                  | 2         |                                   |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i>                                   | 4         | QL (30 EA per 30 days)            |
| TRIUMEQ ORAL TABLET 600-50-300 MG   | 5         | NM; QL (30 EA per 30 days); NEDS  |
| TRIUMEQ PD ORAL TABLET SOLUBLE 60-5-30 MG   | 5         | NM; QL (300 EA per 30 days); NEDS |
| TRIZIVIR ORAL TABLET 300-150-300 MG   | 5         | NM; QL (60 EA per 30 days); NEDS  |
| VIREAD ORAL POWDER 40 MG/GM   | 5         | NM; NEDS                          |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG   | 5         | NM; QL (30 EA per 30 days); NEDS  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits               |
|--|-----------|-----------------------------------|
| <i>zidovudine oral capsule 100 mg</i>                    | 2         |                                   |
| <i>zidovudine oral syrup 50 mg/5ml</i>                   | 2         |                                   |
| <i>zidovudine oral tablet 300 mg</i>                     | 2         |                                   |
| <b>Anti-HIV Agents, Other</b>                            |           |                                   |
| FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED 90 MG         | 5         | NM; QL (60 EA per 30 days); NEDS  |
| <i>maraviroc oral tablet 150 mg</i>                      | 5         | NM; QL (60 EA per 30 days); NEDS  |
| <i>maraviroc oral tablet 300 mg</i>                      | 5         | NM; QL (120 EA per 30 days); NEDS |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR 600 MG      | 5         | NM; QL (60 EA per 30 days); NEDS  |
| SELZENTRY ORAL SOLUTION 20 MG/ML                         | 5         | NM; NEDS                          |
| SELZENTRY ORAL TABLET 25 MG                              | 4         | QL (360 EA per 30 days)           |
| SELZENTRY ORAL TABLET 75 MG                              | 5         | NM; QL (120 EA per 30 days); NEDS |
| SUNLENCA ORAL TABLET THERAPY PACK 4 X 300 MG, 5 X 300 MG | 5         | NM; QL (5 EA per 30 days); NEDS   |
| SUNLENCA SUBCUTANEOUS SOLUTION 463.5 MG/1.5ML            | 5         | NM; NEDS                          |
| TYBOST ORAL TABLET 150 MG                                | 3         | QL (30 EA per 30 days)            |
| <b>Anti-HIV Agents, Protease Inhibitors (PI)</b>         |           |                                   |
| APTIVUS ORAL CAPSULE 250 MG                              | 5         | NM; NEDS                          |
| <i>atazanavir sulfate oral capsule 150 mg</i>            | 2         | QL (60 EA per 30 days)            |
| <i>atazanavir sulfate oral capsule 200 mg, 300 mg</i>    | 2         | QL (30 EA per 30 days)            |
| <i>darunavir oral tablet 600 mg</i>                      | 5         | NM; QL (60 EA per 30 days); NEDS  |
| <i>darunavir oral tablet 800 mg</i>                      | 5         | NM; QL (30 EA per 30 days); NEDS  |
| EVOTAZ ORAL TABLET 300-150 MG                            | 5         | NM; QL (30 EA per 30 days); NEDS  |
| <i>fosamprenavir calcium oral tablet 700 mg</i>          | 5         | NM; QL (120 EA per 30 days); NEDS |
| LEXIVA ORAL SUSPENSION 50 MG/ML                          | 4         |                                   |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5ml</i>  | 2         |                                   |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i>         | 4         | QL (240 EA per 30 days)           |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i>         | 4         | QL (120 EA per 30 days)           |
| NORVIR ORAL PACKET 100 MG                                | 4         |                                   |
| PREZCOBIX ORAL TABLET 800-150 MG                         | 5         | NM; QL (30 EA per 30 days); NEDS  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits               |
|--|-----------|-----------------------------------|
| PREZISTA ORAL SUSPENSION 100 MG/ML   | 5         | NM; NEDS                          |
| PREZISTA ORAL TABLET 150 MG  | 4         | QL (240 EA per 30 days)           |
| PREZISTA ORAL TABLET 75 MG   | 4         | QL (480 EA per 30 days)           |
| REYATAZ ORAL PACKET 50 MG  | 5         | NM; QL (180 EA per 30 days); NEDS |
| <i>ritonavir oral tablet 100 mg</i>  | 2         | QL (360 EA per 30 days)           |
| SYMTUZA ORAL TABLET 800-150-200-10 MG  | 5         | NM; QL (30 EA per 30 days); NEDS  |
| VIRACEPT ORAL TABLET 250 MG  | 5         | NM; QL (300 EA per 30 days); NEDS |
| VIRACEPT ORAL TABLET 625 MG  | 5         | NM; QL (120 EA per 30 days); NEDS |
| <b>Anti-influenza Agents</b>   |           |                                   |
| <i>amantadine HCl oral capsule 100 mg</i>  | 2         |                                   |
| <i>amantadine HCl oral solution 50 mg/5ml</i>                                      | 2         |                                   |
| <i>amantadine HCl oral tablet 100 mg</i>   | 2         |                                   |
| <i>oseltamivir phosphate oral capsule 30 mg, 45 mg, 75 mg</i>                      | 2         | QL (60 EA per 30 days)            |
| <i>oseltamivir phosphate oral suspension reconstituted 6 mg/ml</i>                 | 2         |                                   |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/ACT              | 3         |                                   |
| <i>rimantadine HCl oral tablet 100 mg</i>  | 2         |                                   |
| XOFLUZA (40 MG DOSE) ORAL TABLET THERAPY PACK 1 X 40 MG                            | 4         | QL (4 EA per 180 days)            |
| XOFLUZA (80 MG DOSE) ORAL TABLET THERAPY PACK 1 X 80 MG                            | 4         | QL (2 EA per 180 days)            |
| <b>Anxiolytics</b>   |           |                                   |
| <b>Anxiolytics, Other</b>  |           |                                   |
| <i>buspirone HCl oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>                 | 1         |                                   |
| <i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>                       | 2         |                                   |
| <i>meprobamate oral tablet 200 mg, 400 mg</i>                                      | 4         |                                   |
| <b>Benzodiazepines</b>   |           |                                   |
| <i>alprazolam ER oral tablet extended release 24 hour 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 2         |                                   |
| <i>alprazolam intensol oral concentrate 1 mg/ml</i>                                | 3         |                                   |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>                          | 2         |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|---|------------------|-----------------------------|
| <i>alprazolam oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>   | 4                |                             |
| <i>chlordiazepoxide HCl oral capsule 10 mg</i>                          | 2                | QL (240 EA per 30 days)     |
| <i>chlordiazepoxide HCl oral capsule 25 mg</i>                          | 2                | QL (360 EA per 30 days)     |
| <i>chlordiazepoxide HCl oral capsule 5 mg</i>                           | 2                | QL (120 EA per 30 days)     |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>       | 2                | QL (180 EA per 30 days)     |
| <i>diazepam intensol oral concentrate 5 mg/ml</i>                       | 2                |                             |
| <i>diazepam oral solution 5 mg/5ml</i>                                  | 2                |                             |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>                           | 2                |                             |
| <i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i>                    | 2                |                             |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i>                      | 2                | QL (150 ML per 30 days)     |
| <i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>                         | 2                |                             |
| <i>midazolam HCl oral syrup 2 mg/ml</i>                                 | 2                |                             |
| <i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>                        | 2                |                             |
| <b>Bipolar Agents</b>   |                  |                             |
| <b>Mood Stabilizers</b>   |                  |                             |
| EQUETRO ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 200 MG, 300 MG    | 4                |                             |
| <i>lithium carbonate ER oral tablet extended release 300 mg, 450 mg</i> | 1                |                             |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>            | 1                |                             |
| <i>lithium carbonate oral tablet 300 mg</i>                             | 1                |                             |
| <i>lithium oral solution 8 meq/5ml</i>                                  | 2                |                             |
| <i>valproic acid oral capsule 250 mg</i>                                | 2                |                             |
| <i>valproic acid oral solution 250 mg/5ml</i>                           | 2                |                             |
| <b>Blood Glucose Regulators</b>   |                  |                             |
| <b>Antidiabetic Agents</b>  |                  |                             |
| <i>acarbose oral tablet 100 mg</i>                                      | 1                | QL (90 EA per 30 days)      |
| <i>acarbose oral tablet 25 mg</i>                                       | 1                | QL (360 EA per 30 days)     |
| <i>acarbose oral tablet 50 mg</i>                                       | 1                | QL (180 EA per 30 days)     |
| BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85ML                   | 3                | PA; QL (3.4 ML per 28 days) |
| BYETTA 10 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MCG/0.04ML      | 3                | PA; QL (2.4 ML per 30 days) |
| BYETTA 5 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 5 MCG/0.02ML        | 3                | PA; QL (1.2 ML per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits         |
|--|-----------|-----------------------------|
| CYCLOSET ORAL TABLET 0.8 MG  | 4         | QL (180 EA per 30 days)     |
| FARXIGA ORAL TABLET 10 MG, 5 MG  | 3         | QL (30 EA per 30 days)      |
| <i>glimepiride oral tablet 1 mg, 2 mg, 4 mg</i>  | 1         |                             |
| <i>glipizide ER oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</i>   | 1         |                             |
| <i>glipizide oral tablet 10 mg, 5 mg</i>   | 1         |                             |
| <i>glipizide-metformin HCl oral tablet 2.5-250 mg</i>  | 1         | QL (240 EA per 30 days)     |
| <i>glipizide-metformin HCl oral tablet 2.5-500 mg, 5-500 mg</i>  | 1         | QL (120 EA per 30 days)     |
| JANUMET ORAL TABLET 50-1000 MG, 50-500 MG  | 3         | QL (60 EA per 30 days)      |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 100-1000 MG, 50-500 MG   | 3         | QL (30 EA per 30 days)      |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 50-1000 MG   | 3         | QL (60 EA per 30 days)      |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG   | 3         | QL (30 EA per 30 days)      |
| JARDIANCE ORAL TABLET 10 MG, 25 MG   | 3         | QL (30 EA per 30 days)      |
| <i>liraglutide subcutaneous solution pen-injector 18 mg/3ml</i>  | 3         | PA; QL (9 ML per 30 days)   |
| <i>metformin HCl ER oral tablet extended release 24 hour 500 mg, 750 mg</i>  | 1         |                             |
| <i>metformin HCl oral solution 500 mg/5ml</i>  | 1         | QL (750 ML per 30 days)     |
| <i>metformin HCl oral tablet 1000 mg, 500 mg, 850 mg</i>   | 1         |                             |
| <i>migliitol oral tablet 100 mg, 25 mg, 50 mg</i>  | 4         | QL (90 EA per 30 days)      |
| MOUNJARO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.5ML, 12.5 MG/0.5ML, 15 MG/0.5ML, 2.5 MG/0.5ML, 5 MG/0.5ML, 7.5 MG/0.5ML | 3         | PA; QL (2 ML per 28 days)   |
| <i>nateglinide oral tablet 120 mg</i>  | 1         | QL (90 EA per 30 days)      |
| <i>nateglinide oral tablet 60 mg</i>   | 1         | QL (180 EA per 30 days)     |
| <i>pioglitazone HCl oral tablet 15 mg</i>  | 1         | QL (90 EA per 30 days)      |
| <i>pioglitazone HCl oral tablet 30 mg, 45 mg</i>   | 1         | QL (30 EA per 30 days)      |
| <i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i>  | 1         | QL (240 EA per 30 days)     |
| SEGLUROMET ORAL TABLET 2.5-1000 MG, 7.5-1000 MG, 7.5-500 MG  | 4         | ST; QL (60 EA per 30 days)  |
| SEGLUROMET ORAL TABLET 2.5-500 MG  | 4         | ST; QL (120 EA per 30 days) |
| STEGLATRO ORAL TABLET 15 MG, 5 MG  | 4         | ST; QL (30 EA per 30 days)  |
| STEGLUJAN ORAL TABLET 15-100 MG, 5-100 MG  | 3         | QL (30 EA per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                   |
|---|-----------|---------------------------------------|
| SYMLINPEN 120 SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 2700 MCG/2.7ML  | 5         | NM; QL (10.8 ML per 30 days);<br>NEDS |
| SYMLINPEN 60 SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 1500 MCG/1.5ML   | 5         | NM; QL (6 ML per 30 days); NEDS       |
| SYNJARDY ORAL TABLET 12.5-1000 MG, 12.5-<br>500 MG, 5-1000 MG, 5-500 MG                                   | 3         | QL (60 EA per 30 days)                |
| SYNJARDY XR ORAL TABLET EXTENDED<br>RELEASE 24 HOUR 10-1000 MG, 12.5-1000<br>MG, 5-1000 MG                | 3         | QL (60 EA per 30 days)                |
| SYNJARDY XR ORAL TABLET EXTENDED<br>RELEASE 24 HOUR 25-1000 MG  | 3         | QL (30 EA per 30 days)                |
| TRULICITY SUBCUTANEOUS SOLUTION<br>AUTO-INJECTOR 0.75 MG/0.5ML, 1.5<br>MG/0.5ML, 3 MG/0.5ML, 4.5 MG/0.5ML | 3         | PA; QL (2 ML per 28 days)             |
| XIGDUO XR ORAL TABLET EXTENDED<br>RELEASE 24 HOUR 10-1000 MG, 10-500 MG                                   | 3         | QL (30 EA per 30 days)                |
| XIGDUO XR ORAL TABLET EXTENDED<br>RELEASE 24 HOUR 2.5-1000 MG, 5-1000 MG,<br>5-500 MG                     | 3         | QL (60 EA per 30 days)                |
| <b>Glycemic Agents</b>  |           |                                       |
| BAQSIMI ONE PACK NASAL POWDER 3<br>MG/DOSE  | 3         | QL (2 EA per 30 days)                 |
| BAQSIMI TWO PACK NASAL POWDER 3<br>MG/DOSE  | 3         | QL (2 EA per 30 days)                 |
| <i>diazoxide oral suspension 50 mg/ml</i>   | 4         |                                       |
| GLUCAGON EMERGENCY INJECTION KIT 1<br>MG  | 3         | QL (2 EA per 30 days)                 |
| GVOKE HYOPEN 1-PACK SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML                                   | 3         | QL (0.2 ML per 30 days)               |
| GVOKE HYOPEN 1-PACK SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 1 MG/0.2ML                                     | 3         | QL (0.4 ML per 30 days)               |
| GVOKE HYOPEN 2-PACK SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML                                   | 3         | QL (0.2 ML per 30 days)               |
| GVOKE HYOPEN 2-PACK SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 1 MG/0.2ML                                     | 3         | QL (0.4 ML per 30 days)               |
| GVOKE KIT SUBCUTANEOUS SOLUTION 1<br>MG/0.2ML   | 3         | QL (0.4 ML per 30 days)               |
| GVOKE PFS SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 0.5 MG/0.1ML   | 3         | QL (0.2 ML per 30 days)               |
| GVOKE PFS SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 1 MG/0.2ML   | 3         | QL (0.4 ML per 30 days)               |
| <b>Insulins</b>   |           |                                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits        |
|--|-----------|----------------------------|
| HUMULIN R U-500 (CONCENTRATED)<br>SUBCUTANEOUS SOLUTION 500 UNIT/ML                          | 3         |                            |
| HUMULIN R U-500 KWIKPEN<br>SUBCUTANEOUS SOLUTION PEN-INJECTOR<br>500 UNIT/ML                 | 3         |                            |
| <i>insulin degludec flextouch subcutaneous solution<br/>pen-injector 100 unit/ml</i>         | 3         | PA; QL (30 ML per 30 days) |
| <i>insulin degludec flextouch subcutaneous solution<br/>pen-injector 200 unit/ml</i>         | 3         | PA; QL (24 ML per 30 days) |
| <i>insulin degludec subcutaneous solution 100<br/>unit/ml</i>                                | 3         | PA; QL (30 ML per 30 days) |
| <i>insulin glargine-yfgn subcutaneous solution 100<br/>unit/ml</i>                           | 3         | QL (50 ML per 30 days)     |
| <i>insulin glargine-yfgn subcutaneous solution pen-<br/>injector 100 unit/ml</i>             | 3         | QL (45 ML per 30 days)     |
| NOVOLIN 70/30 FLEXPEN RELION<br>SUBCUTANEOUS SUSPENSION PEN-<br>INJECTOR (70-30) 100 UNIT/ML | 3         |                            |
| NOVOLIN 70/30 FLEXPEN SUBCUTANEOUS<br>SUSPENSION PEN-INJECTOR (70-30) 100<br>UNIT/ML         | 3         |                            |
| NOVOLIN 70/30 RELION SUBCUTANEOUS<br>SUSPENSION (70-30) 100 UNIT/ML                          | 3         |                            |
| NOVOLIN 70/30 SUBCUTANEOUS<br>SUSPENSION (70-30) 100 UNIT/ML                                 | 3         |                            |
| NOVOLIN N FLEXPEN RELION<br>SUBCUTANEOUS SUSPENSION PEN-<br>INJECTOR 100 UNIT/ML             | 3         |                            |
| NOVOLIN N FLEXPEN SUBCUTANEOUS<br>SUSPENSION PEN-INJECTOR 100 UNIT/ML                        | 3         |                            |
| NOVOLIN N RELION SUBCUTANEOUS<br>SUSPENSION 100 UNIT/ML                                      | 3         |                            |
| NOVOLIN N SUBCUTANEOUS SUSPENSION<br>100 UNIT/ML   | 3         |                            |
| NOVOLIN R FLEXPEN INJECTION SOLUTION<br>PEN-INJECTOR 100 UNIT/ML                             | 3         |                            |
| NOVOLIN R FLEXPEN RELION INJECTION<br>SOLUTION PEN-INJECTOR 100 UNIT/ML                      | 3         |                            |
| NOVOLIN R INJECTION SOLUTION 100<br>UNIT/ML  | 3         |                            |
| NOVOLIN R RELION INJECTION SOLUTION<br>100 UNIT/ML   | 3         |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| NOVOLOG 70/30 FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 3         |                     |
| NOVOLOG FLEXPEN RELION SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                 | 3         |                     |
| NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                        | 3         |                     |
| NOVOLOG INJECTION SOLUTION 100 UNIT/ML  | 3         |                     |
| NOVOLOG MIX 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML    | 3         |                     |
| NOVOLOG MIX 70/30 RELION SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML                  | 3         |                     |
| NOVOLOG MIX 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML                         | 3         |                     |
| NOVOLOG PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML                           | 3         |                     |
| NOVOLOG RELION INJECTION SOLUTION 100 UNIT/ML   | 3         |                     |
| TRESIBA FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML         | 3         | PA                  |
| TRESIBA SUBCUTANEOUS SOLUTION 100 UNIT/ML   | 3         | PA                  |

## Blood Products and Modifiers

### Anticoagulants

|  |   |  |
|--|---|--|
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK 5 MG  | 3 |  |
| ELIQUIS ORAL TABLET 2.5 MG, 5 MG   | 3 |  |
| <i>enoxaparin sodium injection solution 300 mg/3ml</i>   | 2 |  |
| <i>enoxaparin sodium injection solution prefilled syringe 100 mg/ml, 120 mg/0.8ml, 150 mg/ml, 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml</i> | 2 |  |
| <i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 2.5 mg/0.5ml, 5 mg/0.4ml, 7.5 mg/0.6ml</i>   | 4 |  |
| <i>heparin sodium (porcine) injection solution 1000 unit/ml, 10000 unit/ml, 20000 unit/ml, 5000 unit/ml</i>  | 2 |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| Drug Name  | Drug Tier | Requirements/Limits                |
|--|-----------|------------------------------------|
| <i>heparin sodium (porcine) pf injection solution 5000 unit/0.5ml, 5000 unit/ml</i>  | 2         |                                    |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>  | 1         |                                    |
| <i>warfarin sodium oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>                                       | 1         |                                    |
| XARELTO ORAL SUSPENSION RECONSTITUTED 1 MG/ML  | 3         |                                    |
| XARELTO ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG  | 3         |                                    |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20 MG   | 3         |                                    |
| ZONTIVITY ORAL TABLET 2.08 MG  | 4         | PA; QL (30 EA per 30 days)         |
| <b>Blood Products and Modifiers, Other</b>   |           |                                    |
| <i>anagrelide HCl oral capsule 0.5 mg, 1 mg</i>  | 2         |                                    |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 60 MCG/ML  | 5         | PA; NM; NEDS                       |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 25 MCG/ML, 40 MCG/ML   | 4         | PA                                 |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 10 MCG/0.4ML, 25 MCG/0.42ML, 40 MCG/0.4ML, 60 MCG/0.3ML                | 4         | PA                                 |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 100 MCG/0.5ML, 150 MCG/0.3ML, 200 MCG/0.4ML, 300 MCG/0.6ML, 500 MCG/ML | 5         | PA; NM; NEDS                       |
| LEUKINE INJECTION SOLUTION RECONSTITUTED 250 MCG   | 5         | NM; NEDS                           |
| MULPLETA ORAL TABLET 3 MG  | 5         | PA; NM; QL (7 EA per 7 days); NEDS |
| NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6ML  | 5         | PA; NM; NEDS                       |
| NEUPOGEN INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML   | 5         | PA; NM; NEDS                       |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6ML  | 5         | NM; NEDS                           |
| NIVESTYM INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML   | 5         | NM; NEDS                           |
| NYVEPRIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML  | 5         | NM; NEDS                           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| OXBRYTA ORAL TABLET 300 MG, 500 MG   | 5         | PA; NM; QL (90 EA per 30 days); NEDS  |
| OXBRYTA ORAL TABLET SOLUBLE 300 MG   | 5         | PA; NM; QL (150 EA per 30 days); NEDS |
| PROMACTA ORAL PACKET 12.5 MG   | 5         | PA; NM; QL (360 EA per 30 days); NEDS |
| PROMACTA ORAL PACKET 25 MG   | 5         | PA; NM; QL (60 EA per 30 days); NEDS  |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG  | 5         | PA; NM; QL (60 EA per 30 days); NEDS  |
| PYRUKYND ORAL TABLET 20 MG, 5 MG, 50 MG  | 5         | PA; NM; QL (56 EA per 28 days); NEDS  |
| PYRUKYND TAPER PACK ORAL TABLET THERAPY PACK 5 MG, 7 X 20 MG & 7 X 5 MG, 7 X 50 MG & 7 X 20 MG                         | 5         | PA; NM; QL (56 EA per 28 days); NEDS  |
| RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML | 3         | PA; QL (12 ML per 28 days)            |
| RETACRIT INJECTION SOLUTION 40000 UNIT/ML  | 3         | PA; QL (4 ML per 28 days)             |
| <b>Hemostasis Agents</b>   |           |                                       |
| <i>aminocaproic acid intravenous solution 250 mg/ml</i>  | 2         |                                       |
| <i>aminocaproic acid oral solution 0.25 gm/ml</i>  | 2         |                                       |
| <i>aminocaproic acid oral tablet 1000 mg, 500 mg</i>   | 2         |                                       |
| <i>tranexamic acid oral tablet 650 mg</i>  | 2         |                                       |
| <b>Platelet Modifying Agents</b>   |           |                                       |
| <i>aspirin-dipyridamole ER oral capsule extended release 12 hour 25-200 mg</i>   | 4         | QL (60 EA per 30 days)                |
| BRILINTA ORAL TABLET 60 MG, 90 MG  | 3         | QL (60 EA per 30 days)                |
| CABLIVI INJECTION KIT 11 MG  | 5         | PA; NM; QL (30 EA per 30 days); NEDS  |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>  | 2         |                                       |
| <i>clopidogrel bisulfate oral tablet 300 mg</i>  | 1         | QL (30 EA per 30 days)                |
| <i>clopidogrel bisulfate oral tablet 75 mg</i>   | 1         |                                       |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>  | 2         |                                       |
| DOPTELET ORAL TABLET 20 MG, 20 MG (10 PACK), 20 MG(15 PACK)  | 5         | PA; NM; QL (60 EA per 30 days); NEDS  |
| <i>prasugrel HCl oral tablet 10 mg, 5 mg</i>   | 2         | QL (30 EA per 30 days)                |
| TAVALISSE ORAL TABLET 100 MG, 150 MG   | 5         | PA; NM; QL (60 EA per 30 days); NEDS  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| <b>Cardiovascular Agents</b>                                       |           |                                       |
| <b>Alpha-adrenergic Agonists</b>                                   |           |                                       |
| <i>clonidine HCl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>            | 1         |                                       |
| <i>clonidine transdermal patch weekly 0.1 mg/24hr</i>              | 2         | QL (4 EA per 28 days)                 |
| <i>clonidine transdermal patch weekly 0.2 mg/24hr, 0.3 mg/24hr</i> | 2         | QL (8 EA per 28 days)                 |
| <i>droxidopa oral capsule 100 mg</i>                               | 5         | PA; NM; QL (90 EA per 30 days); NEDS  |
| <i>droxidopa oral capsule 200 mg, 300 mg</i>                       | 5         | PA; NM; QL (180 EA per 30 days); NEDS |
| <i>guanfacine HCl oral tablet 1 mg, 2 mg</i>                       | 1         |                                       |
| <i>midodrine HCl oral tablet 10 mg, 2.5 mg, 5 mg</i>               | 2         |                                       |
| <b>Alpha-adrenergic Blocking Agents</b>                            |           |                                       |
| <i>phenoxybenzamine HCl oral capsule 10 mg</i>                     | 5         | NM; NEDS                              |
| <i>prazosin HCl oral capsule 1 mg, 2 mg, 5 mg</i>                  | 2         |                                       |
| <i>terazosin HCl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>          | 1         |                                       |
| <b>Angiotensin II Receptor Antagonists</b>                         |           |                                       |
| <i>candesartan cilexetil oral tablet 16 mg</i>                     | 2         | QL (60 EA per 30 days)                |
| <i>candesartan cilexetil oral tablet 32 mg, 4 mg</i>               | 2         | QL (30 EA per 30 days)                |
| <i>candesartan cilexetil oral tablet 8 mg</i>                      | 2         | QL (90 EA per 30 days)                |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>                | 1         |                                       |
| <i>losartan potassium oral tablet 100 mg, 25 mg, 50 mg</i>         | 1         |                                       |
| <i>olmesartan medoxomil oral tablet 20 mg, 40 mg, 5 mg</i>         | 2         |                                       |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>                 | 2         | QL (30 EA per 30 days)                |
| <i>valsartan oral solution 4 mg/ml</i>                             | 4         | PA NSO                                |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>          | 1         |                                       |
| <b>Angiotensin-converting Enzyme (ACE) Inhibitors</b>              |           |                                       |
| <i>benazepril HCl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>        | 1         |                                       |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>         | 2         |                                       |
| <i>enalapril maleate oral solution 1 mg/ml</i>                     | 2         |                                       |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>    | 1         |                                       |
| <i>enalaprilat intravenous solution 1.25 mg/ml</i>                 | 4         |                                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg</i>                               | 1                |                            |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>                 | 1                |                            |
| <i>moexipril HCl oral tablet 15 mg, 7.5 mg</i>   | 2                |                            |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>                               | 1                |                            |
| QBRELIS ORAL SOLUTION 1 MG/ML  | 4                |                            |
| <i>quinapril HCl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                             | 1                |                            |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>                              | 1                |                            |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>                                       | 1                |                            |
| <b>Antiarrhythmics</b>   |                  |                            |
| <i>amiodarone HCl oral tablet 100 mg, 200 mg, 400 mg</i>                               | 1                |                            |
| <i>digitek oral tablet 125 mcg, 250 mcg</i>  | 2                | QL (30 EA per 30 days)     |
| <i>digox oral tablet 125 mcg, 250 mcg</i>  | 2                | QL (30 EA per 30 days)     |
| <i>digoxin oral solution 0.05 mg/ml</i>  | 3                |                            |
| <i>digoxin oral tablet 125 mcg, 250 mcg</i>  | 2                | QL (30 EA per 30 days)     |
| <i>digoxin oral tablet 62.5 mcg</i>  | 4                | QL (30 EA per 30 days)     |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>                              | 2                |                            |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>                               | 2                |                            |
| <i>flecainide acetate oral tablet 100 mg, 150 mg, 50 mg</i>                            | 1                |                            |
| <i>lidocaine HCl (cardiac) pf intravenous solution 100 mg/5ml</i>                      | 2                |                            |
| <i>mexiletine HCl oral capsule 150 mg, 200 mg, 250 mg</i>                              | 2                |                            |
| MULTAQ ORAL TABLET 400 MG  | 4                | QL (60 EA per 30 days)     |
| NORPACE CR ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 150 MG                        | 3                |                            |
| PACERONE ORAL TABLET 100 MG, 400 MG  | 2                |                            |
| PACERONE ORAL TABLET 200 MG  | 1                |                            |
| <i>propafenone HCl ER oral capsule extended release 12 hour 225 mg, 325 mg, 425 mg</i> | 4                |                            |
| <i>propafenone HCl oral tablet 150 mg, 225 mg, 300 mg</i>                              | 1                |                            |
| <i>quinidine gluconate ER oral tablet extended release 324 mg</i>                      | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits     |
|--|-----------|-------------------------|
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i>  | 2         |                         |
| SORINE ORAL TABLET 120 MG, 160 MG, 240 MG, 80 MG   | 2         |                         |
| <i>sotalol HCl (af) oral tablet 120 mg, 160 mg, 80 mg</i>  | 2         |                         |
| <i>sotalol HCl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>                                     | 2         |                         |
| SOTYLIZE ORAL SOLUTION 5 MG/ML   | 4         |                         |
| <b>Beta-adrenergic Blocking Agents</b>   |           |                         |
| <i>acebutolol HCl oral capsule 200 mg, 400 mg</i>  | 1         |                         |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>   | 1         |                         |
| <i>betaxolol HCl oral tablet 10 mg, 20 mg</i>  | 4         |                         |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>   | 1         |                         |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>                                  | 1         |                         |
| <i>carvedilol phosphate ER oral capsule extended release 24 hour 10 mg, 20 mg, 40 mg, 80 mg</i>  | 4         | QL (30 EA per 30 days)  |
| KAPSPARGO SPRINKLE ORAL CAPSULE ER 24 HOUR SPRINKLE 100 MG, 200 MG, 25 MG, 50 MG                 | 4         | QL (30 EA per 30 days)  |
| <i>labetalol HCl intravenous solution 5 mg/ml</i>  | 2         |                         |
| <i>labetalol HCl oral tablet 100 mg, 200 mg, 300 mg</i>  | 2         |                         |
| <i>metoprolol succinate ER oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 50 mg</i> | 1         |                         |
| <i>metoprolol tartrate intravenous solution 5 mg/5ml</i>   | 2         |                         |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>                                      | 1         |                         |
| <i>metoprolol tartrate oral tablet 37.5 mg, 75 mg</i>  | 4         |                         |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>   | 2         |                         |
| <i>nebivolol HCl oral tablet 10 mg</i>   | 4         | QL (120 EA per 30 days) |
| <i>nebivolol HCl oral tablet 2.5 mg</i>  | 4         | QL (30 EA per 30 days)  |
| <i>nebivolol HCl oral tablet 20 mg</i>   | 4         | QL (60 EA per 30 days)  |
| <i>nebivolol HCl oral tablet 5 mg</i>  | 4         | QL (90 EA per 30 days)  |
| <i>pindolol oral tablet 10 mg, 5 mg</i>  | 2         |                         |
| <i>propranolol HCl ER oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</i>     | 2         |                         |
| <i>propranolol HCl intravenous solution 1 mg/ml</i>  | 2         |                         |
| <i>propranolol HCl oral solution 20 mg/5ml, 40 mg/5ml</i>  | 2         |                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|--|------------------|---------------------------------|
| <i>propranolol HCl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                                       | 1                |                                 |
| <b>Calcium Channel Blocking Agents, Dihydropyridines</b>   |                  |                                 |
| <i>amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg</i>   | 1                |                                 |
| <i>felodipine ER oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</i>                              | 1                |                                 |
| <i>isradipine oral capsule 2.5 mg, 5 mg</i>  | 2                |                                 |
| KATERZIA ORAL SUSPENSION 1 MG/ML   | 3                | PA NSO; QL (300 ML per 30 days) |
| <i>nicardipine HCl oral capsule 20 mg, 30 mg</i>   | 4                |                                 |
| <i>nifedipine ER oral tablet extended release 24 hour 30 mg</i>  | 2                | QL (120 EA per 30 days)         |
| <i>nifedipine ER oral tablet extended release 24 hour 60 mg</i>  | 2                | QL (60 EA per 30 days)          |
| <i>nifedipine ER oral tablet extended release 24 hour 90 mg</i>  | 2                | QL (30 EA per 30 days)          |
| <i>nifedipine ER osmotic release oral tablet extended release 24 hour 30 mg</i>                            | 2                | QL (120 EA per 30 days)         |
| <i>nifedipine ER osmotic release oral tablet extended release 24 hour 60 mg</i>                            | 2                | QL (60 EA per 30 days)          |
| <i>nifedipine ER osmotic release oral tablet extended release 24 hour 90 mg</i>                            | 2                | QL (30 EA per 30 days)          |
| <i>nifedipine oral capsule 10 mg, 20 mg</i>  | 2                |                                 |
| <i>nimodipine oral capsule 30 mg</i>   | 2                |                                 |
| <i>nisoldipine ER oral tablet extended release 24 hour 17 mg, 25.5 mg, 34 mg, 40 mg, 8.5 mg</i>            | 4                | QL (30 EA per 30 days)          |
| <i>nisoldipine ER oral tablet extended release 24 hour 20 mg</i>   | 4                | QL (90 EA per 30 days)          |
| <i>nisoldipine ER oral tablet extended release 24 hour 30 mg</i>   | 4                | QL (60 EA per 30 days)          |
| NORLIQVA ORAL SOLUTION 1 MG/ML   | 3                | PA NSO; QL (300 ML per 30 days) |
| NYMALIZE ORAL SOLUTION 6 MG/ML   | 3                |                                 |
| <b>Calcium Channel Blocking Agents, Nondihydropyridines</b>  |                  |                                 |
| <i>cartia XT oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i>                      | 1                |                                 |
| <i>diltiazem HCl ER beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 360 mg, 420 mg</i> | 1                | QL (60 EA per 30 days)          |
| <i>diltiazem HCl ER beads oral capsule extended release 24 hour 300 mg</i>                                 | 1                |                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--|------------------|--------------------------------|
| <i>diltiazem HCl ER coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>    | 1                |                                |
| <i>diltiazem HCl ER oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg</i>                                   | 4                |                                |
| <i>diltiazem HCl ER oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                                 | 1                |                                |
| <i>diltiazem HCl ER oral tablet extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>          | 4                |                                |
| <i>diltiazem HCl intravenous solution 125 mg/25ml, 25 mg/5ml, 50 mg/10ml</i>   | 2                |                                |
| <i>diltiazem HCl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>   | 1                |                                |
| <i>dilt-XR oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>  | 1                |                                |
| <i>taztia XT oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>                        | 1                | QL (60 EA per 30 days)         |
| <i>tiadylt ER oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 420 mg</i>                       | 1                | QL (60 EA per 30 days)         |
| <i>tiadylt ER oral capsule extended release 24 hour 360 mg</i>   | 1                |                                |
| <i>verapamil HCl ER oral capsule extended release 24 hour 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg</i> | 2                |                                |
| <i>verapamil HCl ER oral tablet extended release 120 mg, 180 mg, 240 mg</i>  | 1                |                                |
| <i>verapamil HCl intravenous solution 2.5 mg/ml</i>  | 2                |                                |
| <i>verapamil HCl oral tablet 120 mg, 40 mg, 80 mg</i>  | 1                |                                |
| <b>Cardiovascular Agents, Other</b>  |                  |                                |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>  | 2                |                                |
| <i>aliskiren fumarate oral tablet 150 mg, 300 mg</i>   | 4                |                                |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>   | 1                |                                |
| <i>amlodipine besy-benazepril HCl oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>          | 1                |                                |
| <i>amlodipine besylate-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>                            | 2                | QL (30 EA per 30 days)         |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>  | 2                | QL (30 EA per 30 days)         |
| <b>ASPRUZYO SPRINKLE ORAL PACKET 1000 MG</b>   | 4                | PA NSO; QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                  |
|---|-----------|--------------------------------------|
| ASPRUZYO SPRINKLE ORAL PACKET 500 MG  | 4         | PA NSO; QL (90 EA per 30 days)       |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>                                | 1         |                                      |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i> | 1         |                                      |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>          | 1         |                                      |
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG   | 5         | PA; NM; QL (30 EA per 30 days); NEDS |
| <i>candesartan cilexetil-hctz oral tablet 16-12.5 mg</i>                                      | 2         | QL (60 EA per 30 days)               |
| <i>candesartan cilexetil-hctz oral tablet 32-12.5 mg, 32-25 mg</i>                            | 2         | QL (30 EA per 30 days)               |
| CORLANOR ORAL SOLUTION 5 MG/5ML   | 4         | PA; QL (600 ML per 30 days)          |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i>                          | 1         |                                      |
| ENTRESTO ORAL CAPSULE SPRINKLE 15-16 MG, 6-6 MG   | 3         | QL (240 EA per 30 days)              |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG  | 3         | QL (60 EA per 30 days)               |
| <i>epinephrine (anaphylaxis) injection solution 30 mg/30ml</i>                                | 2         |                                      |
| <i>epinephrine injection solution 1 mg/ml</i>   | 2         |                                      |
| <i>fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg</i>                              | 1         |                                      |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>                    | 1         |                                      |
| <i>isosorb dinitrate-hydralazine oral tablet 20-37.5 mg</i>                                   | 4         |                                      |
| <i>ivabradine HCl oral tablet 5 mg, 7.5 mg</i>  | 4         | PA; QL (60 EA per 30 days)           |
| KERENDIA ORAL TABLET 10 MG, 20 MG   | 4         | PA; QL (30 EA per 30 days)           |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>            | 1         |                                      |
| <i>losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>                 | 1         |                                      |
| <i>metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>              | 4         |                                      |
| <i>metyrosine oral capsule 250 mg</i>   | 5         | NM; NEDS                             |
| <i>milrinone lactate in dextrose intravenous solution 20-5 mg/100ml-%, 40-5 mg/200ml-%</i>    | 4         | PA B/D                               |
| <i>milrinone lactate intravenous solution 10 mg/10ml, 20 mg/20ml, 50 mg/50ml</i>              | 4         | PA B/D                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| Drug Name   | Drug Tier | Requirements/Limits                  |
|---|-----------|--------------------------------------|
| <i>olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>                               | 2         |                                      |
| <i>pentoxifylline ER oral tablet extended release 400 mg</i>  | 2         |                                      |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>                           | 1         |                                      |
| <i>ranolazine ER oral tablet extended release 12 hour 1000 mg, 500 mg</i>                                   | 2         | QL (60 EA per 30 days)               |
| <i>spironolactone-hctz oral tablet 25-25 mg</i>   | 2         |                                      |
| <i>telmisartan-hctz oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>  | 4         | QL (30 EA per 30 days)               |
| <i>triamterene-hctz oral capsule 37.5-25 mg</i>   | 1         |                                      |
| <i>triamterene-hctz oral tablet 37.5-25 mg, 75-50 mg</i>  | 1         |                                      |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> | 1         |                                      |
| VYNDAMAX ORAL CAPSULE 61 MG   | 5         | PA; NM; QL (30 EA per 30 days); NEDS |
| <b>Diuretics, Loop</b>  |           |                                      |
| <i>bumetanide injection solution 0.25 mg/ml</i>   | 2         |                                      |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>  | 1         |                                      |
| <i>ethacrynic acid oral tablet 25 mg</i>  | 4         |                                      |
| <i>furosemide injection solution 10 mg/ml</i>   | 2         |                                      |
| <i>furosemide oral solution 10 mg/ml, 8 mg/ml</i>   | 2         |                                      |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>   | 1         |                                      |
| <i>torseamide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>  | 1         |                                      |
| <b>Diuretics, Potassium-sparing</b>   |           |                                      |
| <i>amiloride HCl oral tablet 5 mg</i>   | 2         |                                      |
| <i>eplerenone oral tablet 25 mg, 50 mg</i>  | 2         |                                      |
| <i>spironolactone oral suspension 25 mg/5ml</i>   | 4         |                                      |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>  | 1         |                                      |
| <i>triamterene oral capsule 100 mg, 50 mg</i>   | 4         |                                      |
| <b>Diuretics, Thiazide</b>  |           |                                      |
| <i>chlorothiazide sodium intravenous solution reconstituted 500 mg</i>                                      | 2         |                                      |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>  | 1         |                                      |
| DIURIL ORAL SUSPENSION 250 MG/5ML   | 3         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                         | 1                |                            |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>            | 1                |                            |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                           | 1                |                            |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>                       | 2                |                            |
| <b>Dyslipidemics, Fibric Acid Derivatives</b>                           |                  |                            |
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg</i>               | 1                | QL (30 EA per 30 days)     |
| <i>fenofibrate micronized oral capsule 67 mg</i>                        | 1                | QL (90 EA per 30 days)     |
| <i>fenofibrate oral tablet 145 mg, 160 mg</i>                           | 1                | QL (30 EA per 30 days)     |
| <i>fenofibrate oral tablet 48 mg</i>                                    | 1                | QL (90 EA per 30 days)     |
| <i>fenofibrate oral tablet 54 mg</i>                                    | 1                | QL (60 EA per 30 days)     |
| <i>fenofibric acid oral capsule delayed release 135 mg, 45 mg</i>       | 4                |                            |
| <i>gemfibrozil oral tablet 600 mg</i>                                   | 1                |                            |
| <b>Dyslipidemics, HMG CoA Reductase Inhibitors</b>                      |                  |                            |
| ATORVALIQ ORAL SUSPENSION 20 MG/5ML                                     | 4                | PA                         |
| <i>atorvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>      | 1                |                            |
| <i>fluvastatin sodium ER oral tablet extended release 24 hour 80 mg</i> | 4                | ST; QL (30 EA per 30 days) |
| <i>fluvastatin sodium oral capsule 20 mg</i>                            | 4                | ST; QL (30 EA per 30 days) |
| <i>fluvastatin sodium oral capsule 40 mg</i>                            | 4                | ST; QL (60 EA per 30 days) |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>                       | 1                |                            |
| <i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>        | 1                |                            |
| <i>rosuvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>       | 1                |                            |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i>         | 1                |                            |
| <b>Dyslipidemics, Other</b>   |                  |                            |
| <i>cholestyramine light oral packet 4 gm</i>                            | 2                |                            |
| <i>cholestyramine light oral powder 4 gm/dose</i>                       | 2                |                            |
| <i>cholestyramine oral packet 4 gm</i>                                  | 2                |                            |
| <i>cholestyramine oral powder 4 gm/dose</i>                             | 2                |                            |
| <i>colesevelam HCl oral packet 3.75 gm</i>                              | 2                |                            |
| <i>colesevelam HCl oral tablet 625 mg</i>                               | 2                |                            |
| <i>colestipol HCl oral packet 5 gm</i>                                  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                  |
|--|-----------|--------------------------------------|
| <i>colestipol HCl oral tablet 1 gm</i>   | 2         |                                      |
| <i>ezetimibe oral tablet 10 mg</i>   | 1         | QL (30 EA per 30 days)               |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i>            | 2         | QL (30 EA per 30 days)               |
| <i>icosapent ethyl oral capsule 0.5 gm</i>   | 4         | PA; QL (240 EA per 30 days)          |
| <i>icosapent ethyl oral capsule 1 gm</i>   | 4         | PA; QL (120 EA per 30 days)          |
| JUXTAPID ORAL CAPSULE 10 MG, 5 MG  | 5         | PA; NM; QL (30 EA per 30 days); NEDS |
| JUXTAPID ORAL CAPSULE 20 MG, 30 MG   | 5         | PA; NM; QL (60 EA per 30 days); NEDS |
| <i>niacin (antihyperlipidemic) oral tablet 500 mg</i>                                      | 2         |                                      |
| <i>niacin ER (antihyperlipidemic) oral tablet extended release 1000 mg, 750 mg</i>         | 2         | QL (60 EA per 30 days)               |
| <i>niacin ER (antihyperlipidemic) oral tablet extended release 500 mg</i>                  | 2         | QL (120 EA per 30 days)              |
| <i>niacor oral tablet 500 mg</i>   | 4         |                                      |
| <i>omega-3-acid ethyl esters oral capsule 1 gm</i>   | 2         | QL (120 EA per 30 days)              |
| <i>prevalite oral packet 4 gm</i>  | 2         |                                      |
| <i>prevalite oral powder 4 gm/dose</i>   | 2         |                                      |
| REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE 420 MG/3.5ML                     | 3         | PA; QL (3.5 ML per 28 days)          |
| REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 140 MG/ML                                  | 3         | PA; QL (3 ML per 28 days)            |
| REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML                            | 3         | PA; QL (3 ML per 28 days)            |
| <b>Vasodilators, Direct-acting Arterial/Venous</b>   |           |                                      |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>                          | 2         |                                      |
| <i>isosorbide mononitrate ER oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg</i> | 1         |                                      |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                                     | 1         |                                      |
| NITRO-BID TRANSDERMAL OINTMENT 2 %   | 3         |                                      |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR                                   | 4         |                                      |
| <i>nitroglycerin intravenous solution 5 mg/ml</i>  | 2         |                                      |
| <i>nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg</i>                   | 2         |                                      |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>  | 2         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>nitroglycerin translingual solution 0.4 mg/spray</i>   | 4                |                            |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG   | 4                | PA; QL (30 EA per 30 days) |
| <b>Vasodilators, Direct-acting Arterial</b>   |                  |                            |
| <i>hydralazine HCl injection solution 20 mg/ml</i>  | 4                |                            |
| <i>hydralazine HCl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>  | 1                |                            |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>  | 2                |                            |
| <b>Central Nervous System Agents</b>  |                  |                            |
| <b>Attention Deficit Hyperactivity Disorder Agents, Amphetamines</b>  |                  |                            |
| <i>amphetamine-dextroamphetamine ER oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> | 2                | QL (60 EA per 30 days)     |
| <i>amphetamine-dextroamphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>                    | 2                | QL (90 EA per 30 days)     |
| <i>dextroamphetamine sulfate ER oral capsule extended release 24 hour 10 mg</i>                                       | 4                | QL (150 EA per 30 days)    |
| <i>dextroamphetamine sulfate ER oral capsule extended release 24 hour 15 mg</i>                                       | 4                | QL (120 EA per 30 days)    |
| <i>dextroamphetamine sulfate ER oral capsule extended release 24 hour 5 mg</i>  | 4                | QL (60 EA per 30 days)     |
| <i>dextroamphetamine sulfate oral solution 5 mg/5ml</i>   | 4                |                            |
| <i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i>  | 4                | QL (180 EA per 30 days)    |
| <i>lisdexamfetamine dimesylate oral capsule 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg</i>                       | 4                | QL (30 EA per 30 days)     |
| <i>lisdexamfetamine dimesylate oral tablet chewable 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>                      | 4                | QL (30 EA per 30 days)     |
| VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG  | 4                | QL (30 EA per 30 days)     |
| VYVANSE ORAL TABLET CHEWABLE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG   | 4                | QL (30 EA per 30 days)     |
| <b>Attention Deficit Hyperactivity Disorder Agents, Non-amphetamines</b>  |                  |                            |
| <i>atomoxetine HCl oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>  | 2                | QL (60 EA per 30 days)     |
| <i>atomoxetine HCl oral capsule 100 mg, 60 mg, 80 mg</i>  | 2                | QL (30 EA per 30 days)     |
| <i>clonidine HCl ER oral tablet extended release 12 hour 0.1 mg</i>   | 4                | QL (120 EA per 30 days)    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|---|------------------|---------------------------------------|
| <i>dexmethylphenidate HCl ER oral capsule extended release 24 hour 10 mg, 15 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> | 4                | QL (30 EA per 30 days)                |
| <i>dexmethylphenidate HCl ER oral capsule extended release 24 hour 20 mg</i>  | 4                | QL (60 EA per 30 days)                |
| <i>dexmethylphenidate HCl oral tablet 10 mg, 2.5 mg, 5 mg</i>   | 2                | QL (90 EA per 30 days)                |
| <i>guanfacine HCl ER oral tablet extended release 24 hour 1 mg, 2 mg, 3 mg, 4 mg</i>                                  | 2                | QL (30 EA per 30 days)                |
| <i>methylphenidate HCl ER (CD) oral capsule extended release 10 mg, 40 mg, 50 mg, 60 mg</i>                           | 4                | QL (30 EA per 30 days)                |
| <i>methylphenidate HCl ER (CD) oral capsule extended release 20 mg</i>  | 4                | QL (90 EA per 30 days)                |
| <i>methylphenidate HCl ER (CD) oral capsule extended release 30 mg</i>  | 4                | QL (60 EA per 30 days)                |
| <i>methylphenidate HCl ER (LA) oral capsule extended release 24 hour 10 mg, 40 mg, 60 mg</i>                          | 4                | QL (30 EA per 30 days)                |
| <i>methylphenidate HCl ER (LA) oral capsule extended release 24 hour 20 mg</i>  | 4                | QL (90 EA per 30 days)                |
| <i>methylphenidate HCl ER (LA) oral capsule extended release 24 hour 30 mg</i>  | 4                | QL (60 EA per 30 days)                |
| <i>methylphenidate HCl ER (OSM) oral tablet extended release 18 mg, 27 mg, 36 mg, 54 mg</i>                           | 4                | QL (30 EA per 30 days)                |
| <i>methylphenidate HCl ER oral tablet extended release 10 mg, 20 mg</i>   | 4                | QL (90 EA per 30 days)                |
| <i>methylphenidate HCl ER oral tablet extended release 24 hour 18 mg, 27 mg, 36 mg, 54 mg</i>                         | 4                | QL (30 EA per 30 days)                |
| <i>methylphenidate HCl oral solution 10 mg/5ml</i>  | 4                | QL (900 ML per 30 days)               |
| <i>methylphenidate HCl oral solution 5 mg/5ml</i>   | 4                | QL (1800 ML per 30 days)              |
| <i>methylphenidate HCl oral tablet 10 mg, 20 mg</i>   | 2                | QL (120 EA per 30 days)               |
| <i>methylphenidate HCl oral tablet 5 mg</i>   | 2                | QL (90 EA per 30 days)                |
| <i>methylphenidate HCl oral tablet chewable 10 mg, 2.5 mg, 5 mg</i>   | 4                |                                       |
| <b>Central Nervous System, Other</b>  |                  |                                       |
| AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG   | 5                | PA; NM; QL (120 EA per 30 days); NEDS |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12 MG   | 5                | PA; NM; QL (90 EA per 30 days); NEDS  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG                                     | 5                | PA; NM; QL (30 EA per 30 days); NEDS  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 24 MG   | 5                | PA; NM; QL (60 EA per 30 days); NEDS  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                        |
|---|-----------|--|
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 6 MG  | 5         | PA; NM; QL (210 EA per 30 days); NEDS      |
| AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 12 & 18 & 24 & 30 MG | 5         | PA; NM; QL (56 EA per 365 days); NEDS      |
| AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 6 & 12 & 24 MG       | 5         | PA; NM; QL (42 EA per 28 days); NEDS       |
| <i>butalbital-acetaminophen oral tablet 50-325 mg</i>                                       | 2         |  |
| <i>butalbital-apap-caffeine oral tablet 50-325-40 mg</i>                                    | 2         |  |
| <i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>                                | 2         |  |
| <i>caffeine citrate intravenous solution 60 mg/3ml</i>                                      | 2         |  |
| FIRDAPSE ORAL TABLET 10 MG  | 5         | PA; NM; QL (300 EA per 30 days); NEDS      |
| INGREZZA ORAL CAPSULE 40 MG   | 5         | PA; NM; QL (60 EA per 30 days); NEDS       |
| INGREZZA ORAL CAPSULE 60 MG, 80 MG  | 5         | PA; NM; QL (30 EA per 30 days); NEDS       |
| INGREZZA ORAL CAPSULE SPRINKLE 40 MG  | 5         | PA; NM; QL (60 EA per 30 days); NEDS       |
| INGREZZA ORAL CAPSULE SPRINKLE 60 MG, 80 MG   | 5         | PA; NM; QL (30 EA per 30 days); NEDS       |
| INGREZZA ORAL CAPSULE THERAPY PACK 40 & 80 MG   | 5         | PA; NM; QL (30 EA per 30 days); NEDS       |
| NUEDEXTA ORAL CAPSULE 20-10 MG  | 4         | PA; QL (60 EA per 30 days)                 |
| RADICAVA ORS ORAL SUSPENSION 105 MG/5ML   | 5         | PA; NM; QL (50 ML per 28 days); NEDS       |
| RADICAVA ORS STARTER KIT ORAL SUSPENSION 105 MG/5ML   | 5         | PA; NM; NEDS                               |
| RELYVRIO ORAL PACKET 3-1 GM   | 5         | PA; NM; QL (60 EA per 30 days); NEDS       |
| <i>riluzole oral tablet 50 mg</i>   | 2         |  |
| TEGLUTIK ORAL SUSPENSION 50 MG/10ML   | 4         | PA   |
| <i>tencon oral tablet 50-325 mg</i>   | 2         |  |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i>   | 4         | QL (120 EA per 30 days)                    |
| TIGLUTIK ORAL SUSPENSION 50 MG/10ML   | 4         | PA   |
| ZTALMY ORAL SUSPENSION 50 MG/ML   | 5         | PA NSO; NM; QL (1080 ML per 30 days); NEDS |
| <b>Fibromyalgia Agents</b>  |           |  |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i>  | 2         |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| <i>pregabalin oral solution 20 mg/ml</i>   | 2         |                                       |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG  | 3         | ST NSO; QL (60 EA per 30 days)        |
| SAVELLA TITRATION PACK ORAL 12.5 & 25 & 50 MG  | 3         | ST NSO; QL (55 EA per 30 days)        |
| <b>Multiple Sclerosis Agents</b>   |           |                                       |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT 30 MCG/0.5ML  | 5         | PA; NM; QL (1 EA per 28 days); NEDS   |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT 30 MCG/0.5ML                                | 5         | PA; NM; QL (1 EA per 28 days); NEDS   |
| <i>dalfampridine ER oral tablet extended release 12 hour 10 mg</i>                               | 2         | PA; QL (60 EA per 30 days)            |
| <i>dimethyl fumarate oral capsule delayed release 120 mg, 240 mg</i>                             | 2         | PA; QL (60 EA per 30 days)            |
| <i>dimethyl fumarate starter pack oral capsule delayed release therapy pack 120 &amp; 240 mg</i> | 2         | PA; QL (60 EA per 30 days)            |
| EXTAVIA SUBCUTANEOUS KIT 0.3 MG  | 5         | PA; NM; QL (15 EA per 30 days); NEDS  |
| <i>fingolimod HCl oral capsule 0.5 mg</i>  | 2         | PA; QL (28 EA per 28 days)            |
| GILENYA ORAL CAPSULE 0.25 MG   | 5         | PA; NM; QL (28 EA per 28 days); NEDS  |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml</i>                       | 5         | PA; NM; QL (30 ML per 30 days); NEDS  |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 40 mg/ml</i>                       | 5         | PA; NM; QL (12 ML per 28 days); NEDS  |
| GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/ML   | 5         | PA; NM; QL (30 ML per 30 days); NEDS  |
| GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/ML   | 5         | PA; NM; QL (12 ML per 28 days); NEDS  |
| KESIMPTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 20 MG/0.4ML   | 5         | PA; NM; QL (1.2 ML per 28 days); NEDS |
| MAVENCLAD (10 TABS) ORAL TABLET THERAPY PACK 10 MG   | 5         | PA; NM; QL (20 EA per 310 days); NEDS |
| MAVENCLAD (4 TABS) ORAL TABLET THERAPY PACK 10 MG  | 5         | PA; NM; QL (8 EA per 310 days); NEDS  |
| MAVENCLAD (5 TABS) ORAL TABLET THERAPY PACK 10 MG  | 5         | PA; NM; QL (10 EA per 310 days); NEDS |
| MAVENCLAD (6 TABS) ORAL TABLET THERAPY PACK 10 MG  | 5         | PA; NM; QL (12 EA per 310 days); NEDS |
| MAVENCLAD (7 TABS) ORAL TABLET THERAPY PACK 10 MG  | 5         | PA; NM; QL (14 EA per 310 days); NEDS |
| MAVENCLAD (8 TABS) ORAL TABLET THERAPY PACK 10 MG  | 5         | PA; NM; QL (16 EA per 310 days); NEDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|--|------------------|---------------------------------------|
| MAVENCLAD (9 TABS) ORAL TABLET THERAPY PACK 10 MG  | 5                | PA; NM; QL (18 EA per 310 days); NEDS |
| <i>mitoxantrone HCl intravenous concentrate 20 mg/10ml, 25 mg/12.5ml, 30 mg/15ml</i>               | 2                |                                       |
| PLEGRIDY INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 125 MCG/0.5ML                                    | 5                | PA; NM; QL (1 ML per 28 days); NEDS   |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 63 & 94 MCG/0.5ML                        | 5                | PA; NM; QL (1 ML per 28 days); NEDS   |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 63 & 94 MCG/0.5ML                    | 5                | PA; NM; QL (1 ML per 28 days); NEDS   |
| PLEGRIDY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 125 MCG/0.5ML   | 5                | PA; NM; QL (1 ML per 28 days); NEDS   |
| PLEGRIDY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MCG/0.5ML                                     | 5                | PA; NM; QL (1 ML per 28 days); NEDS   |
| REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 22 MCG/0.5ML, 44 MCG/0.5ML                      | 5                | PA; NM; QL (6 ML per 28 days); NEDS   |
| REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 6X8.8 & 6X22 MCG                 | 5                | PA; NM; QL (4.2 ML per 28 days); NEDS |
| REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 22 MCG/0.5ML, 44 MCG/0.5ML                           | 5                | PA; NM; QL (6 ML per 28 days); NEDS   |
| REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6X8.8 & 6X22 MCG                      | 5                | PA; NM; QL (4.2 ML per 28 days); NEDS |
| <i>teriflunomide oral tablet 14 mg, 7 mg</i>   | 5                | PA; NM; QL (30 EA per 30 days); NEDS  |
| TYSABRI INTRAVENOUS CONCENTRATE 300 MG/15ML  | 5                | PA; NM; NEDS                          |
| ZEPOSIA 7-DAY STARTER PACK ORAL CAPSULE THERAPY PACK 4 X 0.23MG & 3 X 0.46MG                       | 5                | PA; NM; QL (30 EA per 30 days); NEDS  |
| ZEPOSIA ORAL CAPSULE 0.92 MG   | 5                | PA; NM; QL (30 EA per 30 days); NEDS  |
| ZEPOSIA STARTER KIT ORAL CAPSULE THERAPY PACK 0.23MG & 0.46MG & 0.92MG, 0.23MG & 0.46MG 0.92MG(21) | 5                | PA; NM; QL (30 EA per 30 days); NEDS  |
| <b>Dental and Oral Agents</b>  |                  |                                       |
| <b>Dental and Oral Agents</b>  |                  |                                       |
| <i>cevimeline HCl oral capsule 30 mg</i>   | 2                |                                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>chlorhexidine gluconate mouth/throat solution 0.12 %</i> | 2                |                            |
| <i>denta 5000 plus dental cream 1.1 %</i>                   | 2                |                            |
| <i>dentagel dental gel 1.1 %</i>                            | 2                |                            |
| <i>doxycycline hyclate oral tablet 20 mg</i>                | 2                |                            |
| <i>fraiche 5000 dental dental gel 1.1 %</i>                 | 2                |                            |
| <i>kourzeq mouth/throat paste 0.1 %</i>                     | 2                |                            |
| <i>lidocaine HCl mouth/throat solution 4 %</i>              | 2                |                            |
| <i>lidocaine viscous HCl mouth/throat solution 2 %</i>      | 2                |                            |
| <i>oralone mouth/throat paste 0.1 %</i>                     | 2                |                            |
| PERIOGARD MOUTH/THROAT SOLUTION 0.12 %                      | 2                |                            |
| <i>pilocarpine HCl oral tablet 5 mg, 7.5 mg</i>             | 2                |                            |
| PREVIDENT 5000 BOOSTER PLUS DENTAL PASTE 1.1 %              | 3                |                            |
| PREVIDENT 5000 DRY MOUTH DENTAL GEL 1.1 %                   | 3                |                            |
| PREVIDENT 5000 ENAMEL PROTECT DENTAL GEL 1.1-5 %            | 3                |                            |
| PREVIDENT 5000 KIDS DENTAL PASTE 1.1 %                      | 3                |                            |
| PREVIDENT 5000 ORTHO DEFENSE DENTAL PASTE 1.1 %             | 3                |                            |
| PREVIDENT 5000 PLUS DENTAL CREAM 1.1 %                      | 3                |                            |
| PREVIDENT 5000 SENSITIVE DENTAL GEL 1.1-5 %                 | 3                |                            |
| PREVIDENT DENTAL GEL 1.1 %                                  | 3                |                            |
| PREVIDENT MOUTH/THROAT SOLUTION 0.2 %                       | 3                |                            |
| <i>sf 5000 plus dental cream 1.1 %</i>                      | 2                |                            |
| <i>sf dental gel 1.1 %</i>                                  | 2                |                            |
| <i>sod fluoride-potassium nitrate dental gel 1.1-5 %</i>    | 2                |                            |
| <i>sodium fluoride 5000 enamel dental gel 1.1-5 %</i>       | 2                |                            |
| <i>sodium fluoride 5000 plus dental cream 1.1 %</i>         | 2                |                            |
| <i>sodium fluoride 5000 ppm dental cream 1.1 %</i>          | 2                |                            |
| <i>sodium fluoride 5000 ppm dental gel 1.1 %</i>            | 2                |                            |
| <i>sodium fluoride 5000 ppm dental paste 1.1 %</i>          | 2                |                            |
| <i>sodium fluoride 5000 sensitive dental gel 1.1-5 %</i>    | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>sodium fluoride dental cream 1.1 %</i>                   | 2                |                            |
| <i>sodium fluoride dental gel 1.1 %</i>                     | 2                |                            |
| <i>sodium fluoride mouth/throat solution 0.2 %</i>          | 2                |                            |
| <i>triamcinolone acetonide mouth/throat paste 0.1 %</i>     | 2                |                            |
| <b>Dermatological Agents</b>                                |                  |                            |
| <b>Acne and Rosacea Agents</b>                              |                  |                            |
| ACCUTANE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG            | 4                |                            |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>         | 4                |                            |
| <i>adapalene external cream 0.1 %</i>                       | 4                |                            |
| <i>adapalene external gel 0.3 %</i>                         | 4                |                            |
| AKLIEF EXTERNAL CREAM 0.005 %                               | 4                | PA                         |
| ALTRENO EXTERNAL LOTION 0.05 %                              | 3                | PA                         |
| AMNESTEEM ORAL CAPSULE 10 MG, 20 MG, 40 MG                  | 4                |                            |
| AVITA EXTERNAL CREAM 0.025 %                                | 2                | PA                         |
| <i>avita external gel 0.025 %</i>                           | 2                | PA                         |
| <i>azelaic acid external gel 15 %</i>                       | 2                | PA                         |
| AZELEX EXTERNAL CREAM 20 %                                  | 4                | PA                         |
| <i>benzoyl peroxide-erythromycin external gel 5-3 %</i>     | 4                |                            |
| <i>brimonidine tartrate external gel 0.33 %</i>             | 4                |                            |
| CLARAVIS ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG            | 4                |                            |
| <i>clindamycin phos-benzoyl perox external gel 1.2-5 %</i>  | 2                |                            |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 4                |                            |
| <i>metronidazole external cream 0.75 %</i>                  | 2                |                            |
| <i>metronidazole external gel 0.75 %</i>                    | 2                |                            |
| <i>metronidazole external gel 1 %</i>                       | 4                |                            |
| <i>metronidazole external lotion 0.75 %</i>                 | 4                |                            |
| MYORISAN ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG            | 4                |                            |
| NEUAC EXTERNAL GEL 1.2-5 %                                  | 3                |                            |
| RHOFADE EXTERNAL CREAM 1 %                                  | 4                |                            |
| ROSADAN EXTERNAL CREAM 0.75 %                               | 2                |                            |
| <i>tazarotene external cream 0.05 %, 0.1 %</i>              | 2                | PA                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>tazarotene external gel 0.05 %, 0.1 %</i>                   | 2                | PA                         |
| <i>tretinoin external cream 0.025 %, 0.05 %, 0.1 %</i>         | 2                | PA                         |
| <i>tretinoin external gel 0.01 %, 0.025 %, 0.05 %</i>          | 2                | PA                         |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>        | 4                |                            |
| <b>Dermatitis and Pruitus Agents</b>                           |                  |                            |
| ALA-CORT EXTERNAL CREAM 1 %                                    | 2                |                            |
| <i>alclometasone dipropionate external cream 0.05 %</i>        | 2                |                            |
| <i>alclometasone dipropionate external ointment 0.05 %</i>     | 2                |                            |
| <i>amcinonide external lotion 0.1 %</i>                        | 2                |                            |
| <i>ammonium lactate external cream 12 %</i>                    | 2                |                            |
| <i>ammonium lactate external lotion 12 %</i>                   | 2                |                            |
| <i>betamethasone dipropionate aug external cream 0.05 %</i>    | 2                |                            |
| <i>betamethasone dipropionate aug external gel 0.05 %</i>      | 2                |                            |
| <i>betamethasone dipropionate aug external lotion 0.05 %</i>   | 2                |                            |
| <i>betamethasone dipropionate aug external ointment 0.05 %</i> | 2                |                            |
| <i>betamethasone dipropionate external cream 0.05 %</i>        | 2                |                            |
| <i>betamethasone dipropionate external lotion 0.05 %</i>       | 2                |                            |
| <i>betamethasone dipropionate external ointment 0.05 %</i>     | 2                |                            |
| <i>betamethasone valerate external cream 0.1 %</i>             | 2                |                            |
| <i>betamethasone valerate external foam 0.12 %</i>             | 4                |                            |
| <i>betamethasone valerate external lotion 0.1 %</i>            | 2                |                            |
| <i>betamethasone valerate external ointment 0.1 %</i>          | 2                |                            |
| BRYHALI EXTERNAL LOTION 0.01 %                                 | 4                | PA                         |
| CAPEX EXTERNAL SHAMPOO 0.01 %                                  | 4                |                            |
| <i>clobetasol propionate e external cream 0.05 %</i>           | 2                |                            |
| <i>clobetasol propionate emulsion external foam 0.05 %</i>     | 4                |                            |
| <i>clobetasol propionate external cream 0.05 %</i>             | 2                |                            |
| <i>clobetasol propionate external foam 0.05 %</i>              | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>clobetasol propionate external gel 0.05 %</i>             | 2                |                            |
| <i>clobetasol propionate external liquid 0.05 %</i>          | 4                |                            |
| <i>clobetasol propionate external lotion 0.05 %</i>          | 4                |                            |
| <i>clobetasol propionate external ointment 0.05 %</i>        | 2                |                            |
| <i>clobetasol propionate external shampoo 0.05 %</i>         | 4                |                            |
| <i>clobetasol propionate external solution 0.05 %</i>        | 2                |                            |
| <i>desonide external cream 0.05 %</i>                        | 4                |                            |
| <i>desonide external gel 0.05 %</i>                          | 4                |                            |
| <i>desonide external lotion 0.05 %</i>                       | 4                |                            |
| <i>desonide external ointment 0.05 %</i>                     | 4                |                            |
| <i>desoximetasone external cream 0.25 %</i>                  | 2                |                            |
| <i>desoximetasone external liquid 0.25 %</i>                 | 4                | PA                         |
| <i>desoximetasone external ointment 0.25 %</i>               | 2                |                            |
| DESRX EXTERNAL GEL 0.05 %                                    | 4                |                            |
| EUCRISA EXTERNAL OINTMENT 2 %                                | 4                | ST                         |
| <i>fluocinolone acetonide body external oil 0.01 %</i>       | 2                |                            |
| <i>fluocinolone acetonide external cream 0.01 %, 0.025 %</i> | 2                |                            |
| <i>fluocinolone acetonide external ointment 0.025 %</i>      | 2                |                            |
| <i>fluocinolone acetonide external solution 0.01 %</i>       | 2                |                            |
| <i>fluocinolone acetonide scalp external oil 0.01 %</i>      | 2                |                            |
| <i>fluocinonide emulsified base external cream 0.05 %</i>    | 2                |                            |
| <i>fluocinonide external cream 0.05 %</i>                    | 2                |                            |
| <i>fluocinonide external gel 0.05 %</i>                      | 2                |                            |
| <i>fluocinonide external ointment 0.05 %</i>                 | 2                |                            |
| <i>fluocinonide external solution 0.05 %</i>                 | 2                |                            |
| <i>fluticasone propionate external cream 0.05 %</i>          | 2                |                            |
| <i>fluticasone propionate external lotion 0.05 %</i>         | 2                |                            |
| <i>fluticasone propionate external ointment 0.005 %</i>      | 2                |                            |
| <i>halobetasol propionate external cream 0.05 %</i>          | 2                |                            |
| <i>halobetasol propionate external foam 0.05 %</i>           | 4                | PA                         |
| <i>halobetasol propionate external ointment 0.05 %</i>       | 2                |                            |
| <i>hydrocortisone (perianal) external cream 2.5 %</i>        | 2                |                            |
| <i>hydrocortisone external cream 1 %, 2.5 %</i>              | 2                |                            |
| <i>hydrocortisone external lotion 2.5 %</i>                  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| <i>hydrocortisone external ointment 1 %, 2.5 %</i>                     | 2         |                                       |
| LEXETTE EXTERNAL FOAM 0.05 %   | 4         | PA                                    |
| <i>mometasone furoate external cream 0.1 %</i>                         | 2         |                                       |
| <i>mometasone furoate external ointment 0.1 %</i>                      | 2         |                                       |
| <i>mometasone furoate external solution 0.1 %</i>                      | 2         |                                       |
| OPZELURA EXTERNAL CREAM 1.5 %  | 5         | PA; NM; NEDS                          |
| <i>pimecrolimus external cream 1 %</i>                                 | 2         |                                       |
| <i>selenium sulfide external lotion 2.5 %</i>                          | 2         |                                       |
| <i>tacrolimus external ointment 0.03 %, 0.1 %</i>                      | 2         |                                       |
| <i>triamcinolone acetonide external aerosol solution 0.147 mg/gm</i>   | 4         |                                       |
| <i>triamcinolone acetonide external cream 0.025 %, 0.1 %, 0.5 %</i>    | 2         |                                       |
| <i>triamcinolone acetonide external lotion 0.025 %, 0.1 %</i>          | 2         |                                       |
| <i>triamcinolone acetonide external ointment 0.025 %, 0.1 %, 0.5 %</i> | 2         |                                       |
| <i>triderm external cream 0.1 %, 0.5 %</i>                             | 2         |                                       |
| VERDESO EXTERNAL FOAM 0.05 %   | 4         | PA                                    |
| <b>Dermatological Agents, Other</b>                                    |           |                                       |
| <i>calcipotriene external cream 0.005 %</i>                            | 2         | QL (120 GM per 30 days)               |
| <i>calcipotriene external ointment 0.005 %</i>                         | 2         | QL (120 GM per 30 days)               |
| <i>calcipotriene external solution 0.005 %</i>                         | 2         |                                       |
| <i>calcipotriene-betameth diprop external ointment 0.005-0.064 %</i>   | 4         |                                       |
| <i>clotrimazole-betamethasone external cream 1-0.05 %</i>              | 2         |                                       |
| <i>clotrimazole-betamethasone external lotion 1-0.05 %</i>             | 4         |                                       |
| <i>diclofenac sodium external gel 3 %</i>                              | 4         | PA                                    |
| DUOBRII EXTERNAL LOTION 0.01-0.045 %                                   | 5         | PA; NM; QL (200 GM per 28 days); NEDS |
| <i>fluorouracil external cream 5 %</i>                                 | 2         |                                       |
| <i>fluorouracil external solution 2 %, 5 %</i>                         | 2         |                                       |
| <i>hydrocortisone ace-pramoxine external cream 1-1 %</i>               | 4         |                                       |
| <i>imiquimod external cream 5 %</i>                                    | 2         |                                       |
| <i>methoxsalen rapid oral capsule 10 mg</i>                            | 5         | NM; NEDS                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|--|------------------|--------------------------------------|
| <i>nystatin-triamcinolone external cream 100000-0.1 unit/gm-%</i>    | 2                | QL (90 GM per 30 days)               |
| <i>nystatin-triamcinolone external ointment 100000-0.1 unit/gm-%</i> | 2                | QL (90 GM per 30 days)               |
| OTEZLA ORAL TABLET 20 MG, 30 MG                                      | 5                | PA; NM; QL (60 EA per 30 days); NEDS |
| <i>podofilox external solution 0.5 %</i>                             | 2                |                                      |
| PROCTOFOAM HC EXTERNAL FOAM 1-1 %                                    | 3                |                                      |
| QBREXZA EXTERNAL PAD 2.4 %   | 4                | PA                                   |
| REGRANEX EXTERNAL GEL 0.01 %   | 5                | NM; QL (30 GM per 30 days); NEDS     |
| SANTYL EXTERNAL OINTMENT 250 UNIT/GM                                 | 3                |                                      |
| <i>silver sulfadiazine external cream 1 %</i>                        | 2                |                                      |
| <i>SSD external cream 1 %</i>  | 2                |                                      |
| VEREGEN EXTERNAL OINTMENT 15 %                                       | 5                | NM; NEDS                             |
| ZORYVE EXTERNAL CREAM 0.3 %  | 4                | PA                                   |
| <b>Pediculicides/Scabicides</b>                                      |                  |                                      |
| <i>ivermectin external cream 1 %</i>                                 | 4                |                                      |
| <i>malathion external lotion 0.5 %</i>                               | 4                |                                      |
| <i>permethrin external cream 5 %</i>                                 | 2                |                                      |
| SPINOSAD EXTERNAL SUSPENSION 0.9 %                                   | 4                |                                      |
| <b>Topical Anti-infectives</b>                                       |                  |                                      |
| <i>acyclovir external ointment 5 %</i>                               | 4                |                                      |
| <i>ciclopirox external gel 0.77 %</i>                                | 2                |                                      |
| <i>ciclopirox external shampoo 1 %</i>                               | 2                |                                      |
| <i>ciclopirox external solution 8 %</i>                              | 2                |                                      |
| <i>ciclopirox olamine external cream 0.77 %</i>                      | 2                |                                      |
| <i>ciclopirox olamine external suspension 0.77 %</i>                 | 2                |                                      |
| <i>clindamycin phosphate external gel 1 %, 1 % (twice daily)</i>     | 2                |                                      |
| <i>clindamycin phosphate external lotion 1 %</i>                     | 2                |                                      |
| <i>clindamycin phosphate external solution 1 %</i>                   | 2                | QL (120 ML per 30 days)              |
| CLINDESSE VAGINAL CREAM 2 %  | 3                |                                      |
| <i>dapsone external gel 5 %, 7.5 %</i>                               | 4                |                                      |
| <i>ery external pad 2 %</i>  | 2                |                                      |
| <i>erythromycin external gel 2 %</i>                                 | 2                |                                      |
| <i>erythromycin external solution 2 %</i>                            | 2                |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>mafenide acetate external packet 5 %</i>                      | 4         |                     |
| <i>mupirocin calcium external cream 2 %</i>                      | 3         |                     |
| <i>mupirocin external ointment 2 %</i>                           | 2         |                     |
| SULFAMYLON EXTERNAL CREAM 85 MG/GM                               | 4         |                     |
| <b>Electrolytes/Minerals/Metals/Vitamins</b>                     |           |                     |
| <b>Electrolyte/Mineral Replacement</b>                           |           |                     |
| AMINOSYN-PF INTRAVENOUS SOLUTION 7 %                             | 4         | PA B/D              |
| <i>calcium chloride intravenous solution 10 %</i>                | 2         |                     |
| <i>carglumic acid oral tablet soluble 200 mg</i>                 | 5         | NM; NEDS            |
| CLINIMIX E/DEXTROSE (2.75/5) INTRAVENOUS SOLUTION 2.75 %         | 4         | PA B/D              |
| CLINIMIX E/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION 4.25 %        | 4         | PA B/D              |
| CLINIMIX E/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION 4.25 %         | 4         | PA B/D              |
| CLINIMIX E/DEXTROSE (5/15) INTRAVENOUS SOLUTION 5 %              | 4         | PA B/D              |
| CLINIMIX E/DEXTROSE (5/20) INTRAVENOUS SOLUTION 5 %              | 4         | PA B/D              |
| CLINIMIX E/DEXTROSE (8/10) INTRAVENOUS SOLUTION 8 %              | 4         | PA B/D              |
| CLINIMIX E/DEXTROSE (8/14) INTRAVENOUS SOLUTION 8 %              | 4         | PA B/D              |
| CLINIMIX/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION 4.25 %          | 4         | PA B/D              |
| CLINIMIX/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION 4.25 %           | 4         | PA B/D              |
| CLINIMIX/DEXTROSE (5/15) INTRAVENOUS SOLUTION 5 %                | 4         | PA B/D              |
| CLINIMIX/DEXTROSE (5/20) INTRAVENOUS SOLUTION 5 %                | 4         | PA B/D              |
| CLINIMIX/DEXTROSE (6/5) INTRAVENOUS SOLUTION 6 %                 | 4         | PA B/D              |
| CLINIMIX/DEXTROSE (8/10) INTRAVENOUS SOLUTION 8 %                | 4         | PA B/D              |
| CLINIMIX/DEXTROSE (8/14) INTRAVENOUS SOLUTION 8 %                | 4         | PA B/D              |
| CLINISOL SF INTRAVENOUS SOLUTION 15 %                            | 4         | PA B/D              |
| <i>dextrose intravenous solution 10 %, 250 mg/ml, 50 %, 70 %</i> | 2         | PA B/D              |
| <i>dextrose intravenous solution 5 %</i>                         | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>dextrose-NaCl intravenous solution 10-0.2 %, 10-0.45 %, 2.5-0.45 %, 5-0.2 %, 5-0.225 %, 5-0.3 %, 5-0.33 %, 5-0.45 %, 5-0.9 %</i>   | 2         |                     |
| ISOLYTE-P IN D5W INTRAVENOUS SOLUTION   | 2         |                     |
| ISOLYTE-S PH 7.4 INTRAVENOUS SOLUTION   | 2         |                     |
| KABIVEN INTRAVENOUS EMULSION 3.3-10.8-3.9 %   | 4         | PA B/D              |
| <i>KCl in dextrose-NaCl intravenous solution 10-5-0.45 meq/l-%-%, 20-5-0.2 meq/l-%-%, 20-5-0.45 meq/l-%-%, 20-5-0.9 meq/l-%-%, 30-5-0.45 meq/l-%-%, 40-5-0.45 meq/l-%-%, 40-5-0.9 meq/l-%-%</i> | 2         |                     |
| <i>KCl-lactated ringers-d5w intravenous solution 20 meq/l</i>   | 2         |                     |
| <i>klor-con m10 oral tablet extended release 10 meq</i>   | 2         |                     |
| <i>klor-con m15 oral tablet extended release 15 meq</i>   | 2         |                     |
| <i>klor-con m20 oral tablet extended release 20 meq</i>   | 2         |                     |
| <i>magnesium sulfate in d5w intravenous solution 1-5 gm/100ml-%</i>   | 2         |                     |
| <i>magnesium sulfate injection solution 50 %, 50 % (10ml syringe)</i>   | 2         |                     |
| <i>magnesium sulfate intravenous solution 2 gm/50ml, 20 gm/500ml, 4 gm/100ml, 4 gm/50ml, 40 gm/1000ml</i>   | 2         |                     |
| <i>multiple electro type 1 ph 5.5 intravenous solution</i>  | 2         |                     |
| <i>multiple electro type 1 ph 7.4 intravenous solution</i>  | 2         |                     |
| NORMOSOL-R PH 7.4 INTRAVENOUS SOLUTION  | 4         |                     |
| PERIKABIVEN INTRAVENOUS EMULSION 2.4-6.8-3.5-0.5 %  | 4         | PA B/D              |
| PLASMA-LYTE A INTRAVENOUS SOLUTION  | 2         |                     |
| PLENAMINE INTRAVENOUS SOLUTION 15 %   | 4         | PA B/D              |
| <i>potassium chloride crys ER oral tablet extended release 10 meq, 15 meq, 20 meq</i>   | 2         |                     |
| <i>potassium chloride ER oral capsule extended release 10 meq, 8 meq</i>  | 2         |                     |
| <i>potassium chloride ER oral tablet extended release 10 meq, 15 meq, 20 meq, 8 meq</i>   | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| Drug Name   | Drug Tier | Requirements/Limits                   |
|---|-----------|---------------------------------------|
| <i>potassium chloride in NaCl intravenous solution 20-0.45 meq/l-%, 20-0.9 meq/l-%, 40-0.9 meq/l-%</i>  | 2         |                                       |
| <i>potassium chloride intravenous solution 10 meq/100ml, 10 meq/50ml, 2 meq/ml, 2 meq/ml (20 ml), 20 meq/100ml, 20 meq/50ml, 40 meq/100ml</i> | 2         |                                       |
| <i>potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)</i>  | 2         |                                       |
| <i>potassium citrate ER oral tablet extended release 10 meq (1080 mg), 15 meq (1620 mg), 5 meq (540 mg)</i>                                   | 2         |                                       |
| <i>potassium cl in dextrose 5% intravenous solution 10 meq/l, 20 meq/l</i>  | 2         |                                       |
| PREMASOL INTRAVENOUS SOLUTION 10 %  | 4         | PA B/D                                |
| PROSOL INTRAVENOUS SOLUTION 20 %  | 4         | PA B/D                                |
| <i>sodium chloride (pf) injection solution 0.9 %</i>  | 2         |                                       |
| <i>sodium chloride injection solution 2.5 meq/ml</i>  | 2         |                                       |
| <i>sodium chloride intravenous solution 0.45 %, 0.9 %, 3 %, 4 meq/ml, 5 %</i>   | 2         |                                       |
| <i>sodium fluoride oral tablet chewable 0.55 (0.25 f) mg, 1.1 (0.5 f) mg, 2.2 (1 f) mg</i>  | 2         |                                       |
| TPN ELECTROLYTES INTRAVENOUS CONCENTRATE  | 2         | PA B/D                                |
| TRAVASOL INTRAVENOUS SOLUTION 10 %  | 4         | PA B/D                                |
| TROPHAMINE INTRAVENOUS SOLUTION 10 %  | 4         | PA B/D                                |
| <b>Electrolyte/Mineral/Metal Modifiers</b>  |           |                                       |
| CHEMET ORAL CAPSULE 100 MG  | 4         |                                       |
| <i>deferasirox granules oral packet 180 mg, 360 mg, 90 mg</i>   | 5         | NM; NEDS                              |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i>  | 2         |                                       |
| <i>deferasirox oral tablet soluble 125 mg</i>   | 4         |                                       |
| <i>deferasirox oral tablet soluble 250 mg, 500 mg</i>   | 5         | NM; NEDS                              |
| <i>deferiprone oral tablet 1000 mg, 500 mg</i>  | 5         | NM; NEDS                              |
| FERRIPROX ORAL SOLUTION 100 MG/ML   | 5         | NM; NEDS                              |
| FERRIPROX ORAL TABLET 1000 MG   | 5         | NM; NEDS                              |
| FERRIPROX TWICE-A-DAY ORAL TABLET 1000 MG   | 5         | NM; NEDS                              |
| JYNARQUE ORAL TABLET 15 MG, 30 MG   | 5         | PA; NM; QL (120 EA per 30 days); NEDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                  |
|---|-----------|--------------------------------------|
| JYNARQUE ORAL TABLET THERAPY PACK 15 MG, 30 & 15 MG, 45 & 15 MG, 60 & 30 MG, 90 & 30 MG | 5         | PA; NM; QL (60 EA per 30 days); NEDS |
| <i>penicillamine oral capsule 250 mg</i>  | 5         | NM; NEDS                             |
| <i>tolvaptan oral tablet 15 mg</i>  | 5         | PA; NM; QL (30 EA per 30 days); NEDS |
| <i>tolvaptan oral tablet 30 mg</i>  | 5         | PA; NM; QL (60 EA per 30 days); NEDS |
| <i>trientine HCl oral capsule 250 mg</i>  | 5         | NM; NEDS                             |
| <b>Phosphate Binders</b>  |           |                                      |
| <i>calcium acetate (phos binder) oral capsule 667 mg</i>                                | 2         |                                      |
| <i>calcium acetate oral tablet 667 mg</i>   | 2         |                                      |
| <i>lanthanum carbonate oral tablet chewable 1000 mg, 500 mg, 750 mg</i>                 | 4         |                                      |
| PHOSLYRA ORAL SOLUTION 667 MG/5ML   | 4         |                                      |
| <i>sevelamer carbonate oral packet 0.8 gm, 2.4 gm</i>                                   | 2         | PA NSO                               |
| <i>sevelamer carbonate oral tablet 800 mg</i>   | 2         |                                      |
| <i>sevelamer HCl oral tablet 400 mg</i>   | 4         |                                      |
| VELPHORO ORAL TABLET CHEWABLE 500 MG  | 4         |                                      |
| <b>Potassium Binders</b>  |           |                                      |
| LOKELMA ORAL PACKET 10 GM, 5 GM   | 4         | QL (90 EA per 30 days)               |
| <i>sodium polystyrene sulfonate oral powder</i>   | 2         |                                      |
| <i>SPS (sodium polystyrene sulf) combination suspension 15 gm/60ml</i>                  | 2         |                                      |
| VELTASSA ORAL PACKET 1 GM, 16.8 GM, 25.2 GM, 8.4 GM                                     | 4         | QL (30 EA per 30 days)               |
| <b>Vitamins</b>   |           |                                      |
| <i>m-natal plus oral tablet 27-1 mg</i>   | 2         |                                      |
| <i>prenatal oral tablet 27-1 mg</i>   | 2         |                                      |
| <i>se-natal 19 oral tablet 29-1 mg</i>  | 2         |                                      |
| <i>tricare oral tablet</i>  | 2         |                                      |
| <b>Gastrointestinal Agents</b>  |           |                                      |
| <b>Anti-Constipation Agents</b>   |           |                                      |
| <i>constulose oral solution 10 gm/15ml</i>  | 2         |                                      |
| <i>enulose oral solution 10 gm/15ml</i>   | 2         |                                      |
| <i>generlac oral solution 10 gm/15ml</i>  | 2         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                  |
|--|-----------|--------------------------------------|
| KRISTALOSE ORAL PACKET 20 GM                               | 4         |                                      |
| <i>lactulose encephalopathy oral solution 10 gm/15ml</i>   | 2         |                                      |
| <i>lactulose oral packet 10 gm</i>                         | 4         |                                      |
| <i>lactulose oral solution 10 gm/15ml</i>                  | 2         |                                      |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG              | 3         | QL (30 EA per 30 days)               |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i>             | 2         | QL (60 EA per 30 days)               |
| MOTEGRITY ORAL TABLET 1 MG, 2 MG                           | 4         | PA; QL (30 EA per 30 days)           |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG                        | 3         | QL (30 EA per 30 days)               |
| <b>Anti-Diarrheal Agents</b>                               |           |                                      |
| <i>alosetron HCl oral tablet 0.5 mg, 1 mg</i>              | 4         | PA; QL (60 EA per 30 days)           |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5ml</i> | 2         |                                      |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>     | 2         |                                      |
| <i>loperamide HCl oral capsule 2 mg</i>                    | 2         |                                      |
| VIBERZI ORAL TABLET 100 MG, 75 MG                          | 5         | PA; NM; QL (60 EA per 30 days); NEDS |
| XERMELO ORAL TABLET 250 MG                                 | 5         | PA; NM; QL (90 EA per 30 days); NEDS |
| <b>Antispasmodics, Gastrointestinal</b>                    |           |                                      |
| <i>chlordiazepoxide-clidinium oral capsule 5-2.5 mg</i>    | 2         |                                      |
| <i>dicyclomine HCl oral capsule 10 mg</i>                  | 1         |                                      |
| <i>dicyclomine HCl oral solution 10 mg/5ml</i>             | 2         |                                      |
| <i>dicyclomine HCl oral tablet 20 mg</i>                   | 1         |                                      |
| <i>glycopyrrolate oral solution 1 mg/5ml</i>               | 4         |                                      |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i>               | 2         |                                      |
| <i>methscopolamine bromide oral tablet 2.5 mg, 5 mg</i>    | 4         |                                      |
| <b>Gastrointestinal Agents, Other</b>                      |           |                                      |
| BYLVAY (PELLETS) ORAL CAPSULE SPRINKLE 200 MCG, 600 MCG    | 5         | PA; NM; NEDS                         |
| BYLVAY ORAL CAPSULE 1200 MCG, 400 MCG                      | 5         | PA; NM; NEDS                         |
| CHENODAL ORAL TABLET 250 MG                                | 5         | NM; NEDS                             |
| GATTEX SUBCUTANEOUS KIT 5 MG                               | 5         | PA; NM; NEDS                         |
| <i>gavilyte-c oral solution reconstituted 240 gm</i>       | 1         |                                      |
| <i>gavilyte-g oral solution reconstituted 236 gm</i>       | 1         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                  |
|---|-----------|--------------------------------------|
| <i>gavilyte-n with flavor pack oral solution reconstituted 420 gm</i>   | 1         |                                      |
| GOLYTELY ORAL SOLUTION RECONSTITUTED 236 GM   | 3         |                                      |
| <i>metoclopramide HCl injection solution 5 mg/ml</i>  | 2         |                                      |
| <i>metoclopramide HCl oral solution 5 mg/5ml</i>  | 1         |                                      |
| <i>metoclopramide HCl oral tablet 10 mg, 5 mg</i>   | 1         |                                      |
| MYALEPT SUBCUTANEOUS SOLUTION RECONSTITUTED 11.3 MG   | 5         | PA; NM; NEDS                         |
| <i>Na sulfate-K sulfate-Mg sulf oral solution 17.5-3.13-1.6 gm/177ml, 17.5-3.13-1.6 gm/177ml 2 pack (480ml)</i> | 4         |                                      |
| <i>nitroglycerin rectal ointment 0.4 %</i>  | 3         | QL (30 GM per 30 days)               |
| OCALIVA ORAL TABLET 10 MG, 5 MG   | 5         | PA; NM; QL (30 EA per 30 days); NEDS |
| <i>peg 3350-KCl-Na bicarb-NaCl oral solution reconstituted 420 gm</i>   | 1         |                                      |
| <i>peg-3350/electrolytes oral solution reconstituted 236 gm</i>   | 1         |                                      |
| <i>peg-3350/electrolytes/ascorbat oral solution reconstituted 100 gm</i>  | 2         | QL (1 EA per 7 days)                 |
| <i>ursodiol oral capsule 300 mg</i>   | 2         |                                      |
| <i>ursodiol oral tablet 250 mg, 500 mg</i>  | 2         |                                      |
| VOWST ORAL CAPSULE  | 5         | PA; NM; QL (12 EA per 3 days); NEDS  |
| XIFAXAN ORAL TABLET 200 MG  | 4         | QL (180 EA per 30 days)              |
| XIFAXAN ORAL TABLET 550 MG  | 5         | NM; NEDS                             |
| <b>Histamine2 (H2) Receptor Antagonists</b>   |           |                                      |
| <i>cimetidine HCl oral solution 300 mg/5ml</i>  | 2         |                                      |
| <i>cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg</i>  | 2         |                                      |
| <i>famotidine (pf) intravenous solution 20 mg/2ml</i>   | 2         |                                      |
| <i>famotidine intravenous solution 200 mg/20ml, 40 mg/4ml</i>   | 2         |                                      |
| <i>famotidine oral suspension reconstituted 40 mg/5ml</i>   | 4         | PA NSO                               |
| <i>famotidine oral tablet 20 mg, 40 mg</i>  | 2         |                                      |
| <i>famotidine premixed intravenous solution 20-0.9 mg/50ml-%</i>  | 2         |                                      |
| <i>nizatidine oral capsule 150 mg, 300 mg</i>   | 2         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|---|------------------|---------------------------------------|
| <b>Protectants</b>  |                  |                                       |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i>   | 2                |                                       |
| <i>sucralfate oral tablet 1 gm</i>  | 2                |                                       |
| <b>Proton Pump Inhibitors</b>   |                  |                                       |
| <i>esomeprazole magnesium oral capsule delayed release 20 mg, 40 mg</i>   | 2                | QL (60 EA per 30 days)                |
| <i>esomeprazole sodium intravenous solution reconstituted 40 mg</i>   | 2                |                                       |
| <i>lansoprazole oral capsule delayed release 15 mg, 30 mg</i>   | 2                | QL (60 EA per 30 days)                |
| <i>lansoprazole oral tablet delayed release dispersible 15 mg, 30 mg</i>  | 4                | PA NSO; QL (30 EA per 30 days)        |
| <i>omeprazole oral capsule delayed release 10 mg, 20 mg, 40 mg</i>  | 2                |                                       |
| <i>pantoprazole sodium intravenous solution reconstituted 40 mg</i>   | 4                |                                       |
| <i>pantoprazole sodium oral tablet delayed release 20 mg, 40 mg</i>   | 2                |                                       |
| <i>rabeprazole sodium oral tablet delayed release 20 mg</i>   | 2                | QL (60 EA per 30 days)                |
| <b>Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment</b>   |                  |                                       |
| <b>Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment</b>   |                  |                                       |
| ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5ML  | 5                | NM; NEDS                              |
| <i>betaine oral powder</i>  | 5                | NM; NEDS                              |
| CERDELGA ORAL CAPSULE 84 MG   | 5                | PA; NM; QL (60 EA per 30 days); NEDS  |
| CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT  | 5                | NM; NEDS                              |
| CHOLBAM ORAL CAPSULE 250 MG, 50 MG  | 5                | NM; NEDS                              |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 36000-114000 UNIT, 6000-19000 UNIT | 3                |                                       |
| <i>cromolyn sodium oral concentrate 100 mg/5ml</i>  | 4                |                                       |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG   | 3                |                                       |
| <i>dichlorphenamide oral tablet 50 mg</i>   | 5                | PA; NM; QL (120 EA per 30 days); NEDS |
| ELAPRASE INTRAVENOUS SOLUTION 6 MG/3ML  | 5                | NM; NEDS                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| EVRYSDI ORAL SOLUTION RECONSTITUTED 0.75 MG/ML                                       | 5         | PA; NM; NEDS                          |
| FABRAZYME INTRAVENOUS SOLUTION RECONSTITUTED 35 MG, 5 MG                             | 5         | PA; NM; NEDS                          |
| GALAFOLD ORAL CAPSULE 123 MG   | 5         | PA; NM; QL (15 EA per 30 days); NEDS  |
| JAVYGTOR ORAL PACKET 100 MG, 500 MG  | 5         | PA; NM; NEDS                          |
| JAVYGTOR ORAL TABLET 100 MG  | 5         | PA; NM; NEDS                          |
| <i>l-glutamine oral packet 5 gm</i>  | 5         | NM; QL (180 EA per 30 days); NEDS     |
| <i>miglustat oral capsule 100 mg</i>   | 5         | PA; NM; QL (90 EA per 30 days); NEDS  |
| NAGLAZYME INTRAVENOUS SOLUTION 1 MG/ML   | 5         | PA; NM; NEDS                          |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i>                              | 5         | PA; NM; NEDS                          |
| NITYR ORAL TABLET 10 MG, 2 MG, 5 MG  | 5         | PA; NM; NEDS                          |
| PALYNZIQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.5ML, 2.5 MG/0.5ML, 20 MG/ML | 5         | PA; NM; NEDS                          |
| PROLASTIN-C INTRAVENOUS SOLUTION 1000 MG/20ML  | 5         | NM; NEDS                              |
| PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG                               | 5         | NM; NEDS                              |
| RAVICTI ORAL LIQUID 1.1 GM/ML  | 5         | NM; NEDS                              |
| REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5ML  | 5         | PA; NM; NEDS                          |
| <i>sapropterin dihydrochloride oral packet 100 mg, 500 mg</i>                        | 5         | PA; NM; NEDS                          |
| <i>sapropterin dihydrochloride oral tablet 100 mg</i>                                | 5         | PA; NM; NEDS                          |
| <i>sodium phenylbutyrate oral powder 3 gm/tsp</i>                                    | 5         | NM; NEDS                              |
| <i>sodium phenylbutyrate oral tablet 500 mg</i>                                      | 5         | NM; NEDS                              |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45ML, 28 MG/0.7ML, 40 MG/ML, 80 MG/0.8ML      | 5         | PA; NM; NEDS                          |
| SUCRAID ORAL SOLUTION 8500 UNIT/ML   | 5         | NM; NEDS                              |
| TEGSEDI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 284 MG/1.5ML                         | 5         | PA; NM; QL (6 ML per 30 days); NEDS   |
| VYNDAQEL ORAL CAPSULE 20 MG  | 5         | PA; NM; QL (120 EA per 30 days); NEDS |
| XURIDEN ORAL PACKET 2 GM   | 5         | PA; NM; QL (120 EA per 30 days); NEDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                  |
|---|-----------|--------------------------------------|
| YARGESA ORAL CAPSULE 100 MG   | 5         | PA; NM; QL (90 EA per 30 days); NEDS |
| ZOKINVY ORAL CAPSULE 50 MG, 75 MG   | 5         | PA; NM; NEDS                         |
| <b>Genitourinary Agents</b>   |           |                                      |
| <b>Antispasmodics, Urinary</b>  |           |                                      |
| <i>darifenacin HBr ER oral tablet extended release 24 hour 15 mg, 7.5 mg</i>          | 4         | QL (30 EA per 30 days)               |
| <i>fesoterodine fumarate ER oral tablet extended release 24 hour 4 mg, 8 mg</i>       | 4         | QL (30 EA per 30 days)               |
| <i>flavoxate HCl oral tablet 100 mg</i>   | 2         |                                      |
| MYRBETRIQ ORAL SUSPENSION RECONSTITUTED ER 8 MG/ML                                    | 3         | QL (300 ML per 30 days)              |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR 25 MG, 50 MG                           | 3         | QL (30 EA per 30 days)               |
| <i>oxybutynin chloride ER oral tablet extended release 24 hour 10 mg, 15 mg, 5 mg</i> | 1         | QL (60 EA per 30 days)               |
| <i>oxybutynin chloride oral solution 5 mg/5ml</i>                                     | 1         |                                      |
| <i>oxybutynin chloride oral tablet 5 mg</i>   | 1         |                                      |
| <i>solifenacin succinate oral tablet 10 mg, 5 mg</i>                                  | 1         | QL (30 EA per 30 days)               |
| <i>tolterodine tartrate ER oral capsule extended release 24 hour 2 mg, 4 mg</i>       | 1         | QL (30 EA per 30 days)               |
| <i>tolterodine tartrate oral tablet 1 mg, 2 mg</i>                                    | 1         | QL (60 EA per 30 days)               |
| <i>tropium chloride ER oral capsule extended release 24 hour 60 mg</i>                | 2         | QL (30 EA per 30 days)               |
| <i>tropium chloride oral tablet 20 mg</i>   | 1         |                                      |
| <b>Benign Prostatic Hypertrophy Agents</b>  |           |                                      |
| <i>alfuzosin HCl ER oral tablet extended release 24 hour 10 mg</i>                    | 1         |                                      |
| <i>doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>                          | 1         |                                      |
| <i>dutasteride oral capsule 0.5 mg</i>  | 2         | QL (30 EA per 30 days)               |
| <i>finasteride oral tablet 5 mg</i>   | 1         |                                      |
| <i>silodosin oral capsule 4 mg, 8 mg</i>  | 2         | QL (30 EA per 30 days)               |
| <i>tadalafil oral tablet 2.5 mg, 5 mg</i>   | 2         | PA; QL (60 EA per 30 days)           |
| <i>tamsulosin HCl oral capsule 0.4 mg</i>   | 1         |                                      |
| <b>Genitourinary Agents, Other</b>  |           |                                      |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>                     | 2         |                                      |
| ELMIRON ORAL CAPSULE 100 MG   | 4         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>penicillamine oral tablet 250 mg</i>   | 5                | NM; NEDS                   |
| PHEXXI VAGINAL GEL 1.8-1-0.4 %  | 3                |                            |
| <i>tiopronin oral tablet 100 mg</i>   | 5                | NM; NEDS                   |
| <i>tiopronin oral tablet delayed release 100 mg, 300 mg</i>   | 5                | NM; NEDS                   |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal)</b>   |                  |                            |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal)</b>   |                  |                            |
| <i>dexamethasone intensol oral concentrate 1 mg/ml</i>  | 3                |                            |
| <i>dexamethasone oral elixir 0.5 mg/5ml</i>   | 2                |                            |
| <i>dexamethasone oral solution 0.5 mg/5ml</i>   | 2                |                            |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>                                | 2                |                            |
| <i>dexamethasone sod phos +rfid injection solution prefilled syringe 4 mg/ml</i>                                | 2                |                            |
| <i>dexamethasone sod phosphate pf injection solution 10 mg/ml</i>   | 2                |                            |
| <i>dexamethasone sod phosphate pf injection solution prefilled syringe 10 mg/ml</i>                             | 2                |                            |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 100 mg/10ml, 120 mg/30ml, 20 mg/5ml, 4 mg/ml</i> | 2                |                            |
| <i>dexamethasone sodium phosphate injection solution prefilled syringe 4 mg/ml</i>                              | 2                |                            |
| <i>fludrocortisone acetate oral tablet 0.1 mg</i>   | 2                |                            |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>  | 2                |                            |
| <i>hydrocortisone sod suc (pf) injection solution reconstituted 100 mg</i>                                      | 2                |                            |
| MEDROL ORAL TABLET 2 MG   | 4                |                            |
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>  | 2                |                            |
| <i>methylprednisolone oral tablet therapy pack 4 mg</i>   | 2                |                            |
| <i>prednisolone oral solution 15 mg/5ml</i>   | 2                |                            |
| <i>prednisolone sodium phosphate oral solution 15 mg/5ml, 6.7 (5 base) mg/5ml</i>                               | 2                |                            |
| <i>prednisolone sodium phosphate oral solution 25 mg/5ml</i>  | 4                |                            |
| <i>prednisone intensol oral concentrate 5 mg/ml</i>   | 3                |                            |
| <i>prednisone oral solution 5 mg/5ml</i>  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>                                  | 1         |                                       |
| <i>prednisone oral tablet therapy pack 10 mg (21), 10 mg (48), 5 mg (21), 5 mg (48)</i>                | 1         |                                       |
| SOLU-CORTEF INJECTION SOLUTION RECONSTITUTED 100 MG, 1000 MG, 250 MG, 500 MG                           | 3         |                                       |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary)</b>                                    |           |                                       |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary)</b>                                    |           |                                       |
| <i>desmopressin ace spray refrig nasal solution 0.01 %</i>   | 2         |                                       |
| <i>desmopressin acetate injection solution 4 mcg/ml</i>  | 4         |                                       |
| <i>desmopressin acetate oral tablet 0.1 mg, 0.2 mg</i>   | 2         |                                       |
| <i>desmopressin acetate spray nasal solution 0.01 %</i>  | 2         |                                       |
| HUMATROPE INJECTION CARTRIDGE 12 MG, 24 MG, 6 MG   | 5         | PA; NM; NEDS                          |
| INCRELEX SUBCUTANEOUS SOLUTION 40 MG/4ML   | 5         | PA; NM; NEDS                          |
| NOCDURNA SUBLINGUAL TABLET SUBLINGUAL 27.7 MCG, 55.3 MCG   | 4         | QL (30 EA per 30 days)                |
| NORDITROPIN FLEXPRO SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/1.5ML, 15 MG/1.5ML, 30 MG/3ML, 5 MG/1.5ML | 5         | PA; NM; NEDS                          |
| NUTROPIN AQ NUSPIN 10 SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/2ML                                     | 5         | PA; NM; NEDS                          |
| NUTROPIN AQ NUSPIN 20 SUBCUTANEOUS SOLUTION PEN-INJECTOR 20 MG/2ML                                     | 5         | PA; NM; NEDS                          |
| NUTROPIN AQ NUSPIN 5 SUBCUTANEOUS SOLUTION PEN-INJECTOR 5 MG/2ML                                       | 5         | PA; NM; NEDS                          |
| SEROSTIM SUBCUTANEOUS SOLUTION RECONSTITUTED 4 MG, 5 MG, 6 MG  | 5         | PA; NM; NEDS                          |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Prostaglandins)</b>                               |           |                                       |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Prostaglandins)</b>                               |           |                                       |
| <i>mifepristone oral tablet 300 mg</i>   | 5         | PA; NM; QL (120 EA per 30 days); NEDS |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers)</b>                       |           |                                       |
| <b>Androgens</b>   |           |                                       |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>  | 2         |                                       |
| <i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)</i>            | 2         | PA                                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits         |
|--|-----------|-----------------------------|
| <i>testosterone enanthate intramuscular solution 200 mg/ml</i>   | 2         | PA                          |
| <i>testosterone transdermal gel 12.5 mg/act (1%), 20.25 mg/1.25gm (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%), 50 mg/5gm (1%)</i> | 2         | PA; QL (300 GM per 30 days) |
| <i>testosterone transdermal gel 20.25 mg/act (1.62%)</i>   | 2         | PA; QL (150 GM per 30 days) |
| <b>Estrogens</b>   |           |                             |
| <i>altavera oral tablet 0.15-30 mg-mcg</i>   | 1         |                             |
| <i>alyacen 1/35 oral tablet 1-35 mg-mcg</i>  | 1         |                             |
| <i>alyacen 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i>  | 1         |                             |
| <i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>  | 2         |                             |
| <i>amethia oral tablet 0.15-0.03 &amp;0.01 mg</i>  | 1         |                             |
| ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG  | 4         |                             |
| <i>apri oral tablet 0.15-30 mg-mcg</i>   | 1         |                             |
| <i>aranelle oral tablet 0.5/1/0.5-35 mg-mcg</i>  | 1         |                             |
| <i>ashlyna oral tablet 0.15-0.03 &amp;0.01 mg</i>  | 1         |                             |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i>  | 1         |                             |
| <i>aviane oral tablet 0.1-20 mg-mcg</i>  | 1         |                             |
| <i>azurette oral tablet 0.15-0.02/0.01 mg (21/5)</i>   | 1         |                             |
| <i>balziva oral tablet 0.4-35 mg-mcg</i>   | 1         |                             |
| <i>blisovi 24 fe oral tablet 1-20 mg-mcg(24)</i>   | 1         |                             |
| <i>blisovi fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>   | 1         |                             |
| <i>blisovi fe 1/20 oral tablet 1-20 mg-mcg</i>   | 1         |                             |
| <i>camrese lo oral tablet 0.1-0.02 &amp; 0.01 mg</i>   | 1         |                             |
| <i>camrese oral tablet 0.15-0.03 &amp;0.01 mg</i>  | 1         |                             |
| COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY 0.05-0.14 MG/DAY, 0.05-0.25 MG/DAY   | 3         | QL (8 EA per 28 days)       |
| <i>cryselle-28 oral tablet 0.3-30 mg-mcg</i>   | 1         |                             |
| <i>cyred eq oral tablet 0.15-30 mg-mcg</i>   | 1         |                             |
| <i>cyred oral tablet 0.15-30 mg-mcg</i>  | 1         |                             |
| DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML   | 4         |                             |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01 mg (21/5)</i>  | 1         |                             |
| <i>dolishale oral tablet 90-20 mcg</i>   | 1         |                             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>dotti transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>             | 2                |                            |
| <i>drospiren-eth estrad-levomefol oral tablet 3-0.02-0.451 mg, 3-0.03-0.451 mg</i>  | 1                |                            |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i>  | 1                |                            |
| ELURYNG VAGINAL RING 0.12-0.015 MG/24HR   | 4                |                            |
| <i>enilloring vaginal ring 0.12-0.015 mg/24hr</i>   | 4                |                            |
| <i>enpresse-28 oral tablet 50-30/75-40/ 125-30 mcg</i>  | 1                |                            |
| <i>enskyce oral tablet 0.15-30 mg-mcg</i>   | 1                |                            |
| <i>estarylla oral tablet 0.25-35 mg-mcg</i>   | 1                |                            |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>   | 1                |                            |
| <i>estradiol transdermal gel 0.25 mg/0.25gm, 0.5 mg/0.5gm, 0.75 mg/0.75gm, 1 mg/gm, 1.25 mg/1.25gm</i>                          | 4                |                            |
| <i>estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>         | 2                |                            |
| <i>estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i> | 2                |                            |
| <i>estradiol vaginal cream 0.1 mg/gm</i>  | 2                |                            |
| <i>estradiol vaginal tablet 10 mcg</i>  | 2                |                            |
| <i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i>  | 2                |                            |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>  | 2                |                            |
| ESTRING VAGINAL RING 7.5 MCG/24HR   | 3                | QL (1 EA per 90 days)      |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>   | 1                |                            |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24hr</i>   | 4                |                            |
| <i>falmina oral tablet 0.1-20 mg-mcg</i>  | 1                |                            |
| FYAVOLV ORAL TABLET 0.5-2.5 MG-MCG, 1-5 MG-MCG  | 1                |                            |
| <i>gemmily oral capsule 1-20 mg-mcg(24)</i>   | 1                |                            |
| <i>hailey 24 fe oral tablet 1-20 mg-mcg(24)</i>   | 1                |                            |
| <i>haloette vaginal ring 0.12-0.015 mg/24hr</i>   | 4                |                            |
| <i>isibloom oral tablet 0.15-30 mg-mcg</i>  | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>jaimiess oral tablet 0.15-0.03 &amp; 0.01 mg</i>   | 1                |                            |
| <i>jasmiel oral tablet 3-0.02 mg</i>  | 1                |                            |
| <i>jinteli oral tablet 1-5 mg-mcg</i>   | 1                |                            |
| <i>jolessa oral tablet 0.15-0.03 mg</i>   | 1                |                            |
| <i>joyeaux oral tablet 0.1-20 mg-mcg(21)</i>  | 1                |                            |
| <i>juleber oral tablet 0.15-30 mg-mcg</i>   | 1                |                            |
| <i>junel 1.5/30 oral tablet 1.5-30 mg-mcg</i>   | 1                |                            |
| <i>junel 1/20 oral tablet 1-20 mg-mcg</i>   | 1                |                            |
| <i>junel fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>  | 1                |                            |
| <i>junel fe 1/20 oral tablet 1-20 mg-mcg</i>  | 1                |                            |
| <i>junel fe 24 oral tablet 1-20 mg-mcg(24)</i>  | 1                |                            |
| <i>kariva oral tablet 0.15-0.02/0.01 mg (21/5)</i>  | 1                |                            |
| <i>kelnor 1/35 oral tablet 1-35 mg-mcg</i>  | 1                |                            |
| <i>kelnor 1/50 oral tablet 1-50 mg-mcg</i>  | 1                |                            |
| <i>kurvelo oral tablet 0.15-30 mg-mcg</i>   | 1                |                            |
| <i>larin 1.5/30 oral tablet 1.5-30 mg-mcg</i>   | 1                |                            |
| <i>larin 1/20 oral tablet 1-20 mg-mcg</i>   | 1                |                            |
| <i>larin fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>  | 1                |                            |
| <i>larin fe 1/20 oral tablet 1-20 mg-mcg</i>  | 1                |                            |
| <i>leena oral tablet 0.5/1/0.5-35 mg-mcg</i>  | 1                |                            |
| <i>lessina oral tablet 0.1-20 mg-mcg</i>  | 1                |                            |
| <i>levonest oral tablet 50-30/75-40/ 125-30 mcg</i>   | 1                |                            |
| <i>levonorgest-eth est &amp; eth est oral tablet 42-21-21-7 days</i>  | 1                |                            |
| <i>levonorgest-eth estrad 91-day oral tablet 0.1-0.02 &amp; 0.01 mg, 0.15-0.03 &amp; 0.01 mg, 0.15-0.03 mg</i>        | 1                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg, 90-20 mcg</i>                             | 1                |                            |
| <i>levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125-30 mcg</i>  | 1                |                            |
| <i>levora 0.15/30 (28) oral tablet 0.15-30 mg-mcg</i>   | 1                |                            |
| <i>loryna oral tablet 3-0.02 mg</i>   | 1                |                            |
| <i>low-ogestrel oral tablet 0.3-30 mg-mcg</i>   | 1                |                            |
| <i>lutera oral tablet 0.1-20 mg-mcg</i>   | 1                |                            |
| <i>lyllana transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i> | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>marlissa oral tablet 0.15-30 mg-mcg</i>   | 1                |                            |
| <i>merzee oral capsule 1-20 mg-mcg(24)</i>   | 1                |                            |
| <i>microgestin 1.5/30 oral tablet 1.5-30 mg-mcg</i>  | 1                |                            |
| <i>microgestin 1/20 oral tablet 1-20 mg-mcg</i>  | 1                |                            |
| <i>microgestin 24 fe oral tablet 1-20 mg-mcg</i>   | 1                |                            |
| <i>microgestin fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>   | 1                |                            |
| <i>microgestin fe 1/20 oral tablet 1-20 mg-mcg</i>   | 1                |                            |
| <i>mili oral tablet 0.25-35 mg-mcg</i>   | 1                |                            |
| <i>mimvey oral tablet 1-0.5 mg</i>   | 2                |                            |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>   | 1                |                            |
| <i>nikki oral tablet 3-0.02 mg</i>   | 1                |                            |
| <i>norelgestromin-eth estradiol transdermal patch weekly 150-35 mcg/24hr</i>                           | 2                |                            |
| <i>norethin ace-eth estrad-fe oral capsule 1-20 mg-mcg(24)</i>   | 1                |                            |
| <i>norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>                               | 1                |                            |
| <i>norethindrone acet-ethinyl est oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>                           | 1                |                            |
| <i>norethindrone-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>                              | 1                |                            |
| <i>norethindron-ethinyl estrad-fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                                | 1                |                            |
| <i>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</i>   | 1                |                            |
| <i>norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg</i> | 1                |                            |
| <i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>   | 1                |                            |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</i>   | 1                |                            |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>   | 1                |                            |
| <i>nortrel 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i>  | 1                |                            |
| <i>nylia 1/35 oral tablet 1-35 mg-mcg</i>  | 1                |                            |
| <i>ocella oral tablet 3-0.03 mg</i>  | 1                |                            |
| <i>pimtrea oral tablet 0.15-0.02/0.01 mg (21/5)</i>  | 1                |                            |
| <i>portia-28 oral tablet 0.15-30 mg-mcg</i>  | 1                |                            |
| PREFEST ORAL TABLET 1/1-0.09 MG (15/15)  | 4                |                            |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG  | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| PREMARIN VAGINAL CREAM 0.625 MG/GM                                    | 3                |                            |
| PREMPHASE ORAL TABLET 0.625-5 MG                                      | 3                |                            |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | 3                |                            |
| <i>reclipsen oral tablet 0.15-30 mg-mcg</i>                           | 1                |                            |
| <i>rivelsa oral tablet 42-21-21-7 days</i>                            | 1                |                            |
| <i>setlakin oral tablet 0.15-0.03 mg</i>                              | 1                |                            |
| <i>sprintec 28 oral tablet 0.25-35 mg-mcg</i>                         | 1                |                            |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i>                               | 1                |                            |
| <i>syeda oral tablet 3-0.03 mg</i>                                    | 1                |                            |
| <i>tarina 24 fe oral tablet 1-20 mg-mcg(24)</i>                       | 1                |                            |
| <i>tarina fe 1/20 eq oral tablet 1-20 mg-mcg</i>                      | 1                |                            |
| <i>taysofy oral capsule 1-20 mg-mcg(24)</i>                           | 1                |                            |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg</i>            | 1                |                            |
| <i>tri-legest fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                | 1                |                            |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>         | 1                |                            |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>          | 1                |                            |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                 | 1                |                            |
| <i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                | 1                |                            |
| <i>tri-sprintec oral tablet 0.18/0.215/0.25 mg-35 mcg</i>             | 1                |                            |
| <i>trivora (28) oral tablet 50-30/75-40/ 125-30 mcg</i>               | 1                |                            |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>           | 1                |                            |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg</i>              | 1                |                            |
| <i>turqoz oral tablet 0.3-30 mg-mcg</i>                               | 1                |                            |
| <i>tyblume oral tablet chewable 0.1-20 mg-mcg</i>                     | 1                |                            |
| <i>tydemy oral tablet 3-0.03-0.451 mg</i>                             | 1                |                            |
| <i>velivet oral tablet 0.1/0.125/0.15 -0.025 mg</i>                   | 1                |                            |
| <i>vestura oral tablet 3-0.02 mg</i>                                  | 1                |                            |
| <i>vienva oral tablet 0.1-20 mg-mcg</i>                               | 1                |                            |
| <i>vyfemla oral tablet 0.4-35 mg-mcg</i>                              | 1                |                            |
| <i>vylibra oral tablet 0.25-35 mg-mcg</i>                             | 1                |                            |
| <i>xulane transdermal patch weekly 150-35 mcg/24hr</i>                | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>yuvafem vaginal tablet 10 mcg</i>  | 2                |                            |
| <i>zafemy transdermal patch weekly 150-35 mcg/24hr</i>                                  | 2                |                            |
| <i>zovia 1/35 (28) oral tablet 1-35 mg-mcg</i>  | 1                |                            |
| <i>zumandimine oral tablet 3-0.03 mg</i>  | 1                |                            |
| <b>Progestins</b>   |                  |                            |
| <i>camila oral tablet 0.35 mg</i>   | 1                |                            |
| <i>deblitane oral tablet 0.35 mg</i>  | 1                |                            |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 104 MG/0.65ML           | 4                | QL (0.65 ML per 84 days)   |
| <i>errin oral tablet 0.35 mg</i>  | 1                |                            |
| <i>gallifrey oral tablet 5 mg</i>   | 2                |                            |
| <i>heather oral tablet 0.35 mg</i>  | 1                |                            |
| <i>incassia oral tablet 0.35 mg</i>   | 1                |                            |
| <i>jencycla oral tablet 0.35 mg</i>   | 1                |                            |
| <i>lyleq oral tablet 0.35 mg</i>  | 1                |                            |
| <i>lyza oral tablet 0.35 mg</i>   | 1                |                            |
| <i>medroxyprogesterone acetate intramuscular suspension 150 mg/ml</i>                   | 2                | QL (1 ML per 84 days)      |
| <i>medroxyprogesterone acetate intramuscular suspension prefilled syringe 150 mg/ml</i> | 2                | QL (1 ML per 84 days)      |
| <i>medroxyprogesterone acetate oral tablet 10 mg, 2.5 mg, 5 mg</i>                      | 2                |                            |
| <i>megestrol acetate oral suspension 40 mg/ml</i>                                       | 2                |                            |
| <i>megestrol acetate oral suspension 625 mg/5ml</i>                                     | 4                |                            |
| <i>megestrol acetate oral tablet 20 mg, 40 mg</i>                                       | 2                |                            |
| <i>nora-be oral tablet 0.35 mg</i>  | 1                |                            |
| <i>norethindrone acetate oral tablet 5 mg</i>   | 2                |                            |
| <i>norethindrone oral tablet 0.35 mg</i>  | 1                |                            |
| <i>norlyda oral tablet 0.35 mg</i>  | 1                |                            |
| <i>progesterone intramuscular oil 50 mg/ml</i>  | 4                |                            |
| <i>progesterone oral capsule 100 mg, 200 mg</i>   | 2                |                            |
| <i>sharobel oral tablet 0.35 mg</i>   | 1                |                            |
| <b>Selective Estrogen Receptor Modifying Agents</b>                                     |                  |                            |
| DUAVEE ORAL TABLET 0.45-20 MG   | 3                |                            |
| OSPHENA ORAL TABLET 60 MG   | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| <i>raloxifene HCl oral tablet 60 mg</i>  | 2         | QL (30 EA per 30 days)                |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid)</b>  |           |                                       |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid)</b>  |           |                                       |
| <i>euthyrox oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>                      | 1         |                                       |
| LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG                      | 3         |                                       |
| <i>levothyroxine sodium oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1         |                                       |
| LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG                              | 3         |                                       |
| <i>liothyronine sodium oral tablet 25 mcg, 5 mcg, 50 mcg</i>   | 1         |                                       |
| SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG                   | 3         |                                       |
| THYQUIDITY ORAL SOLUTION 100 MCG/5ML   | 4         | PA NSO                                |
| UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG                   | 3         |                                       |
| <b>Hormonal Agents, Suppressant (Adrenal)</b>  |           |                                       |
| <b>Hormonal Agents, Suppressant (Adrenal)</b>  |           |                                       |
| ISTURISA ORAL TABLET 1 MG  | 5         | PA; NM; QL (240 EA per 30 days); NEDS |
| ISTURISA ORAL TABLET 10 MG   | 5         | PA; NM; QL (180 EA per 30 days); NEDS |
| ISTURISA ORAL TABLET 5 MG  | 5         | PA; NM; QL (360 EA per 30 days); NEDS |
| LYSODREN ORAL TABLET 500 MG  | 5         | NM; NEDS                              |
| <b>Hormonal Agents, Suppressant (Pituitary)</b>  |           |                                       |
| <b>Hormonal Agents, Suppressant (Pituitary)</b>  |           |                                       |
| <i>cabergoline oral tablet 0.5 mg</i>  | 2         |                                       |
| ELIGARD SUBCUTANEOUS KIT 22.5 MG   | 4         | PA NSO; QL (1 EA per 84 days)         |
| ELIGARD SUBCUTANEOUS KIT 30 MG   | 4         | PA NSO; QL (1 EA per 112 days)        |
| ELIGARD SUBCUTANEOUS KIT 45 MG   | 4         | PA NSO; QL (1 EA per 168 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| Drug Name   | Drug Tier | Requirements/Limits                      |
|---|-----------|--|
| ELIGARD SUBCUTANEOUS KIT 7.5 MG   | 4         | PA NSO; QL (1 EA per 28 days)            |
| FIRMAGON (240 MG DOSE) SUBCUTANEOUS SOLUTION RECONSTITUTED 120 MG/VIAL                                  | 4         | PA NSO                                   |
| FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG  | 4         | PA NSO                                   |
| <i>lanreotide acetate subcutaneous solution 120 mg/0.5ml</i>  | 5         | NM; NEDS                                 |
| <i>leuprolide acetate (3 month) intramuscular injectable 22.5 mg</i>                                    | 4         | PA NSO; QL (1 EA per 84 days)            |
| <i>leuprolide acetate injection kit 1 mg/0.2ml</i>  | 4         | PA NSO                                   |
| LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75 MG, 7.5 MG  | 5         | PA NSO; NM; QL (1 EA per 28 days); NEDS  |
| LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 11.25 MG   | 5         | PA NSO; NM; QL (1 EA per 28 days); NEDS  |
| LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 22.5 MG  | 5         | PA NSO; NM; QL (1 EA per 84 days); NEDS  |
| LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT 30 MG  | 5         | PA NSO; NM; QL (1 EA per 112 days); NEDS |
| LUPRON DEPOT (6-MONTH) INTRAMUSCULAR KIT 45 MG  | 5         | PA NSO; NM; QL (1 EA per 168 days); NEDS |
| LUPRON DEPOT-PED (1-MONTH) INTRAMUSCULAR KIT 11.25 MG, 15 MG  | 5         | PA NSO; NM; NEDS                         |
| LUPRON DEPOT-PED (1-MONTH) INTRAMUSCULAR KIT 7.5 MG   | 5         | PA NSO; NM; QL (1 EA per 28 days); NEDS  |
| LUPRON DEPOT-PED (3-MONTH) INTRAMUSCULAR KIT 11.25 MG   | 5         | PA NSO; NM; QL (1 EA per 84 days); NEDS  |
| LUPRON DEPOT-PED (3-MONTH) INTRAMUSCULAR KIT 30 MG  | 5         | PA NSO; NM; QL (1 EA per 28 days); NEDS  |
| LUPRON DEPOT-PED (6-MONTH) INTRAMUSCULAR KIT 45 MG  | 5         | PA NSO; NM; QL (1 EA per 168 days); NEDS |
| MYFEMBREE ORAL TABLET 40-1-0.5 MG   | 3         | PA; QL (30 EA per 30 days)               |
| <i>octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 2         |  |
| <i>octreotide acetate intramuscular kit 20 mg, 30 mg</i>  | 5         | NM; NEDS                                 |
| <i>octreotide acetate subcutaneous solution prefilled syringe 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>     | 2         |  |
| ORGOVYX ORAL TABLET 120 MG  | 5         | PA NSO; NM; QL (30 EA per 30 days); NEDS |
| ORILISSA ORAL TABLET 150 MG   | 5         | PA; NM; QL (30 EA per 30 days); NEDS     |
| ORILISSA ORAL TABLET 200 MG   | 5         | PA; NM; QL (60 EA per 30 days); NEDS     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                  |
|--|-----------|--------------------------------------|
| SANDOSTATIN LAR DEPOT INTRAMUSCULAR KIT 10 MG, 20 MG, 30 MG                    | 5         | NM; NEDS                             |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML, 0.6 MG/ML, 0.9 MG/ML                 | 5         | PA; NM; QL (60 ML per 30 days); NEDS |
| SOMATULINE DEPOT SUBCUTANEOUS SOLUTION 60 MG/0.2ML, 90 MG/0.3ML                | 5         | NM; NEDS                             |
| SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 5         | PA; NM; NEDS                         |
| SYNAREL NASAL SOLUTION 2 MG/ML   | 5         | NM; NEDS                             |
| TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 11.25 MG               | 4         | QL (1 EA per 84 days)                |
| TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 22.5 MG                | 4         | QL (1 EA per 168 days)               |
| TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 3.75 MG                | 4         | QL (1 EA per 28 days)                |
| <b>Hormonal Agents, Suppressant (Thyroid)</b>                                  |           |                                      |
| <b>Antithyroid Agents</b>  |           |                                      |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                                     | 1         |                                      |
| <i>propylthiouracil oral tablet 50 mg</i>                                      | 1         |                                      |
| <b>Immunological Agents</b>  |           |                                      |
| <b>Angioedema Agents</b>   |           |                                      |
| BERINERT INTRAVENOUS KIT 500 UNIT  | 5         | PA; NM; NEDS                         |
| CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT                            | 5         | PA; NM; NEDS                         |
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 2000 UNIT, 3000 UNIT              | 5         | PA; NM; NEDS                         |
| <i>icatibant acetate subcutaneous solution prefilled syringe 30 mg/3ml</i>     | 5         | PA; NM; NEDS                         |
| SAJAZIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 30 MG/3ML                      | 5         | PA; NM; NEDS                         |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2ML                                      | 5         | PA; NM; QL (4 ML per 28 days); NEDS  |
| TAKHZYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML                     | 5         | PA; NM; QL (2 ML per 28 days); NEDS  |
| TAKHZYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML                    | 5         | PA; NM; QL (4 ML per 28 days); NEDS  |
| <b>Immunoglobulins</b>   |           |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 0.5 GM/10ML, 10 GM/100ML, 10 GM/200ML, 2.5 GM/50ML, 20 GM/200ML, 20 GM/400ML, 5 GM/100ML, 5 GM/50ML                | 5         | PA B/D; NM; NEDS                      |
| GAMASTAN INTRAMUSCULAR INJECTABLE  | 3         | PA B/D                                |
| GAMMAGARD INJECTION SOLUTION 1 GM/10ML, 10 GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 30 GM/300ML, 5 GM/50ML  | 5         | PA B/D; NM; NEDS                      |
| GAMMAGARD S/D LESS IGA INTRAVENOUS SOLUTION RECONSTITUTED 10 GM, 5 GM  | 5         | PA B/D; NM; NEDS                      |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 GM/100ML, 10 GM/200ML, 20 GM/200ML, 20 GM/400ML, 5 GM/100ML, 5 GM/50ML   | 5         | PA B/D; NM; NEDS                      |
| GAMUNEX-C INJECTION SOLUTION 1 GM/10ML, 10 GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 40 GM/400ML, 5 GM/50ML  | 5         | PA B/D; NM; NEDS                      |
| OCTAGAM INTRAVENOUS SOLUTION 1 GM/20ML, 10 GM/100ML, 10 GM/200ML, 2 GM/20ML, 2.5 GM/50ML, 20 GM/200ML, 25 GM/500ML, 30 GM/300ML, 5 GM/100ML, 5 GM/50ML | 5         | PA B/D; NM; NEDS                      |
| PRIVIGEN INTRAVENOUS SOLUTION 10 GM/100ML, 20 GM/200ML, 40 GM/400ML, 5 GM/50ML   | 5         | PA B/D; NM; NEDS                      |
| <b>Immunological Agents, Other</b>   |           |                                       |
| ACTEMRA ACTPEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 162 MG/0.9ML  | 5         | PA; NM; QL (3.6 ML per 28 days); NEDS |
| ACTEMRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 162 MG/0.9ML   | 5         | PA; NM; QL (3.6 ML per 28 days); NEDS |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/ML   | 5         | PA; NM; QL (4 ML per 28 days); NEDS   |
| BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML   | 5         | PA; NM; QL (4 ML per 28 days); NEDS   |
| COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML   | 5         | PA; NM; QL (2 ML per 28 days); NEDS   |
| COSENTYX INTRAVENOUS SOLUTION 125 MG/5ML   | 5         | PA; NM; QL (5 ML per 28 days); NEDS   |
| COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML   | 5         | PA; NM; QL (2 ML per 28 days); NEDS   |
| COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML  | 5         | PA; NM; QL (2 ML per 28 days); NEDS   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                    |
|--|-----------|--|
| COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML       | 5         | PA; NM; QL (2 ML per 28 days); NEDS    |
| COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML     | 5         | PA; NM; QL (0.5 ML per 28 days); NEDS  |
| COSENTYX UNOREADY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML | 5         | PA; NM; QL (2 ML per 28 days); NEDS    |
| DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/1.14ML       | 5         | PA; NM; QL (2.28 ML per 28 days); NEDS |
| DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML          | 5         | PA; NM; QL (4 ML per 28 days); NEDS    |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML   | 5         | PA; NM; QL (1.34 ML per 28 days); NEDS |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/1.14ML   | 5         | PA; NM; QL (2.28 ML per 28 days); NEDS |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML      | 5         | PA; NM; QL (4 ML per 28 days); NEDS    |
| EMPAVELI SUBCUTANEOUS SOLUTION 1080 MG/20ML                      | 5         | PA; NM; QL (160 ML per 28 days); NEDS  |
| ENSPRYNG SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML       | 5         | PA; NM; QL (1 ML per 28 days); NEDS    |
| KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML    | 5         | PA; NM; QL (20.1 ML per 30 days); NEDS |
| ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 125 MG/ML  | 5         | PA; NM; QL (4 ML per 28 days); NEDS    |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MG/ML        | 5         | PA; NM; QL (4 ML per 28 days); NEDS    |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/0.4ML      | 5         | PA; NM; QL (1.6 ML per 28 days); NEDS  |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 87.5 MG/0.7ML    | 5         | PA; NM; QL (2.8 ML per 28 days); NEDS  |
| OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG                  | 5         | PA; NM; QL (60 EA per 30 days); NEDS   |
| OTEZLA ORAL TABLET THERAPY PACK 4 X 10 & 51 X20 MG               | 5         | PA; NM; QL (110 EA per 365 days); NEDS |
| RIDAURA ORAL CAPSULE 3 MG  | 5         | NM; NEDS                               |
| RINVOQ LQ ORAL SOLUTION 1 MG/ML                                  | 5         | PA; NM; QL (360 ML per 30 days); NEDS  |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 15 MG, 30 MG, 45 MG  | 5         | PA; NM; QL (30 EA per 30 days); NEDS   |
| SKYRIZI INTRAVENOUS SOLUTION 600 MG/10ML                         | 5         | PA; NM; QL (10 ML per 28 days); NEDS   |
| SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML        | 5         | PA; NM; QL (1 ML per 84 days); NEDS    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 180 MG/1.2ML                   | 5         | PA; NM; QL (1.2 ML per 56 days); NEDS |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 360 MG/2.4ML                   | 5         | PA; NM; QL (2.4 ML per 56 days); NEDS |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML              | 5         | PA; NM; QL (1 ML per 84 days); NEDS   |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML                              | 5         | PA; NM; QL (1 ML per 84 days); NEDS   |
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML            | 5         | PA; NM; QL (0.5 ML per 84 days); NEDS |
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 90 MG/ML               | 5         | PA; NM; QL (1 ML per 84 days); NEDS   |
| TREMFYA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML                  | 5         | PA; NM; QL (1 ML per 56 days); NEDS   |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML              | 5         | PA; NM; QL (1 ML per 56 days); NEDS   |
| XELJANZ ORAL SOLUTION 1 MG/ML  | 5         | PA; NM; QL (300 ML per 30 days); NEDS |
| XELJANZ ORAL TABLET 10 MG, 5 MG  | 5         | PA; NM; QL (60 EA per 30 days); NEDS  |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG, 22 MG           | 5         | PA; NM; QL (30 EA per 30 days); NEDS  |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML, 300 MG/2ML       | 5         | PA; NM; QL (8 ML per 28 days); NEDS   |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 75 MG/0.5ML                 | 5         | PA; NM; QL (2 ML per 28 days); NEDS   |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 300 MG/2ML   | 5         | PA; NM; QL (8 ML per 28 days); NEDS   |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML             | 5         | PA; NM; QL (2 ML per 28 days); NEDS   |
| XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED 150 MG                      | 5         | PA; NM; QL (8 EA per 28 days); NEDS   |
| <b>Immunostimulants</b>  |           |                                       |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5ML                          | 5         | PA; NM; NEDS                          |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML                               | 5         | PA; NM; NEDS                          |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML          | 5         | PA; NM; NEDS                          |
| <b>Immunosuppressants</b>  |           |                                       |
| <i>adalimumab-adaz subcutaneous solution auto-injector 40 mg/0.4ml</i> | 5         | PA; NM; QL (4 ML per 28 days); NEDS   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                  |
|--|-----------|--------------------------------------|
| <i>adalimumab-adaz subcutaneous solution prefilled syringe 40 mg/0.4ml</i>                     | 5         | PA; NM; QL (4 ML per 28 days); NEDS  |
| <i>adalimumab-adbm (2 pen) subcutaneous auto-injector kit 40 mg/0.4ml</i>                      | 5         | PA; NM; QL (3 EA per 28 days); NEDS  |
| <i>adalimumab-adbm (2 pen) subcutaneous auto-injector kit 40 mg/0.8ml</i>                      | 5         | PA; NM; QL (6 EA per 28 days); NEDS  |
| <i>adalimumab-adbm (2 syringe) subcutaneous prefilled syringe kit 10 mg/0.2ml, 20 mg/0.4ml</i> | 5         | PA; NM; QL (2 EA per 28 days); NEDS  |
| ADALIMUMAB-ADBM (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.4ML                     | 5         | PA; NM; QL (4 EA per 28 days); NEDS  |
| <i>adalimumab-adbm (2 syringe) subcutaneous prefilled syringe kit 40 mg/0.8ml</i>              | 5         | PA; NM; QL (6 EA per 28 days); NEDS  |
| <i>adalimumab-adbm(CD/UC/HS strt) subcutaneous auto-injector kit 40 mg/0.4ml, 40 mg/0.8ml</i>  | 5         | PA; NM; QL (6 EA per 365 days); NEDS |
| <i>adalimumab-adbm(PS/UV starter) subcutaneous auto-injector kit 40 mg/0.4ml, 40 mg/0.8ml</i>  | 5         | PA; NM; QL (4 EA per 365 days); NEDS |
| ASTAGRAF XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR 0.5 MG, 1 MG, 5 MG                           | 4         | PA B/D                               |
| <i>azathioprine oral tablet 50 mg</i>  | 1         | PA B/D                               |
| CIMZIA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML                                | 5         | PA; NM; NEDS                         |
| CIMZIA SUBCUTANEOUS KIT 2 X 200 MG   | 5         | PA; NM; NEDS                         |
| CIMZIA-STARTER SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML                                    | 5         | PA; NM; NEDS                         |
| <i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>                                 | 2         | PA B/D                               |
| <i>cyclosporine modified oral solution 100 mg/ml</i>   | 2         | PA B/D                               |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i>   | 2         | PA B/D                               |
| CYLTEZO (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.4ML                                     | 5         | PA; NM; QL (4 EA per 28 days); NEDS  |
| CYLTEZO (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML                                     | 5         | PA; NM; QL (6 EA per 28 days); NEDS  |
| CYLTEZO (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.2ML, 20 MG/0.4ML                | 5         | PA; NM; QL (2 EA per 28 days); NEDS  |
| <i>cyltezo (2 syringe) subcutaneous prefilled syringe kit 40 mg/0.4ml</i>                      | 5         | PA; NM; QL (4 EA per 28 days); NEDS  |
| CYLTEZO (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML                             | 5         | PA; NM; QL (6 EA per 28 days); NEDS  |
| CYLTEZO-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.4ML, 40 MG/0.8ML               | 5         | PA; NM; QL (6 EA per 365 days); NEDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits   |
|--|-----------|---|
| CYLTEZO-PSORIASIS/UV STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.4ML, 40 MG/0.8ML | 5         | PA; NM; QL (4 EA per 365 days); NEDS                              |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML                                 | 5         | PA; NM; QL (8 ML per 28 days); NEDS                               |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML   | 5         | PA; NM; QL (8 ML per 28 days); NEDS                               |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML, 50 MG/ML                 | 5         | PA; NM; QL (8 ML per 28 days); NEDS                               |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/ML                        | 5         | PA; NM; QL (8 ML per 28 days); NEDS                               |
| ENVARUSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR 0.75 MG, 1 MG                      | 4         | PA B/D  |
| ENVARUSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR 4 MG                               | 5         | PA B/D; NM; NEDS  |
| <i>everolimus oral tablet 0.25 mg</i>  | 4         | PA B/D; QL (60 EA per 30 days)                                    |
| <i>everolimus oral tablet 0.5 mg, 0.75 mg, 1 mg</i>                                  | 5         | PA B/D; NM; QL (60 EA per 30 days); NEDS                          |
| GENGRAF ORAL CAPSULE 100 MG, 25 MG   | 2         | PA B/D  |
| GENGRAF ORAL SOLUTION 100 MG/ML  | 2         | PA B/D  |
| HADLIMA PUSHTOUCH SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML, 40 MG/0.8ML       | 5         | PA; NM; QL (6 ML per 28 days); NEDS                               |
| HADLIMA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML                          | 5         | PA; NM; QL (4 ML per 28 days); NEDS                               |
| HADLIMA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.8ML                          | 5         | PA; NM; QL (2 ML per 28 days); NEDS                               |
| HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.4ML                            | 5         | PA; NM; Abbvie labeled products only; QL (4 EA per 28 days); NEDS |
| HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML                            | 5         | PA; NM; QL (2 EA per 28 days); NEDS                               |
| HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML                            | 5         | PA; NM; Abbvie labeled products only; QL (3 EA per 28 days); NEDS |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML       | 5         | PA; NM; Abbvie labeled products only; QL (2 EA per 28 days); NEDS |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.4ML                    | 5         | PA; NM; Abbvie labeled products only; QL (4 EA per 28 days); NEDS |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML                    | 5         | PA; NM; QL (2 EA per 28 days); NEDS                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits   |
|---|-----------|---|
| HUMIRA-CD/UC/HS STARTER<br>SUBCUTANEOUS AUTO-INJECTOR KIT 40<br>MG/0.8ML                              | 5         | PA; NM; QL (6 EA per 28 days);<br>NEDS                                  |
| HUMIRA-CD/UC/HS STARTER<br>SUBCUTANEOUS AUTO-INJECTOR KIT 80<br>MG/0.8ML                              | 5         | PA; NM; Abbvie labeled products<br>only; QL (3 EA per 28 days);<br>NEDS |
| HUMIRA-PED<40KG CROHNS STARTER<br>SUBCUTANEOUS PREFILLED SYRINGE KIT<br>80 MG/0.8ML & 40MG/0.4ML      | 5         | PA; NM; QL (2 EA per 28 days);<br>NEDS                                  |
| HUMIRA-PED>=40KG CROHNS START<br>SUBCUTANEOUS PREFILLED SYRINGE KIT<br>80 MG/0.8ML                    | 5         | PA; NM; QL (3 EA per 28 days);<br>NEDS                                  |
| HUMIRA-PED>=40KG UC STARTER<br>SUBCUTANEOUS AUTO-INJECTOR KIT 80<br>MG/0.8ML                          | 5         | PA; NM; Abbvie labeled products<br>only; QL (4 EA per 28 days);<br>NEDS |
| HUMIRA-PS/UV/ADOL HS STARTER<br>SUBCUTANEOUS AUTO-INJECTOR KIT 40<br>MG/0.8ML                         | 5         | PA; NM; QL (4 EA per 28 days);<br>NEDS                                  |
| HUMIRA-PSORIASIS/UEIT STARTER<br>SUBCUTANEOUS AUTO-INJECTOR KIT 80<br>MG/0.8ML & 40MG/0.4ML           | 5         | PA; NM; QL (3 EA per 28 days);<br>NEDS                                  |
| HYRIMOZ SUBCUTANEOUS SOLUTION<br>AUTO-INJECTOR 40 MG/0.4ML, 80 MG/0.8ML                               | 5         | PA; NM; QL (4 ML per 28 days);<br>NEDS                                  |
| HYRIMOZ SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 10 MG/0.1 ML, 20<br>MG/0.2ML                       | 5         | PA; NM; QL (2 ML per 28 days);<br>NEDS                                  |
| HYRIMOZ SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 40 MG/0.4ML  | 5         | PA; NM; QL (4 ML per 28 days);<br>NEDS                                  |
| HYRIMOZ-CROHNS/UC STARTER<br>SUBCUTANEOUS SOLUTION AUTO-<br>INJECTOR 80 MG/0.8ML                      | 5         | PA; NM; QL (4 ML per 365 days);<br>NEDS                                 |
| HYRIMOZ-PED<40KG CROHN STARTER<br>SUBCUTANEOUS SOLUTION PREFILLED<br>SYRINGE 80 MG/0.8ML & 40MG/0.4ML | 5         | PA; NM; QL (4 ML per 365 days);<br>NEDS                                 |
| HYRIMOZ-PED>=40KG CROHN START<br>SUBCUTANEOUS SOLUTION PREFILLED<br>SYRINGE 80 MG/0.8ML               | 5         | PA; NM; QL (6 ML per 365 days);<br>NEDS                                 |
| HYRIMOZ-PLAQ PSOR/UEIT START<br>SUBCUTANEOUS SOLUTION AUTO-<br>INJECTOR 80 MG/0.8ML & 40MG/0.4ML      | 5         | PA; NM; QL (2 ML per 365 days);<br>NEDS                                 |
| JYLAMVO ORAL SOLUTION 2 MG/ML   | 4         |   |
| <i>leflunomide oral tablet 10 mg</i>  | 2         | QL (30 EA per 30 days)  |
| <i>leflunomide oral tablet 20 mg</i>  | 2         |   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| Drug Name  | Drug Tier | Requirements/Limits                      |
|--|-----------|--|
| LUPKYNIS ORAL CAPSULE 7.9 MG   | 5         | PA; NM; QL (180 EA per 30 days); NEDS    |
| <i>methotrexate sodium (pf) injection solution 1 gm/40ml, 250 mg/10ml, 50 mg/2ml</i> | 2         |  |
| <i>methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml</i>                 | 2         |  |
| <i>methotrexate sodium injection solution reconstituted 1 gm</i>                     | 2         |  |
| <i>methotrexate sodium oral tablet 2.5 mg</i>  | 1         |  |
| <i>mycophenolate mofetil oral capsule 250 mg</i>                                     | 2         | PA B/D                                   |
| <i>mycophenolate mofetil oral suspension reconstituted 200 mg/ml</i>                 | 5         | PA B/D; NM; NEDS                         |
| <i>mycophenolate mofetil oral tablet 500 mg</i>                                      | 2         | PA B/D                                   |
| <i>mycophenolate sodium oral tablet delayed release 180 mg, 360 mg</i>               | 4         | PA B/D                                   |
| PROGRAF ORAL PACKET 0.2 MG, 1 MG   | 3         | PA NSO                                   |
| REZUROCK ORAL TABLET 200 MG  | 5         | PA NSO; NM; QL (60 EA per 30 days); NEDS |
| <i>sirolimus oral solution 1 mg/ml</i>   | 4         | PA B/D                                   |
| <i>sirolimus oral tablet 0.5 mg</i>  | 2         | PA B/D                                   |
| <i>sirolimus oral tablet 1 mg, 2 mg</i>  | 4         | PA B/D                                   |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>                                    | 2         | PA B/D                                   |
| XATMEP ORAL SOLUTION 2.5 MG/ML   | 4         |  |
| <b>Vaccines</b>  |           |  |
| ABRYSVO INTRAMUSCULAR SOLUTION RECONSTITUTED 120 MCG/0.5ML                           | 6         |  |
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED  | 6         |  |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 (PREFILLED SYRINGE), 5-2-15.5 LF-MCG/0.5    | 6         |  |
| AREXVY INTRAMUSCULAR SUSPENSION RECONSTITUTED 120 MCG/0.5ML                          | 6         |  |
| BCG VACCINE INJECTION SOLUTION RECONSTITUTED 50 MG                                   | 6         |  |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                                   | 6         |  |
| BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 LF-MCG/0.5                              | 6         |  |
| BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2.5-18.5 LF-MCG/0.5            | 6         |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits      |
|--|-----------|--------------------------|
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5                                | 6         |                          |
| DIPHThERIA-TETANUS TOXOIDS DT INTRAMUSCULAR SUSPENSION 25-5 LFU/0.5ML    | 6         |                          |
| ENGERIX-B INJECTION SUSPENSION 20 MCG/ML                                 | 6         | PA B/D                   |
| ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/0.5ML, 20 MCG/ML | 6         | PA B/D                   |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION                                      | 6         | QL (1.5 ML per 365 days) |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                    | 6         | QL (1.5 ML per 365 days) |
| HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML, 720 EL U/0.5ML             | 6         |                          |
| HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 20 MCG/0.5ML         | 6         | PA B/D                   |
| HIBERIX INJECTION SOLUTION RECONSTITUTED 10 MCG                          | 6         |                          |
| IMOVAX RABIES INTRAMUSCULAR SUSPENSION RECONSTITUTED 2.5 UNIT/ML         | 6         | PA B/D                   |
| INFANRIX INTRAMUSCULAR SUSPENSION 25-58-10                               | 6         |                          |
| IPOLE INJECTION INJECTABLE   | 6         |                          |
| IXCHIQ INTRAMUSCULAR SOLUTION RECONSTITUTED                              | 6         |                          |
| IXIARO INTRAMUSCULAR SUSPENSION  | 6         |                          |
| JYNNEOS SUBCUTANEOUS SUSPENSION 0.5 ML                                   | 6         |                          |
| KINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML                 | 6         |                          |
| MENACTRA INTRAMUSCULAR SOLUTION  | 6         |                          |
| MENQUADFI INTRAMUSCULAR SOLUTION   | 6         |                          |
| MENVEO INTRAMUSCULAR SOLUTION  | 6         |                          |
| MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED                              | 6         |                          |
| M-M-R II INJECTION SOLUTION RECONSTITUTED                                | 6         |                          |
| MRESVIA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 50 MCG/0.5ML          | 6         |                          |
| PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                      | 6         |                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits    |
|--|-----------|------------------------|
| PEDVAX HIB INTRAMUSCULAR SUSPENSION 7.5 MCG/0.5ML                                | 6         |                        |
| PENBRAYA INTRAMUSCULAR SUSPENSION RECONSTITUTED                                  | 6         |                        |
| PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED                                  | 6         |                        |
| PREHEVBRIO INTRAMUSCULAR SUSPENSION 10 MCG/ML                                    | 6         | PA B/D                 |
| PRIORIX SUBCUTANEOUS SUSPENSION RECONSTITUTED                                    | 6         |                        |
| PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED                                    | 6         |                        |
| QUADRACEL INTRAMUSCULAR SUSPENSION , (58 UNT/ML)                                 | 6         |                        |
| QUADRACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML                      | 6         |                        |
| RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED                                  | 6         | PA B/D                 |
| RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5ML             | 6         | PA B/D                 |
| RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/ML, 5 MCG/0.5ML      | 6         | PA B/D                 |
| ROTARIX ORAL SUSPENSION  | 6         |                        |
| ROTARIX ORAL SUSPENSION RECONSTITUTED  | 6         |                        |
| ROTATEQ ORAL SOLUTION  | 6         |                        |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML                     | 6         | QL (2 EA per 365 days) |
| TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF/0.5ML                                      | 6         |                        |
| TENIVAC INTRAMUSCULAR INJECTABLE 5-2 LFU, 5-2 LFU (INJECTION)                    | 6         |                        |
| TICOVAC INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1.2 MCG/0.25ML, 2.4 MCG/0.5ML | 6         |                        |
| TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                              | 6         |                        |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML             | 6         |                        |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5ML                                    | 6         |                        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits     |
|---|-----------|-------------------------|
| TYPHIM VI INTRAMUSCULAR SOLUTION<br>PREFILLED SYRINGE 25 MCG/0.5ML                                    | 6         |                         |
| VAQTA INTRAMUSCULAR SUSPENSION 25<br>UNIT/0.5ML, 25 UNIT/0.5ML 0.5 ML, 50<br>UNIT/ML, 50 UNIT/ML 1 ML | 6         |                         |
| VARIVAX INJECTION SUSPENSION<br>RECONSTITUTED 1350 PFU/0.5ML  | 6         | QL (2 EA per 365 days)  |
| VAXCHORA ORAL SUSPENSION<br>RECONSTITUTED   | 6         |                         |
| YF-VAX SUBCUTANEOUS INJECTABLE , (2.5<br>ML IN 1 VIAL, MULTI-DOSE)                                    | 6         |                         |
| <b>Inflammatory Bowel Disease Agents</b>  |           |                         |
| <b>Aminosalicylates</b>   |           |                         |
| <i>balsalazide disodium oral capsule 750 mg</i>   | 2         |                         |
| <i>mesalamine ER oral capsule extended release<br/>24 hour 0.375 gm</i>                               | 4         | QL (120 EA per 30 days) |
| <i>mesalamine ER oral capsule extended release<br/>500 mg</i>   | 4         | QL (240 EA per 30 days) |
| <i>mesalamine oral capsule delayed release 400<br/>mg</i>   | 4         | QL (180 EA per 30 days) |
| <i>mesalamine oral tablet delayed release 1.2 gm</i>  | 2         | QL (120 EA per 30 days) |
| <i>mesalamine oral tablet delayed release 800 mg</i>  | 2         | QL (180 EA per 30 days) |
| <i>mesalamine rectal enema 4 gm</i>   | 2         |                         |
| <i>mesalamine rectal suppository 1000 mg</i>  | 2         |                         |
| PENTASA ORAL CAPSULE EXTENDED<br>RELEASE 250 MG   | 4         |                         |
| <i>sulfasalazine oral tablet 500 mg</i>   | 1         |                         |
| <i>sulfasalazine oral tablet delayed release 500 mg</i>   | 1         |                         |
| <b>Glucocorticoids</b>  |           |                         |
| <i>budesonide ER oral tablet extended release 24<br/>hour 9 mg</i>                                    | 5         | NM; NEDS                |
| <i>budesonide oral capsule delayed release<br/>particles 3 mg</i>                                     | 2         |                         |
| <i>budesonide rectal foam 2 mg</i>  | 4         |                         |
| <i>hydrocortisone (perianal) external cream 1 %</i>   | 2         |                         |
| <i>hydrocortisone rectal enema 100 mg/60ml</i>  | 2         |                         |
| PROCTO-MED HC EXTERNAL CREAM 2.5 %  | 2         |                         |
| PROCTOSOL HC EXTERNAL CREAM 2.5 %   | 2         |                         |
| PROCTOZONE-HC EXTERNAL CREAM 2.5 %  | 2         |                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                       |
|--|-----------|---|
| <b>Metabolic Bone Disease Agents</b>   |           |   |
| <b>Metabolic Bone Disease Agents</b>   |           |   |
| <i>alendronate sodium oral solution 70 mg/75ml</i>                                   | 2         | QL (300 ML per 28 days)                   |
| <i>alendronate sodium oral tablet 10 mg, 35 mg, 70 mg</i>                            | 1         |   |
| <i>calcitonin (salmon) nasal solution 200 unit/act</i>                               | 2         | QL (3.7 ML per 30 days)                   |
| <i>calcitriol intravenous solution 1 mcg/ml</i>                                      | 4         |   |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>                                     | 1         |   |
| <i>calcitriol oral solution 1 mcg/ml</i>   | 2         |   |
| <i>cinacalcet HCl oral tablet 30 mg, 60 mg</i>                                       | 2         | QL (60 EA per 30 days)                    |
| <i>cinacalcet HCl oral tablet 90 mg</i>  | 2         | QL (120 EA per 30 days)                   |
| <i>doxercalciferol intravenous solution 4 mcg/2ml</i>                                | 4         |   |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>                          | 4         | ST  |
| <i>ibandronate sodium oral tablet 150 mg</i>   | 1         | QL (1 EA per 28 days)                     |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG, 25 MCG, 50 MCG, 75 MCG                       | 5         | PA; NM; QL (2 EA per 28 days); NEDS       |
| <i>paricalcitol intravenous solution 2 mcg/ml</i>                                    | 4         |   |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i>                                 | 4         | ST  |
| PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 60 MG/ML                              | 3         | QL (1 ML per 180 days)                    |
| RAYALDEE ORAL CAPSULE EXTENDED RELEASE 30 MCG  | 5         | ST; NM; QL (60 EA per 30 days); NEDS      |
| <i>risedronate sodium oral tablet 150 mg</i>   | 2         | QL (1 EA per 28 days)                     |
| <i>risedronate sodium oral tablet 30 mg</i>  | 2         | QL (30 EA per 30 days)                    |
| <i>risedronate sodium oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>         | 2         | QL (4 EA per 28 days)                     |
| <i>teriparatide subcutaneous solution pen-injector 600 mcg/2.4ml, 620 mcg/2.48ml</i> | 5         | PA; NM; QL (2.48 ML per 28 days); NEDS    |
| TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML                            | 5         | PA; NM; QL (1.56 ML per 30 days); NEDS    |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7ML   | 5         | PA NSO; NM; NEDS                          |
| <b>Miscellaneous Therapeutic Agents</b>  |           |   |
| <b>Miscellaneous Therapeutic Agents</b>  |           |   |
| <i>acetylcysteine intravenous solution 200 mg/ml</i>                                 | 4         |   |
| AUGTYRO ORAL CAPSULE 40 MG   | 5         | PA NSO; NM; QL (240 EA per 30 days); NEDS |
| BD INSULIN SYRINGE 29G X 1/2" 1 ML   | 1         |   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                  |
|--|-----------|--------------------------------------|
| CLINOLIPID INTRAVENOUS EMULSION 20 %                                 | 4         | PA B/D                               |
| <i>dojolvi oral liquid 100 %</i>                                     | 5         | PA; NM; NEDS                         |
| GAUZE PADS PAD 2"X2"   | 2         |                                      |
| GLOBAL ALCOHOL PREP EASE PAD 70 %                                    | 2         |                                      |
| INSULIN SYRINGE-NEEDLE U-100 29G X 1/2" 1 ML                         | 1         |                                      |
| INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %                           | 4         | PA B/D                               |
| LAGEVRIO ORAL CAPSULE 200 MG   | 3         | QL (40 EA per 5 days)                |
| <i>levocarnitine oral solution 1 gm/10ml</i>                         | 2         |                                      |
| <i>levocarnitine oral tablet 330 mg</i>                              | 2         |                                      |
| LIVMARLI ORAL SOLUTION 19 MG/ML                                      | 5         | PA; NM; QL (60 ML per 30 days); NEDS |
| LIVMARLI ORAL SOLUTION 9.5 MG/ML                                     | 5         | PA; NM; QL (90 ML per 30 days); NEDS |
| NOVOPEN ECHO DEVICE  | 3         |                                      |
| NUTRILIPID INTRAVENOUS EMULSION 20 %                                 | 4         | PA B/D                               |
| OMEGAVEN INTRAVENOUS EMULSION 10 GM/100ML, 5 GM/50ML                 | 4         | PA B/D                               |
| OMNIPOD 5 DEXG7G6 INTRO GEN 5 KIT                                    | 3         | PA; QL (1 EA per 365 days)           |
| OMNIPOD 5 DEXG7G6 PODS GEN 5   | 3         | PA; QL (10 EA per 30 days)           |
| OMNIPOD 5 G7 INTRO (GEN 5) KIT                                       | 3         | PA; QL (1 EA per 365 days)           |
| OMNIPOD 5 G7 PODS (GEN 5)  | 3         | PA; QL (10 EA per 30 days)           |
| OMNIPOD 5 LIBRE2 PLUS G6 KIT   | 3         | PA; QL (1 EA per 365 days)           |
| OMNIPOD 5 LIBRE2 PLUS G6 PODS  | 3         | PA; QL (10 EA per 30 days)           |
| OMNIPOD DASH PDM (GEN 4) KIT   | 3         | PA; QL (1 EA per 365 days)           |
| OMNIPOD DASH PODS (GEN 4)  | 3         | PA; QL (10 EA per 30 days)           |
| ORLADEYO ORAL CAPSULE 110 MG, 150 MG                                 | 5         | PA; NM; QL (30 EA per 30 days); NEDS |
| PAXLOVID (150/100) ORAL TABLET THERAPY PACK 10 X 150 MG & 10 X 100MG | 3         | \$0 Copay; QL (20 EA per 5 days)     |
| PAXLOVID (300/100) ORAL TABLET THERAPY PACK 20 X 150 MG & 10 X 100MG | 3         | \$0 Copay; QL (30 EA per 5 days)     |
| PREFERRED PLUS INSULIN SYRINGE 28G X 1/2" 0.5 ML                     | 1         |                                      |
| QC PEN NEEDLES 29G X 12MM  | 1         |                                      |
| RELI-ON INSULIN SYRINGE 29G 0.3 ML                                   | 1         |                                      |
| <i>smoflipid intravenous emulsion 20 %</i>                           | 4         | PA B/D                               |
| <i>sodium chloride irrigation solution 0.9 %</i>                     | 2         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|--|------------------|--------------------------------------|
| V-GO 20 KIT 20 UNIT/24HR   | 3                | PA; QL (30 EA per 30 days)           |
| V-GO 30 KIT 30 UNIT/24HR   | 3                | PA; QL (30 EA per 30 days)           |
| V-GO 40 KIT 40 UNIT/24HR   | 3                | PA; QL (30 EA per 30 days)           |
| VISTOGARD ORAL PACKET 10 GM  | 5                | NM; NEDS                             |
| <b>Ophthalmic Agents</b>   |                  |                                      |
| <b>Ophthalmic Agents, Other</b>  |                  |                                      |
| <i>alcaine ophthalmic solution 0.5 %</i>                                 | 2                |                                      |
| <i>atropine sulfate ophthalmic solution 1 %</i>                          | 2                |                                      |
| <i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i>      | 2                |                                      |
| <i>bacitra-neomycin-polymyxin-hc ophthalmic ointment 1 %</i>             | 2                |                                      |
| <i>brimonidine tartrate-timolol ophthalmic solution 0.2-0.5 %</i>        | 2                |                                      |
| <i>cyclopentolate HCl ophthalmic solution 0.5 %, 1 %, 2 %</i>            | 2                |                                      |
| <i>cyclosporine ophthalmic emulsion 0.05 %</i>                           | 2                | QL (60 EA per 30 days)               |
| CYSTARAN OPHTHALMIC SOLUTION 0.44 %                                      | 5                | NM; QL (60 ML per 28 days); NEDS     |
| <i>dorzolamide HCl-timolol mal ophthalmic solution 2-0.5 %</i>           | 2                |                                      |
| <i>dorzolamide HCl-timolol mal pf ophthalmic solution 2-0.5 %</i>        | 4                |                                      |
| LACRISERT OPHTHALMIC INSERT 5 MG   | 4                |                                      |
| <i>neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000</i>    | 2                |                                      |
| <i>neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1</i>     | 2                |                                      |
| <i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i>   | 2                |                                      |
| <i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i> | 2                |                                      |
| <i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i>           | 2                |                                      |
| OXERVATE OPHTHALMIC SOLUTION 0.002 %                                     | 5                | PA; NM; QL (28 ML per 28 days); NEDS |
| <i>phenylephrine HCl ophthalmic solution 10 %, 2.5 %</i>                 | 2                |                                      |
| POLYCIN OPHTHALMIC OINTMENT 500-10000 UNIT/GM                            | 2                |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                   |
|---|-----------|---------------------------------------|
| <i>polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-%</i> | 1         |                                       |
| <i>proparacaine HCl ophthalmic solution 0.5 %</i>                       | 2         |                                       |
| ROCKLATAN OPHTHALMIC SOLUTION 0.02-0.005 %                              | 4         |                                       |
| SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2 %                                 | 3         |                                       |
| <i>sulfacetamide-prednisolone ophthalmic solution 10-0.23 %</i>         | 2         |                                       |
| <i>tetracaine HCl ophthalmic solution 0.5 %</i>                         | 2         |                                       |
| TOBRADEX OPHTHALMIC OINTMENT 0.3-0.1 %                                  | 3         |                                       |
| <i>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 %</i>         | 2         |                                       |
| VERKAZIA OPHTHALMIC EMULSION 0.1 %                                      | 5         | PA; NM; QL (120 EA per 30 days); NEDS |
| <b>Ophthalmic Anti-allergy Agents</b>                                   |           |                                       |
| <i>azelastine HCl ophthalmic solution 0.05 %</i>                        | 2         |                                       |
| <i>bepotastine besilate ophthalmic solution 1.5 %</i>                   | 4         |                                       |
| <i>cromolyn sodium ophthalmic solution 4 %</i>                          | 2         |                                       |
| <i>olopatadine HCl ophthalmic solution 0.1 %</i>                        | 2         |                                       |
| <b>Ophthalmic Anti-Infectives</b>                                       |           |                                       |
| <i>bacitracin ophthalmic ointment 500 unit/gm</i>                       | 2         |                                       |
| BESIVANCE OPHTHALMIC SUSPENSION 0.6 %                                   | 4         |                                       |
| <i>ciprofloxacin HCl ophthalmic solution 0.3 %</i>                      | 2         |                                       |
| <i>erythromycin ophthalmic ointment 5 mg/gm</i>                         | 2         |                                       |
| <i>gatifloxacin ophthalmic solution 0.5 %</i>                           | 4         |                                       |
| GENTAK OPHTHALMIC OINTMENT 0.3 %  | 2         |                                       |
| <i>gentamicin sulfate ophthalmic solution 0.3 %</i>                     | 2         |                                       |
| <i>levofloxacin ophthalmic solution 0.5 %, 1.5 %</i>                    | 4         |                                       |
| <i>moxifloxacin HCl (2x day) ophthalmic solution 0.5 %</i>              | 2         |                                       |
| <i>moxifloxacin HCl ophthalmic solution 0.5 %</i>                       | 2         |                                       |
| NATACYN OPHTHALMIC SUSPENSION 5 %                                       | 4         |                                       |
| <i>ofloxacin ophthalmic solution 0.3 %</i>                              | 2         |                                       |
| <i>sulfacetamide sodium ophthalmic ointment 10 %</i>                    | 2         |                                       |
| <i>sulfacetamide sodium ophthalmic solution 10 %</i>                    | 2         |                                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>tobramycin ophthalmic solution 0.3 %</i>                          | 1                |                            |
| TOBREX OPHTHALMIC OINTMENT 0.3 %                                     | 3                |                            |
| <i>trifluridine ophthalmic solution 1 %</i>                          | 2                |                            |
| ZIRGAN OPHTHALMIC GEL 0.15 %   | 4                |                            |
| <b>Ophthalmic Anti-inflammatories</b>                                |                  |                            |
| ALREX OPHTHALMIC SUSPENSION 0.2 %                                    | 4                |                            |
| <i>bromfenac sodium (once-daily) ophthalmic solution 0.09 %</i>      | 4                |                            |
| <i>bromfenac sodium ophthalmic solution 0.07 %</i>                   | 4                |                            |
| <i>dexamethasone sodium phosphate ophthalmic solution 0.1 %</i>      | 2                |                            |
| <i>diclofenac sodium ophthalmic solution 0.1 %</i>                   | 2                |                            |
| <i>difluprednate ophthalmic emulsion 0.05 %</i>                      | 4                |                            |
| <i>fluorometholone ophthalmic suspension 0.1 %</i>                   | 2                |                            |
| <i>flurbiprofen sodium ophthalmic solution 0.03 %</i>                | 2                |                            |
| ILEVRO OPHTHALMIC SUSPENSION 0.3 %                                   | 3                |                            |
| <i>ketorolac tromethamine ophthalmic solution 0.4 %, 0.5 %</i>       | 2                |                            |
| LOTEMAX OPHTHALMIC OINTMENT 0.5 %                                    | 4                |                            |
| LOTEMAX SM OPHTHALMIC GEL 0.38 %                                     | 4                |                            |
| <i>loteprednol etabonate ophthalmic gel 0.5 %</i>                    | 4                |                            |
| <i>loteprednol etabonate ophthalmic suspension 0.2 %, 0.5 %</i>      | 4                |                            |
| <i>prednisolone acetate ophthalmic suspension 1 %</i>                | 2                |                            |
| <i>prednisolone sodium phosphate ophthalmic solution 1 %</i>         | 2                |                            |
| <b>Ophthalmic Beta-Adrenergic Blocking Agents</b>                    |                  |                            |
| <i>betaxolol HCl ophthalmic solution 0.5 %</i>                       | 2                |                            |
| BETOPTIC-S OPHTHALMIC SUSPENSION 0.25 %                              | 4                |                            |
| <i>carteolol HCl ophthalmic solution 1 %</i>                         | 1                |                            |
| <i>levobunolol HCl ophthalmic solution 0.5 %</i>                     | 1                |                            |
| <i>timolol maleate ophthalmic gel forming solution 0.25 %, 0.5 %</i> | 2                |                            |
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i>             | 1                |                            |
| <i>timolol maleate pf ophthalmic solution 0.25 %, 0.5 %</i>          | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits     |
|--|-----------|-------------------------|
| <b>Ophthalmic Intraocular Pressure Lowering Agents, Other</b>        |           |                         |
| <i>acetazolamide ER oral capsule extended release 12 hour 500 mg</i> | 2         |                         |
| <i>apraclonidine HCl ophthalmic solution 0.5 %</i>                   | 4         |                         |
| <i>brimonidine tartrate ophthalmic solution 0.1 %, 0.15 %</i>        | 2         |                         |
| <i>brimonidine tartrate ophthalmic solution 0.2 %</i>                | 1         |                         |
| <i>brinzolamide ophthalmic suspension 1 %</i>                        | 2         |                         |
| <i>dorzolamide HCl ophthalmic solution 2 %</i>                       | 2         |                         |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                        | 4         |                         |
| <i>pilocarpine HCl ophthalmic solution 1 %, 2 %, 4 %</i>             | 2         |                         |
| RHOPRESSA OPHTHALMIC SOLUTION 0.02 %                                 | 4         |                         |
| VUITY OPHTHALMIC SOLUTION 1.25 %                                     | 4         | QL (2.5 ML per 28 days) |
| <b>Ophthalmic Prostaglandin and Prostanamide Analogs</b>             |           |                         |
| <i>bimatoprost ophthalmic solution 0.03 %</i>                        | 4         |                         |
| <i>latanoprost ophthalmic solution 0.005 %</i>                       | 1         |                         |
| LUMIGAN OPHTHALMIC SOLUTION 0.01 %                                   | 4         |                         |
| <i>tafluprost (pf) ophthalmic solution 0.0015 %</i>                  | 4         |                         |
| <i>travoprost (bak free) ophthalmic solution 0.004 %</i>             | 2         |                         |
| VYZULTA OPHTHALMIC SOLUTION 0.024 %                                  | 4         |                         |
| <b>Otic Agents</b>   |           |                         |
| <b>Otic Agents</b>   |           |                         |
| <i>acetic acid otic solution 2 %</i>                                 | 2         |                         |
| <i>ciprofloxacin HCl otic solution 0.2 %</i>                         | 2         |                         |
| <i>ciprofloxacin-dexamethasone otic suspension 0.3-0.1 %</i>         | 2         |                         |
| <i>ciprofloxacin-fluocinolone pf otic solution 0.3-0.025 %</i>       | 4         |                         |
| <i>fluocinolone acetonide otic oil 0.01 %</i>                        | 4         |                         |
| <i>hydrocortisone-acetic acid otic solution 1-2 %</i>                | 2         |                         |
| <i>neomycin-polymyxin-hc otic solution 1 %</i>                       | 2         |                         |
| <i>neomycin-polymyxin-hc otic suspension 3.5-10000-1</i>             | 2         |                         |
| <i>ofloxacin otic solution 0.3 %</i>                                 | 2         |                         |
| <b>Respiratory Tract/Pulmonary Agents</b>                            |           |                         |
| <b>Antihistamines</b>  |           |                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|--|------------------|---------------------------------|
| <i>azelastine HCl nasal solution 0.1 %</i>   | 2                | QL (60 ML per 30 days)          |
| <i>azelastine-fluticasone nasal suspension 137-50 mcg/act</i>                                    | 4                | QL (23.1 GM per 30 days)        |
| <i>clemastine fumarate oral syrup 0.67 mg/5ml</i>  | 2                |                                 |
| <i>cyproheptadine HCl oral syrup 2 mg/5ml</i>  | 2                |                                 |
| <i>cyproheptadine HCl oral tablet 4 mg</i>   | 2                |                                 |
| <i>desloratadine oral tablet 5 mg</i>  | 2                | QL (30 EA per 30 days)          |
| <i>hydroxyzine HCl oral syrup 10 mg/5ml</i>  | 2                |                                 |
| <i>hydroxyzine HCl oral tablet 10 mg, 25 mg, 50 mg</i>   | 2                |                                 |
| <i>levocetirizine dihydrochloride oral solution 2.5 mg/5ml</i>                                   | 2                |                                 |
| <i>levocetirizine dihydrochloride oral tablet 5 mg</i>   | 2                |                                 |
| <i>olopatadine HCl nasal solution 0.6 %</i>  | 4                |                                 |
| <b>Anti-inflammatories, Inhaled Corticosteroids</b>  |                  |                                 |
| ARNUIITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT | 3                | QL (30 EA per 30 days)          |
| BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8 MCG/ACT  | 3                | QL (10.7 GM per 30 days)        |
| <i>budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml</i>                        | 2                | PA B/D; QL (120 ML per 30 days) |
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i>  | 4                |                                 |
| <i>fluticasone propionate HFA inhalation aerosol 110 mcg/act</i>                                 | 2                | QL (12 GM per 30 days)          |
| <i>fluticasone propionate HFA inhalation aerosol 220 mcg/act</i>                                 | 2                | QL (24 GM per 30 days)          |
| <i>fluticasone propionate HFA inhalation aerosol 44 mcg/act</i>                                  | 2                | QL (21.2 GM per 30 days)        |
| <i>fluticasone propionate nasal suspension 50 mcg/act</i>  | 2                |                                 |
| <i>mometasone furoate nasal suspension 50 mcg/act</i>  | 4                | QL (34 GM per 30 days)          |
| <b>Antileukotrienes</b>  |                  |                                 |
| <i>montelukast sodium oral tablet 10 mg</i>  | 1                |                                 |
| <i>montelukast sodium oral tablet chewable 4 mg, 5 mg</i>  | 1                |                                 |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i>  | 4                | QL (60 EA per 30 days)          |
| ZYFLO ORAL TABLET 600 MG   | 5                | NM; NEDS                        |
| <b>Bronchodilators, Anticholinergic</b>  |                  |                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|--|------------------|--------------------------------------|
| ATROVENT HFA INHALATION AEROSOL SOLUTION 17 MCG/ACT  | 4                | QL (26 GM per 30 days)               |
| INCRUSE ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5 MCG/ACT  | 3                | QL (30 EA per 30 days)               |
| <i>ipratropium bromide inhalation solution 0.02 %</i>  | 2                | PA B/D                               |
| <i>ipratropium bromide nasal solution 0.03 %</i>   | 2                | QL (30 ML per 28 days)               |
| <i>ipratropium bromide nasal solution 0.06 %</i>   | 2                | QL (45 ML per 30 days)               |
| <b>Bronchodilators, Sympathomimetic</b>  |                  |                                      |
| <i>albuterol sulfate HFA inhalation aerosol solution 108 (90 base) mcg/act, 108 (90 base) mcg/act (nda020503), 108 (90 base) mcg/act (nda020983)</i> | 2                | QL (54 GM per 30 days)               |
| <i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, 0.63 mg/3ml, 1.25 mg/3ml, 2.5 mg/0.5ml</i>                                | 2                | PA B/D                               |
| <i>albuterol sulfate oral syrup 2 mg/5ml</i>   | 2                |                                      |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i>  | 2                |                                      |
| <i>arformoterol tartrate inhalation nebulization solution 15 mcg/2ml</i>   | 4                | PA B/D; QL (120 ML per 30 days)      |
| <i>epinephrine injection solution 0.3 mg/0.3ml</i>   | 2                | QL (2 EA per 30 days)                |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.15ml, 0.15 mg/0.3ml, 0.3 mg/0.3ml</i>  | 2                | QL (2 EA per 30 days)                |
| <i>formoterol fumarate inhalation nebulization solution 20 mcg/2ml</i>   | 4                | PA B/D; QL (120 ML per 30 days)      |
| <i>levalbuterol HCl inhalation nebulization solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/0.5ml, 1.25 mg/3ml</i>  | 4                | PA B/D                               |
| <i>levalbuterol tartrate inhalation aerosol 45 mcg/act</i>   | 4                | QL (30 GM per 30 days)               |
| PROAIR RESPICLICK INHALATION AEROSOL POWDER BREATH ACTIVATED 108 (90 BASE) MCG/ACT   | 4                | QL (2 EA per 30 days)                |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT  | 3                | QL (60 EA per 30 days)               |
| STRIVERDI RESPIMAT INHALATION AEROSOL SOLUTION 2.5 MCG/ACT   | 4                | QL (4 GM per 28 days)                |
| SYMJEPI INJECTION SOLUTION PREFILLED SYRINGE 0.15 MG/0.3ML, 0.3 MG/0.3ML   | 3                | QL (2 EA per 30 days)                |
| <i>terbutaline sulfate oral tablet 2.5 mg, 5 mg</i>  | 2                |                                      |
| <b>Cystic Fibrosis Agents</b>  |                  |                                      |
| CAYSTON INHALATION SOLUTION RECONSTITUTED 75 MG  | 5                | PA; NM; QL (84 ML per 28 days); NEDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| KALYDECO ORAL PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG                                  | 5         | PA; NM; QL (60 EA per 30 days); NEDS  |
| KALYDECO ORAL TABLET 150 MG  | 5         | PA; NM; QL (60 EA per 30 days); NEDS  |
| ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG, 75-94 MG                                       | 5         | PA; NM; QL (60 EA per 30 days); NEDS  |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG   | 5         | PA; NM; QL (120 EA per 30 days); NEDS |
| PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML   | 5         | PA B/D; NM; NEDS                      |
| SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150 MG, 50-75 & 75 MG                           | 5         | PA; NM; QL (60 EA per 30 days); NEDS  |
| <i>tobramycin inhalation nebulization solution 300 mg/5ml</i>                              | 5         | PA; NM; QL (280 ML per 28 days); NEDS |
| TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150 MG, 50-25-37.5 & 75 MG                   | 5         | PA; NM; QL (90 EA per 30 days); NEDS  |
| TRIKAFTA ORAL THERAPY PACK 100-50-75 & 75 MG, 80-40-60 & 59.5 MG                           | 5         | PA; NM; QL (56 EA per 28 days); NEDS  |
| <b>Mast Cell Stabilizers</b>   |           |                                       |
| <i>cromolyn sodium inhalation nebulization solution 20 mg/2ml</i>                          | 4         | PA B/D                                |
| <b>Phosphodiesterase Inhibitors, Airways Disease</b>                                       |           |                                       |
| ELIXOPHYLLIN ORAL ELIXIR 80 MG/15ML  | 4         |                                       |
| <i>roflumilast oral tablet 250 mcg, 500 mcg</i>  | 4         | QL (30 EA per 30 days)                |
| THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 200 MG, 300 MG, 400 MG               | 3         |                                       |
| <i>theophylline ER oral tablet extended release 12 hour 100 mg, 200 mg, 300 mg, 450 mg</i> | 2         |                                       |
| <i>theophylline ER oral tablet extended release 24 hour 400 mg, 600 mg</i>                 | 2         |                                       |
| <i>theophylline oral elixir 80 mg/15ml</i>   | 4         |                                       |
| <i>theophylline oral solution 80 mg/15ml</i>   | 4         |                                       |
| <b>Pulmonary Antihypertensives</b>   |           |                                       |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG                                     | 5         | PA; NM; QL (90 EA per 30 days); NEDS  |
| ALYQ ORAL TABLET 20 MG   | 2         | PA; QL (60 EA per 30 days)            |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i>   | 5         | PA; NM; QL (30 EA per 30 days); NEDS  |
| OPSUMIT ORAL TABLET 10 MG  | 5         | PA; NM; QL (30 EA per 30 days); NEDS  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                    |
|---|-----------|--|
| ORENITRAM MONTH 1 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG           | 5         | PA; NM; QL (168 EA per 28 days); NEDS  |
| ORENITRAM MONTH 2 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG           | 5         | PA; NM; QL (336 EA per 28 days); NEDS  |
| ORENITRAM MONTH 3 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 & 1 MG       | 5         | PA; NM; QL (252 EA per 28 days); NEDS  |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG                                       | 4         | PA                                     |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG                    | 5         | PA; NM; NEDS                           |
| <i>sildenafil citrate oral suspension reconstituted 10 mg/ml</i>                      | 4         | PA; QL (180 ML per 30 days)            |
| <i>sildenafil citrate oral tablet 20 mg</i>   | 2         | PA                                     |
| <i>tadalafil (pah) oral tablet 20 mg</i>  | 2         | PA; QL (60 EA per 30 days)             |
| TRACLEER ORAL TABLET 125 MG, 62.5 MG  | 5         | PA; NM; QL (60 EA per 30 days); NEDS   |
| TRACLEER ORAL TABLET SOLUBLE 32 MG  | 5         | PA; NM; QL (112 EA per 28 days); NEDS  |
| TYVASO INHALATION SOLUTION 0.6 MG/ML  | 5         | PA B/D; NM; NEDS                       |
| TYVASO REFILL KIT INHALATION SOLUTION 0.6 MG/ML                                       | 5         | PA B/D; NM; NEDS                       |
| TYVASO STARTER KIT INHALATION SOLUTION 0.6 MG/ML                                      | 5         | PA B/D; NM; NEDS                       |
| UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 400 MCG, 600 MCG, 800 MCG | 5         | PA; NM; QL (60 EA per 30 days); NEDS   |
| UPTRAVI ORAL TABLET 200 MCG   | 5         | PA; NM; QL (240 EA per 30 days); NEDS  |
| UPTRAVI TITRATION ORAL TABLET THERAPY PACK 200 & 800 MCG                              | 5         | PA; NM; QL (400 EA per 365 days); NEDS |
| VENTAVIS INHALATION SOLUTION 10 MCG/ML, 20 MCG/ML                                     | 5         | PA; NM; QL (270 ML per 30 days); NEDS  |
| <b>Pulmonary Fibrosis Agents</b>  |           |  |
| ESBRIET ORAL CAPSULE 267 MG   | 5         | NM; NEDS                               |
| OFEV ORAL CAPSULE 100 MG, 150 MG  | 5         | PA; NM; QL (60 EA per 30 days); NEDS   |
| <i>pirfenidone oral capsule 267 mg</i>  | 5         | PA; NM; QL (270 EA per 30 days); NEDS  |
| <i>pirfenidone oral tablet 267 mg</i>   | 5         | PA; NM; QL (270 EA per 30 days); NEDS  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name   | Drug Tier | Requirements/Limits                    |
|---|-----------|--|
| <i>pirfenidone oral tablet 801 mg</i>   | 5         | PA; NM; QL (90 EA per 30 days); NEDS   |
| <b>Respiratory Tract Agents, Other</b>  |           |  |
| <i>acetylcysteine inhalation solution 10 %, 20 %</i>  | 4         | PA B/D                                 |
| ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT   | 3         | QL (12 GM per 30 days)                 |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25 MCG/ACT  | 3         | QL (60 EA per 30 days)                 |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 200-25 MCG/ACT, 50-25 MCG/INH                   | 3         | QL (60 EA per 30 days)                 |
| <i>breyana inhalation aerosol 160-4.5 mcg/act, 80-4.5 mcg/act</i>   | 2         | QL (30.9 GM per 30 days)               |
| BRONCHITOL INHALATION CAPSULE 40 MG   | 5         | PA; NM; QL (560 EA per 28 days); NEDS  |
| <i>budesonide-formoterol fumarate inhalation aerosol 160-4.5 mcg/act, 80-4.5 mcg/act</i>                                | 2         | QL (30.6 GM per 30 days)               |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT   | 3         | QL (8 GM per 30 days)                  |
| FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 30 MG/ML  | 5         | PA; NM; QL (1 ML per 56 days); NEDS    |
| FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.5ML   | 5         | PA; NM; QL (0.5 ML per 56 days); NEDS  |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i> | 2         | QL (60 EA per 30 days)                 |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 113-14 mcg/act, 232-14 mcg/act, 55-14 mcg/act</i>  | 2         | QL (1 EA per 30 days)                  |
| <i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i>   | 2         | PA B/D                                 |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML  | 5         | PA; NM; QL (3 ML per 28 days); NEDS    |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML  | 5         | PA; NM; QL (3 ML per 28 days); NEDS    |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML  | 5         | PA; NM; QL (0.4 ML per 28 days); NEDS  |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT  | 3         | QL (4 GM per 30 days)                  |
| TEZSPIRE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 210 MG/1.91ML  | 5         | PA; NM; QL (1.91 ML per 28 days); NEDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name  | Drug Tier | Requirements/Limits                   |
|--|-----------|---------------------------------------|
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT    | 3         | QL (60 EA per 30 days)                |
| WIXELA INHUB INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50 MCG/ACT, 250-50 MCG/ACT, 500-50 MCG/ACT | 2         | QL (60 EA per 30 days)                |
| <b>Skeletal Muscle Relaxants</b>   |           |                                       |
| <b>Skeletal Muscle Relaxants</b>   |           |                                       |
| <i>carisoprodol oral tablet 250 mg</i>   | 4         |                                       |
| <i>carisoprodol oral tablet 350 mg</i>   | 2         |                                       |
| <i>chlorzoxazone oral tablet 500 mg</i>  | 2         |                                       |
| <i>cyclobenzaprine HCl oral tablet 10 mg</i>   | 2         | QL (90 EA per 30 days)                |
| <i>cyclobenzaprine HCl oral tablet 5 mg</i>  | 2         | QL (180 EA per 30 days)               |
| <i>metaxalone oral tablet 800 mg</i>   | 2         |                                       |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i>  | 2         |                                       |
| <i>orphenadrine citrate ER oral tablet extended release 12 hour 100 mg</i>                             | 2         |                                       |
| <b>Sleep Disorder Agents</b>   |           |                                       |
| <b>Sleep Promoting Agents</b>  |           |                                       |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG   | 4         | QL (30 EA per 30 days)                |
| <i>eszazolam oral tablet 1 mg, 2 mg</i>  | 2         |                                       |
| <i>eszopiclone oral tablet 1 mg</i>  | 2         | QL (60 EA per 30 days)                |
| <i>eszopiclone oral tablet 2 mg, 3 mg</i>  | 2         | QL (30 EA per 30 days)                |
| HETLIOZ LQ ORAL SUSPENSION 4 MG/ML   | 5         | PA; NM; QL (150 ML per 30 days); NEDS |
| <i>ramelteon oral tablet 8 mg</i>  | 4         | QL (30 EA per 30 days)                |
| <i>tasimelteon oral capsule 20 mg</i>  | 5         | PA; NM; QL (30 EA per 30 days); NEDS  |
| <i>temazepam oral capsule 15 mg, 30 mg</i>   | 2         |                                       |
| <i>temazepam oral capsule 22.5 mg, 7.5 mg</i>  | 4         | QL (30 EA per 30 days)                |
| <i>triazolam oral tablet 0.125 mg, 0.25 mg</i>   | 2         |                                       |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>   | 2         | QL (60 EA per 30 days)                |
| <i>zolpidem tartrate ER oral tablet extended release 12.5 mg, 6.25 mg</i>                              | 2         | QL (30 EA per 30 days)                |
| <i>zolpidem tartrate oral tablet 10 mg</i>   | 2         | QL (30 EA per 30 days)                |
| <i>zolpidem tartrate oral tablet 5 mg</i>  | 2         | QL (60 EA per 30 days)                |
| <b>Wakefulness Promoting Agents</b>  |           |                                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|--|------------------|---------------------------------------|
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> | 2                | PA; QL (30 EA per 30 days)            |
| <i>modafinil oral tablet 100 mg</i>                          | 2                | PA; QL (30 EA per 30 days)            |
| <i>modafinil oral tablet 200 mg</i>                          | 2                | PA; QL (60 EA per 30 days)            |
| <i>sodium oxybate oral solution 500 mg/ml</i>                | 5                | PA; NM; QL (540 ML per 30 days); NEDS |
| SUNOSI ORAL TABLET 150 MG, 75 MG                             | 4                | PA; QL (30 EA per 30 days)            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## Index

|   |          |  |
|---|----------|--|
| <b>A</b>  |          |  |
| <i>abacavir sulfate</i> .....                         | 47       |  |
| <i>abacavir sulfate-lamivudine</i> ....               | 47       |  |
| ABELCET .....   | 23       |  |
| ABILIFY MAINTENA.....                                 | 41       |  |
| <i>abiraterone acetate</i> .....                      | 27       |  |
| ABRYSVO .....   | 103      |  |
| <i>acamprosate calcium</i> .....                      | 7        |  |
| <i>acarbose</i> .....                                 | 50       |  |
| ACCUTANE.....   | 72       |  |
| <i>acebutolol HCl</i> .....                           | 59       |  |
| <i>acetaminophen-codeine</i> .....                    | 5        |  |
| <i>acetazolamide</i> .....                            | 61       |  |
| <i>acetazolamide ER</i> .....                         | 112      |  |
| <i>acetic acid</i> .....                              | 112      |  |
| <i>acetylcysteine</i> .....                           | 107, 117 |  |
| <i>acitretin</i> .....                                | 72       |  |
| ACTEMRA.....  | 97       |  |
| ACTEMRA ACTPEN.....                                   | 97       |  |
| ACTHIB .....  | 103      |  |
| ACTIMMUNE.....  | 99       |  |
| <i>acyclovir</i> .....                                | 45, 76   |  |
| <i>acyclovir sodium</i> .....                         | 45       |  |
| ADACEL .....  | 103      |  |
| <i>adalimumab-adaz</i> .....                          | 99, 100  |  |
| <i>adalimumab-adbm (2 pen)</i> ...                    | 100      |  |
| <i>adalimumab-adbm (2 syringe)</i><br>.....           | 100      |  |
| ADALIMUMAB-ADBM (2<br>SYRINGE) .....                  | 100      |  |
| <i>adalimumab-adbm(CD/UC/HS<br/>str)</i> .....        | 100      |  |
| <i>adalimumab-adbm(PS/UV<br/>starter)</i> .....       | 100      |  |
| <i>adapalene</i> .....                                | 72       |  |
| <i>adefovir dipivoxil</i> .....                       | 45       |  |
| ADEMPAS.....  | 115      |  |
| ADLARITY .....  | 19       |  |
| ADVAIR HFA .....                                      | 117      |  |
| AEMCOLO.....  | 8        |  |
| AIMOVIG .....   | 25       |  |
| AJOVY.....  | 25       |  |
| AKEEGA.....   | 28       |  |
| AKLIEF .....  | 72       |  |
| ALA-CORT .....  | 73       |  |
| <i>albendazole</i> .....                              | 39       |  |
| <i>albuterol sulfate</i> .....                        | 114      |  |
| <i>albuterol sulfate HFA</i> .....                    | 114      |  |
| <i>alcaine</i> .....                                  | 109      |  |
| <i>alclometasone dipropionate</i> ...                 | 73       |  |
| ALDURAZYME .....                                      | 83       |  |
| ALECENSA .....  | 32       |  |
| <i>alendronate sodium</i> .....                       | 107      |  |
| <i>alfuzosin HCl ER</i> .....                         | 85       |  |
| <i>aliskiren fumarate</i> .....                       | 61       |  |
| <i>allopurinol</i> .....                              | 25       |  |
| <i>almotriptan malate</i> .....                       | 26       |  |
| <i>alosetron HCl</i> .....                            | 81       |  |
| <i>alprazolam</i> .....                               | 49, 50   |  |
| <i>alprazolam ER</i> .....                            | 49       |  |
| <i>alprazolam intensol</i> .....                      | 49       |  |
| ALREX .....   | 111      |  |
| <i>altavera</i> .....                                 | 88       |  |
| ALTRENO .....   | 72       |  |
| ALUNBRIG.....   | 32       |  |
| <i>alyacen 1/35</i> .....                             | 88       |  |
| <i>alyacen 7/7/7</i> .....                            | 88       |  |
| ALYMSYS .....   | 37       |  |
| ALYQ .....  | 115      |  |
| <i>amabelz</i> .....                                  | 88       |  |
| <i>amantadine HCl</i> .....                           | 49       |  |
| <i>ambrisentan</i> .....                              | 115      |  |
| <i>amcinonide</i> .....                               | 73       |  |
| <i>amethia</i> .....                                  | 88       |  |
| <i>amiloride HCl</i> .....                            | 63       |  |
| <i>amiloride-hydrochlorothiazide</i> ..               | 61       |  |
| <i>aminocaproic acid</i> .....                        | 56       |  |
| AMINOSYN-PF .....                                     | 77       |  |
| <i>amiodarone HCl</i> .....                           | 58       |  |
| <i>amitriptyline HCl</i> .....                        | 22       |  |
| <i>amlodipine besy-benazepril HCl</i><br>.....        | 61       |  |
| <i>amlodipine besylate</i> .....                      | 60       |  |
| <i>amlodipine besylate-valsartan</i> .....            | 61       |  |
| <i>amlodipine-olmesartan</i> .....                    | 61       |  |
| <i>ammonium lactate</i> .....                         | 73       |  |
| AMNESTEEM.....  | 72       |  |
| <i>amoxapine</i> .....                                | 22       |  |
| <i>amoxicillin</i> .....                              | 12       |  |
| <i>amoxicillin-pot clavulanate</i> .....              | 12       |  |
| <i>amoxicillin-pot clavulanate ER</i><br>.....        | 12       |  |
| <i>amphetamine-dextroamphet ER</i><br>.....           | 66       |  |
| <i>amphetamine-</i><br><i>dextroamphetamine</i> ..... | 66       |  |
| <i>amphotericin b</i> .....                           | 23       |  |
| <i>amphotericin b liposome</i> .....                  | 23       |  |
| <i>ampicillin</i> .....                               | 12       |  |
| <i>ampicillin sodium</i> .....                        | 12       |  |
| <i>ampicillin-sulbactam sodium</i> ..                 | 12       |  |
| <i>anagrelide HCl</i> .....                           | 55       |  |
| <i>anastrozole</i> .....                              | 31       |  |
| ANGELIQ .....   | 88       |  |
| ANORO ELLIPTA .....                                   | 117      |  |
| <i>apomorphine HCl</i> .....                          | 40       |  |
| <i>apo-varenicline</i> .....                          | 8        |  |
| <i>apraclonidine HCl</i> .....                        | 112      |  |
| <i>aprepitant</i> .....                               | 23       |  |
| <i>apri</i> .....                                     | 88       |  |
| APTIOM .....  | 18       |  |
| APTIVUS .....   | 48       |  |
| <i>aranelle</i> .....                                 | 88       |  |
| ARANESP (ALBUMIN FREE).....                           | 55       |  |
| AREXVY .....  | 103      |  |
| <i>arformoterol tartrate</i> .....                    | 114      |  |
| ARIKAYCE.....   | 8        |  |
| <i>aripiprazole</i> .....                             | 42       |  |
| ARISTADA.....   | 42       |  |
| ARISTADA INITIO .....                                 | 42       |  |
| <i>armodafinil</i> .....                              | 119      |  |
| ARNUITY ELLIPTA.....                                  | 113      |  |
| <i>arsenic trioxide</i> .....                         | 29       |  |
| <i>ascomp-codeine</i> .....                           | 5        |  |
| <i>asenapine maleate</i> .....                        | 42       |  |
| <i>ashlyna</i> .....                                  | 88       |  |
| <i>aspirin-dipyridamole ER</i> .....                  | 56       |  |
| ASPRUZYO SPRINKLE..                                   | 61, 62   |  |
| ASTAGRAF XL .....                                     | 100      |  |
| <i>atazanavir sulfate</i> .....                       | 48       |  |
| <i>atenolol</i> .....                                 | 59       |  |
| <i>atenolol-chlorthalidone</i> .....                  | 62       |  |
| <i>atomoxetine HCl</i> .....                          | 66       |  |
| ATORVALIQ .....                                       | 64       |  |
| <i>atorvastatin calcium</i> .....                     | 64       |  |
| <i>atovaquone</i> .....                               | 39       |  |
| <i>atovaquone-proguanil HCl</i> ....                  | 39       |  |
| <i>atropine sulfate</i> .....                         | 109      |  |
| ATROVENT HFA .....                                    | 114      |  |
| <i>aubra eq</i> .....                                 | 88       |  |
| AUGTYRO .....   | 107      |  |
| AUSTEDO .....   | 67       |  |
| AUSTEDO XR.....                                       | 67, 68   |  |
| AUSTEDO XR PATIENT<br>TITRATION .....                 | 68       |  |
| AUVELITY .....  | 20       |  |
| <i>aviane</i> .....                                   | 88       |  |
| <i>avita</i> .....                                    | 72       |  |
| AVITA .....   | 72       |  |
| AVONEX PEN.....                                       | 69       |  |
| AVONEX PREFILLED.....                                 | 69       |  |
| AVYCAZ .....  | 10       |  |
| AYVAKIT.....  | 32       |  |
| <i>azathioprine</i> .....                             | 100      |  |
| <i>azelaic acid</i> .....                             | 72       |  |
| <i>azelastine HCl</i> .....                           | 110, 113 |  |

|                                       |         |  |          |   |        |
|---------------------------------------|---------|--|----------|---|--------|
| <i>azelastine-fluticasone</i> .....   | 113     | BOOSTRIX.....                            | 103      | <i>calcium acetate</i> .....            | 80     |
| AZELEX.....                           | 72      | <i>bortezomib</i> .....                  | 29       | <i>calcium acetate (phos binder)</i>    | 80     |
| <i>azithromycin</i> .....             | 13      | BOSULIF.....                             | 32       | <i>calcium chloride</i> .....           | 77     |
| <i>aztreonam</i> .....                | 8       | BRAFTOVI .....                           | 32       | CALQUENCE.....                          | 32     |
| <i>azurette</i> .....                 | 88      | BREO ELLIPTA.....                        | 117      | <i>camila</i> .....                     | 93     |
| <b>B</b>                              |         | <i>breyana</i> .....                     | 117      | <i>camrese</i> .....                    | 88     |
| <i>bacitracin</i> .....               | 110     | BREZTRI AEROSPHERE ..                    | 113      | <i>camrese lo</i> .....                 | 88     |
| <i>bacitracin-polymyxin b</i> .....   | 109     | BRILINTA.....                            | 56       | CAMZYOS .....                           | 62     |
| <i>bacitra-neomycin-polymyxin-hc</i>  | 109     | <i>brimonidine tartrate</i> .....        | 72, 112  | <i>candesartan cilexetil</i> .....      | 57     |
| .....                                 | 109     | <i>brimonidine tartrate-timolol</i> ..   | 109      | <i>candesartan cilexetil-hctz</i> ..... | 62     |
| <i>baclofen</i> .....                 | 44      | <i>brinzolamide</i> .....                | 112      | CAPEX.....                              | 73     |
| <i>balsalazide disodium</i> .....     | 106     | BRIVIACT.....                            | 15       | CAPLYTA .....                           | 42     |
| BALVERSA.....                         | 32      | <i>bromfenac sodium</i> .....            | 111      | CAPRELSA.....                           | 33     |
| <i>balziva</i> .....                  | 88      | <i>bromfenac sodium (once-daily)</i>     | 111      | <i>captopril</i> .....                  | 57     |
| BAQSIMI ONE PACK .....                | 52      | .....                                    | 111      | <i>carbamazepine</i> .....              | 18     |
| BAQSIMI TWO PACK.....                 | 52      | <i>bromocriptine mesylate</i> .....      | 40       | <i>carbamazepine ER</i> .....           | 18     |
| BARACLUDGE.....                       | 45      | BRONCHITOL.....                          | 117      | <i>carbidopa</i> .....                  | 40     |
| BAXDELA.....                          | 14      | BRUKINSA.....                            | 32       | <i>carbidopa-levodopa</i> .....         | 40     |
| BCG VACCINE.....                      | 103     | BRYHALI.....                             | 73       | <i>carbidopa-levodopa ER</i> .....      | 40     |
| BD INSULIN SYRINGE.....               | 107     | <i>budesonide</i> .....                  | 106, 113 | <i>carbidopa-levodopa-entacapone</i>    | 40     |
| BELBUCA.....                          | 4       | <i>budesonide ER</i> .....               | 106      | .....                                   | 40     |
| BELSOMRA.....                         | 118     | <i>budesonide-formoterol fumarate</i>    | 117      | <i>carglumic acid</i> .....             | 77     |
| <i>benazepril HCl</i> .....           | 57      | .....                                    | 117      | <i>carisoprodol</i> .....               | 118    |
| <i>benazepril-hydrochlorothiazide</i> | 62      | <i>bumetanide</i> .....                  | 63       | <i>carteolol HCl</i> .....              | 111    |
| .....                                 | 62      | <i>buprenorphine</i> .....               | 4        | <i>cartia XT</i> .....                  | 60     |
| BENLYSTA.....                         | 97      | <i>buprenorphine HCl</i> .....           | 7        | <i>carvedilol</i> .....                 | 59     |
| <i>benznidazole</i> .....             | 39      | <i>buprenorphine HCl-naloxone</i>        | 7        | <i>carvedilol phosphate ER</i> .....    | 59     |
| <i>benzoyl peroxide-erythromycin</i>  | 72      | <i>HCl</i> .....                         | 7        | <i>casprofungin acetate</i> .....       | 23     |
| .....                                 | 72      | <i>bupropion HCl</i> .....               | 20       | CAYSTON .....                           | 114    |
| <i>benztropine mesylate</i> .....     | 39      | <i>bupropion HCl ER (smoking det)</i>    | 8        | <i>cefaclor</i> .....                   | 10     |
| <i>bepotastine besilate</i> .....     | 110     | .....                                    | 8        | <i>cefadroxil</i> .....                 | 10     |
| BERINERT .....                        | 96      | <i>bupropion HCl ER (SR)</i> .....       | 20       | <i>cefazolin sodium</i> .....           | 10     |
| BESIVANCE .....                       | 110     | <i>bupropion HCl ER (XL)</i> .....       | 20       | <i>cefdinir</i> .....                   | 10     |
| BESREMI .....                         | 29      | <i>buspirone HCl</i> .....               | 49       | <i>cefepime HCl</i> .....               | 10, 11 |
| <i>betaine</i> .....                  | 83      | <i>butalbital-acetaminophen</i> .....    | 68       | <i>cefepime-dextrose</i> .....          | 11     |
| <i>betamethasone dipropionate</i> ..  | 73      | <i>butalbital-apap-caff-cod</i> .....    | 5        | <i>cefixime</i> .....                   | 11     |
| <i>betamethasone dipropionate</i>     | 73      | <i>butalbital-apap-caffeine</i> .....    | 68       | <i>cefotaxime sodium</i> .....          | 11     |
| <i>aug</i> .....                      | 73      | <i>butalbital-asa-caff-codeine</i> ..... | 5        | <i>cefoxitin sodium</i> .....           | 11     |
| <i>betamethasone valerate</i> .....   | 73      | <i>butalbital-aspirin-caffeine</i> ..... | 68       | <i>cefpodoxime proxetil</i> .....       | 11     |
| <i>betaxolol HCl</i> .....            | 59, 111 | <i>butorphanol tartrate</i> .....        | 5        | <i>cefprozil</i> .....                  | 11     |
| <i>bethanechol chloride</i> .....     | 85      | BYDUREON BCISE .....                     | 50       | <i>ceftazidime</i> .....                | 11     |
| BETOPTIC-S .....                      | 111     | BYETTA 10 MCG PEN.....                   | 50       | <i>ceftriaxone sodium</i> .....         | 11     |
| <i>bexarotene</i> .....               | 38      | BYETTA 5 MCG PEN.....                    | 50       | <i>cefuroxime axetil</i> .....          | 11     |
| BEXSERO .....                         | 103     | BYLVAY .....                             | 81       | <i>cefuroxime sodium</i> .....          | 11     |
| <i>bicalutamide</i> .....             | 27      | BYLVAY (PELLETS) .....                   | 81       | <i>celecoxib</i> .....                  | 3      |
| BICILLIN C-R.....                     | 12      | <b>C</b>                                 |          | <i>cephalexin</i> .....                 | 11     |
| BICILLIN C-R 900/300 .....            | 12      | CABENUVA .....                           | 46       | CERDELGA .....                          | 83     |
| BICILLIN L-A .....                    | 12      | <i>cabergoline</i> .....                 | 94       | CEREZYME .....                          | 83     |
| BIKTARVY .....                        | 45      | CABLIVI .....                            | 56       | <i>cevimeline HCl</i> .....             | 70     |
| <i>bimatoprost</i> .....              | 112     | CABOMETYX.....                           | 32       | CHEMET.....                             | 79     |
| <i>bisoprolol fumarate</i> .....      | 59      | <i>caffeine citrate</i> .....            | 68       | CHENODAL .....                          | 81     |
| <i>bisoprolol-hydrochlorothiazide</i> | 62      | <i>calcipotriene</i> .....               | 75       | <i>chloramphenicol sod succinate</i>    | 9      |
| <i>blisovi 24 fe</i> .....            | 88      | <i>calcipotriene-betameth diprop</i>     | 75       | <i>chlordiazepoxide HCl</i> .....       | 50     |
| <i>blisovi fe 1.5/30</i> .....        | 88      | <i>calcitonin (salmon)</i> .....         | 107      | <i>chlordiazepoxide-amitriptyline</i>   | 20     |
| <i>blisovi fe 1/20</i> .....          | 88      | <i>calcitriol</i> .....                  | 107      | <i>chlordiazepoxide-clidinium</i> ....  | 81     |

|   |              |   |               |   |              |
|---|--------------|---|---------------|---|--------------|
| <i>chlorhexidine gluconate</i> .....    | 71           | CLINIMIX/DEXTROSE (4.25/5)              | 77            | <i>cromolyn sodium</i> ....             | 83, 110, 115 |
| <i>chloroquine phosphate</i> .....      | 39           | CLINIMIX/DEXTROSE (5/15)                | 77            | <i>crystelle-28</i> .....               | 88           |
| <i>chlorothiazide sodium</i> .....      | 63           | CLINIMIX/DEXTROSE (5/20)                | 77            | <i>cyclobenzaprine HCl</i> .....        | 118          |
| <i>chlorpromazine HCl</i> .....         | 41           | CLINIMIX/DEXTROSE (6/5)                 | 77            | <i>cyclopentolate HCl</i> .....         | 109          |
| <i>chlorthalidone</i> .....             | 63           | CLINIMIX/DEXTROSE (8/10)                | 77            | <i>cyclophosphamide</i> .....           | 27           |
| <i>chlorzoxazone</i> .....              | 118          | CLINIMIX/DEXTROSE (8/14)                | 77            | CYCLOSET .....                          | 51           |
| CHOLBAM.....                            | 83           | CLINISOL SF .....                       | 77            | <i>cyclosporine</i> .....               | 100, 109     |
| <i>cholestyramine</i> .....             | 64           | CLINOLIPID .....                        | 108           | <i>cyclosporine modified</i> .....      | 100          |
| <i>cholestyramine light</i> .....       | 64           | <i>clobazam</i> .....                   | 17            | CYLTEZO (2 PEN).....                    | 100          |
| <i>ciclopirox</i> .....                 | 76           | <i>clobetasol propionate</i> .....      | 73, 74        | <i>cyltezo (2 syringe)</i> .....        | 100          |
| <i>ciclopirox olamine</i> .....         | 76           | <i>clobetasol propionate e</i> .....    | 73            | CYLTEZO (2 SYRINGE).....                | 100          |
| <i>cilostazol</i> .....                 | 56           | <i>clobetasol propionate emulsion</i>   | 73            | STARTER.....                            | 100          |
| CIMDUO.....                             | 47           | .....                                   | 73            | CYLTEZO-PSORIASIS/UV                    | STARTER..... |
| <i>cimetidine</i> .....                 | 82           | <i>clofarabine</i> .....                | 28            | STARTER.....                            | 101          |
| <i>cimetidine HCl</i> .....             | 82           | <i>clomipramine HCl</i> .....           | 22            | <i>cyproheptadine HCl</i> .....         | 113          |
| CIMZIA .....                            | 100          | <i>clonazepam</i> .....                 | 17            | <i>cyred</i> .....                      | 88           |
| CIMZIA (2 SYRINGE) .....                | 100          | <i>clonidine</i> .....                  | 57            | <i>cyred eq</i> .....                   | 88           |
| CIMZIA-STARTER.....                     | 100          | <i>clonidine HCl</i> .....              | 57            | CYSTAGON.....                           | 83           |
| <i>cinacalcet HCl</i> .....             | 107          | <i>clonidine HCl ER</i> .....           | 66            | CYSTARAN .....                          | 109          |
| CINRYZE.....                            | 96           | <i>clopidogrel bisulfate</i> .....      | 56            | <b>D</b>                                |              |
| <i>ciprofloxacin</i> .....              | 14           | <i>clorazepate dipotassium</i> .....    | 50            | <i>dalfampridine ER</i> .....           | 69           |
| <i>ciprofloxacin HCl</i> ....           | 14, 110, 112 | <i>clotrimazole</i> .....               | 23            | <i>danazol</i> .....                    | 87           |
| <i>ciprofloxacin in d5w</i> .....       | 14           | <i>clotrimazole-betamethasone</i> ..    | 75            | <i>dantrolene sodium</i> .....          | 44           |
| <i>ciprofloxacin-dexamethasone</i>      | 112          | <i>clozapine</i> .....                  | 44            | <i>dapsone</i> .....                    | 26, 76       |
| .....                                   | 112          | COARTEM .....                           | 39            | DAPTACEL .....                          | 104          |
| <i>ciprofloxacin-fluocinolone pf</i> .. | 112          | <i>codeine sulfate</i> .....            | 5             | <i>daptomycin</i> .....                 | 9            |
| <i>citalopram HBr</i> .....             | 21           | <i>colchicine</i> .....                 | 25            | <i>daptomycin-NaCl</i> .....            | 9            |
| CLARAVIS.....                           | 72           | <i>colchicine-probenecid</i> .....      | 25            | <i>darifenacin HBr ER</i> .....         | 85           |
| <i>clarithromycin</i> .....             | 13           | <i>colesevelam HCl</i> .....            | 64            | <i>darunavir</i> .....                  | 48           |
| <i>clarithromycin ER</i> .....          | 13           | <i>colestipol HCl</i> .....             | 64, 65        | <i>dasatinib</i> .....                  | 33           |
| <i>clemastine fumarate</i> .....        | 113          | <i>colistimethate sodium (cba)</i> .... | 9             | DAURISMO .....                          | 33           |
| CLEOCIN.....                            | 9            | COMBIPATCH .....                        | 88            | <i>deblitane</i> .....                  | 93           |
| <i>clindamycin HCl</i> .....            | 9            | COMBIVENT RESPIMAT ...                  | 117           | <i>decitabine</i> .....                 | 29           |
| <i>clindamycin palmitate HCl</i> .....  | 9            | COMETRIQ (100 MG DAILY                  | DOSE).....    | <i>deferasirox</i> .....                | 79           |
| <i>clindamycin phos-benzoyl perox</i>   | 72           | DOSE).....                              | 33            | <i>deferasirox granules</i> .....       | 79           |
| <i>clindamycin phosphate</i> .....      | 9, 76        | COMETRIQ (140 MG DAILY                  | DOSE).....    | <i>deferiprone</i> .....                | 79           |
| <i>clindamycin phosphate in d5w</i> .   | 9            | DOSE).....                              | 33            | DELSTRIGO .....                         | 46           |
| CLINDESSE .....                         | 76           | COMETRIQ (60 MG DAILY                   | DOSE).....    | <i>demeclocycline HCl</i> .....         | 15           |
| CLINIMIX E/DEXTROSE                     |              | DOSE).....                              | 33            | <i>denta 5000 plus</i> .....            | 71           |
| (2.75/5).....                           | 77           | COMPLERA.....                           | 46            | <i>dentagel</i> .....                   | 71           |
| CLINIMIX E/DEXTROSE                     |              | COMPRO .....                            | 22            | DEPO-ESTRADIOL .....                    | 88           |
| (4.25/10).....                          | 77           | <i>constulose</i> .....                 | 80            | DEPO-SUBQ PROVERA                       | 104 93       |
| CLINIMIX E/DEXTROSE                     |              | COPIKTRA.....                           | 33            | DESCOVY .....                           | 47           |
| (4.25/5).....                           | 77           | CORLANOR.....                           | 62            | <i>desipramine HCl</i> .....            | 22           |
| CLINIMIX E/DEXTROSE (5/15)              | 77           | COSENTYX .....                          | 97, 98        | <i>desloratadine</i> .....              | 113          |
| .....                                   | 77           | COSENTYX (300 MG DOSE)                  | 97            | <i>desmopressin ace spray refrag</i>    | 87           |
| CLINIMIX E/DEXTROSE (5/20)              | 77           | COSENTYX SENSOREADY                     | (300 MG)..... | .....                                   | 87           |
| .....                                   | 77           | COSENTYX SENSOREADY                     | PEN.....      | <i>desmopressin acetate</i> .....       | 87           |
| CLINIMIX E/DEXTROSE (8/10)              | 77           | .....                                   | 97            | <i>desmopressin acetate spray</i> .     | 87           |
| .....                                   | 77           | COSENTYX UNOREADY.....                  | 98            | <i>desogestrel-ethinyl estradiol</i> .. | 88           |
| CLINIMIX E/DEXTROSE (8/14)              | 77           | COTELIC.....                            | 33            | <i>desonide</i> .....                   | 74           |
| .....                                   | 77           | CREON .....                             | 83            | <i>desoximetasone</i> .....             | 74           |
| CLINIMIX/DEXTROSE (4.25/10)             | 77           | CRESEMBA .....                          | 23            | DESRX .....                             | 74           |
| .....                                   | 77           |   |               | <i>desvenlafaxine succinate ER</i>      | 21           |

|   |            |  |        |   |             |
|---|------------|--|--------|---|-------------|
| <i>dexamethasone</i> .....                            | 86         | <i>dojolvi</i> .....                           | 108    | EMTRIVA .....                             | 47          |
| <i>dexamethasone intensol</i> .....                   | 86         | <i>dolishale</i> .....                         | 88     | EMVERM .....                              | 39          |
| <i>dexamethasone sod phos +rifid</i><br>.....         | 86         | <i>donepezil HCl</i> .....                     | 19     | <i>enalapril maleate</i> .....            | 57          |
| <i>dexamethasone sod phosphate</i><br><i>pf</i> ..... | 86         | DOPTELET .....                                 | 56     | <i>enalaprilat</i> .....                  | 57          |
| <i>dexamethasone sodium</i><br><i>phosphate</i> ..... | 86, 111    | <i>dorzolamide HCl</i> .....                   | 112    | <i>enalapril-hydrochlorothiazide</i>      | 62          |
| <i>dexmethylphenidate HCl</i> .....                   | 67         | <i>dorzolamide HCl-timolol mal</i>             | 109    | ENBREL .....                              | 101         |
| <i>dexmethylphenidate HCl ER</i> .....                | 67         | <i>dorzolamide HCl-timolol mal pf</i><br>..... | 109    | ENBREL MINI .....                         | 101         |
| <i>dextroamphetamine sulfate</i> .....                | 66         | <i>dotti</i> .....                             | 89     | ENBREL SURECLICK .....                    | 101         |
| <i>dextroamphetamine sulfate ER</i><br>.....          | 66         | DOVATO .....                                   | 46     | <i>endocet</i> .....                      | 6           |
| <i>dextrose</i> .....                                 | 77         | <i>doxazosin mesylate</i> .....                | 85     | ENGERIX-B .....                           | 104         |
| <i>dextrose-NaCl</i> .....                            | 78         | <i>doxepin HCl</i> .....                       | 22     | <i>enilloring</i> .....                   | 89          |
| DIACOMIT .....  | 17         | DOXEPIN HCL .....                              | 22     | <i>enoxaparin sodium</i> .....            | 54          |
| <i>diazepam</i> .....                                 | 17, 50     | <i>doxercalciferol</i> .....                   | 107    | <i>enpresse-28</i> .....                  | 89          |
| <i>diazepam intensol</i> .....                        | 50         | <i>doxy 100</i> .....                          | 15     | <i>enskyce</i> .....                      | 89          |
| <i>diazoxide</i> .....                                | 52         | <i>doxycycline hyclate</i> .....               | 15, 71 | ENSPRYNG .....                            | 98          |
| <i>dichlorphenamide</i> .....                         | 83         | <i>doxycycline monohydrate</i> .....           | 15     | <i>entacapone</i> .....                   | 40          |
| <i>diclofenac epolamine</i> .....                     | 3          | DRIZALMA SPRINKLE .....                        | 21     | <i>entecavir</i> .....                    | 45          |
| <i>diclofenac potassium</i> .....                     | 3          | <i>dronabinol</i> .....                        | 23     | ENTRESTO .....                            | 62          |
| <i>diclofenac sodium</i> .....                        | 3, 75, 111 | <i>drospiren-eth estrad-levomefol</i><br>..... | 89     | <i>enulose</i> .....                      | 80          |
| <i>diclofenac sodium ER</i> .....                     | 3          | <i>drospirenone-ethinyl estradiol</i>          | 89     | ENVARBUS XR .....                         | 101         |
| <i>diclofenac-misoprostol</i> .....                   | 3          | DROXIA .....                                   | 28     | EPIDIOLEX .....                           | 15          |
| <i>dicloxacillin sodium</i> .....                     | 12         | <i>droxidopa</i> .....                         | 57     | <i>epinephrine</i> .....                  | 62, 114     |
| <i>dicyclomine HCl</i> .....                          | 81         | DUAVEE .....                                   | 93     | <i>epinephrine (anaphylaxis)</i> .....    | 62          |
| DIFICID .....   | 14         | <i>duloxetine HCl</i> .....                    | 21     | EPITOL .....                              | 18          |
| <i>diflunisal</i> .....                               | 3          | DUOBRII .....                                  | 75     | EPKINLY .....                             | 29          |
| <i>difluprednate</i> .....                            | 111        | DUPIXENT .....                                 | 98     | <i>eplerenone</i> .....                   | 63          |
| <i>digitek</i> .....                                  | 58         | <i>dutasteride</i> .....                       | 85     | EPRONTIA .....                            | 15          |
| <i>digox</i> .....                                    | 58         | <b>E</b>                                       |        | EQUETRO .....                             | 50          |
| <i>digoxin</i> .....                                  | 58         | <i>ec-naproxen</i> .....                       | 3      | ERBITUX .....                             | 38          |
| <i>dihydroergotamine mesylate</i> .....               | 25         | <i>econazole nitrate</i> .....                 | 23     | <i>ergoloid mesylates</i> .....           | 19          |
| DILANTIN .....  | 18         | EDURANT .....                                  | 46     | <i>ergotamine-caffeine</i> .....          | 25          |
| DILANTIN INFATABS .....                               | 18         | <i>efavirenz</i> .....                         | 46     | ERIVEDGE .....                            | 33          |
| <i>diltiazem HCl</i> .....                            | 61         | <i>efavirenz-emtricitab-tenofo df</i>          | 46     | ERLEADA .....                             | 27          |
| <i>diltiazem HCl ER</i> .....                         | 61         | <i>efavirenz-lamivudine-tenofovir</i><br>..... | 46     | <i>erlotinib HCl</i> .....                | 33          |
| <i>diltiazem HCl ER beads</i> .....                   | 60         | ELAPRASE .....                                 | 83     | <i>errin</i> .....                        | 93          |
| <i>diltiazem HCl ER coated beads</i><br>.....         | 61         | <i>eletriptan HBr</i> .....                    | 26     | <i>ertapenem sodium</i> .....             | 13          |
| <i>dilt-XR</i> .....                                  | 61         | ELIGARD .....                                  | 94, 95 | <i>ery</i> .....                          | 76          |
| <i>dimethyl fumarate</i> .....                        | 69         | ELIQUIS .....                                  | 54     | <i>ery-tab</i> .....                      | 14          |
| <i>dimethyl fumarate starter pack</i><br>.....        | 69         | ELIQUIS DVT/PE STARTER<br>PACK .....           | 54     | <i>erythrocin lactobionate</i> .....      | 14          |
| <i>diphenoxylate-atropine</i> .....                   | 81         | ELITEK .....                                   | 38     | <i>erythrocin stearate</i> .....          | 14          |
| DIPHTHERIA-TETANUS<br>TOXOIDS DT .....                | 104        | ELIXOPHYLLIN .....                             | 115    | <i>erythromycin</i> .....                 | 14, 76, 110 |
| <i>dipyridamole</i> .....                             | 56         | ELMIRON .....                                  | 85     | <i>erythromycin base</i> .....            | 14          |
| <i>disopyramide phosphate</i> .....                   | 58         | ELREXFIO .....                                 | 29     | <i>erythromycin ethylsuccinate</i> .....  | 14          |
| <i>disulfiram</i> .....                               | 7          | ELURYNG .....                                  | 89     | <i>erythromycin lactobionate</i> .....    | 14          |
| DIURIL .....  | 63         | EMCYT .....                                    | 28     | ESBRIET .....                             | 116         |
| <i>divalproex sodium</i> .....                        | 17         | EMGALITY .....                                 | 25, 26 | <i>escitalopram oxalate</i> .....         | 21          |
| <i>divalproex sodium ER</i> .....                     | 17         | EMGALITY (300 MG DOSE) .....                   | 25     | <i>esomeprazole magnesium</i> .....       | 83          |
| <i>dofetilide</i> .....                               | 58         | EMPAVELI .....                                 | 98     | <i>esomeprazole sodium</i> .....          | 83          |
|   |            | EMSAM .....                                    | 20     | <i>estarylla</i> .....                    | 89          |
|   |            | <i>emtricitabine</i> .....                     | 47     | <i>estazolam</i> .....                    | 118         |
|   |            | <i>emtricitabine-tenofovir df</i> .....        | 47     | <i>estradiol</i> .....                    | 89          |
|   |            |  |        | <i>estradiol valerate</i> .....           | 89          |
|   |            |  |        | <i>estradiol-norethindrone acet</i> ..... | 89          |
|   |            |  |        | ESTRING .....                             | 89          |
|   |            |  |        | <i>eszopiclone</i> .....                  | 118         |

|  |         |   |     |   |        |
|--|---------|---|-----|---|--------|
| <i>ethacrynic acid</i> .....             | 63      | <i>fluconazole</i> .....                  | 24  | GAUZE PADS.....                         | 108    |
| <i>ethambutol HCl</i> .....              | 27      | <i>fluconazole in NaCl</i> .....          | 23  | <i>gavilyte-c</i> .....                 | 81     |
| <i>ethosuximide</i> .....                | 17      | <i>flucytosine</i> .....                  | 24  | <i>gavilyte-g</i> .....                 | 81     |
| <i>ethynodiol diac-eth estradiol</i> ..  | 89      | <i>fludrocortisone acetate</i> .....      | 86  | <i>gavilyte-n with flavor pack</i> .... | 82     |
| <i>etodolac</i> .....                    | 3       | <i>flunisolide</i> .....                  | 113 | GAVRETO .....                           | 29     |
| <i>etodolac ER</i> .....                 | 3       | <i>fluocinolone acetonide</i> ... 74, 112 |     | <i>gefitinib</i> .....                  | 33     |
| <i>etonogestrel-ethinyl estradiol</i> .. | 89      | <i>fluocinolone acetonide body</i> ..     | 74  | <i>gemfibrozil</i> .....                | 64     |
| ETOPOPHOS.....                           | 32      | <i>fluocinolone acetonide scalp</i> ..    | 74  | <i>gemmily</i> .....                    | 89     |
| <i>etoposide</i> .....                   | 32      | <i>fluocinonide</i> .....                 | 74  | <i>generlac</i> .....                   | 80     |
| <i>etravirine</i> .....                  | 46      | <i>fluocinonide emulsified base</i> ..    | 74  | GENGRAF .....                           | 101    |
| EUCRISA.....                             | 74      | <i>fluorometholone</i> .....              | 111 | GENTAK.....                             | 110    |
| <i>euthyrox</i> .....                    | 94      | <i>fluorouracil</i> .....                 | 75  | <i>gentamicin in saline</i> .....       | 8      |
| <i>everolimus</i> .....                  | 33, 101 | <i>fluoxetine HCl</i> .....               | 21  | <i>gentamicin sulfate</i> .....         | 8, 110 |
| EVOTAZ.....                              | 48      | <i>fluoxetine HCl (PMDD)</i> .....        | 21  | GENVOYA .....                           | 46     |
| EVRYSDI.....                             | 84      | <i>fluphenazine decanoate</i> .....       | 41  | GILENYA .....                           | 69     |
| <i>exemestane</i> .....                  | 31      | <i>fluphenazine HCl</i> .....             | 41  | GILOTRIF .....                          | 34     |
| EXKIVITY .....                           | 33      | <i>flurbiprofen</i> .....                 | 3   | <i>glatiramer acetate</i> .....         | 69     |
| EXTAVIA .....                            | 69      | <i>flurbiprofen sodium</i> .....          | 111 | GLATOPA.....                            | 69     |
| <i>ezetimibe</i> .....                   | 65      | <i>fluticasone propionate</i> ... 74, 113 |     | GLEOSTINE .....                         | 27     |
| <i>ezetimibe-simvastatin</i> .....       | 65      | <i>fluticasone propionate HFA</i> .       | 113 | <i>glimepiride</i> .....                | 51     |
| <b>F</b>                                 |         | <i>fluticasone-salmeterol</i> .....       | 117 | <i>glipizide</i> .....                  | 51     |
| FABRAZYME.....                           | 84      | <i>fluvastatin sodium</i> .....           | 64  | <i>glipizide ER</i> .....               | 51     |
| <i>falmina</i> .....                     | 89      | <i>fluvastatin sodium ER</i> .....        | 64  | <i>glipizide-metformin HCl</i> .....    | 51     |
| <i>famciclovir</i> .....                 | 45      | <i>fluvoxamine maleate</i> .....          | 21  | GLOBAL ALCOHOL PREP                     |        |
| <i>famotidine</i> .....                  | 82      | <i>fluvoxamine maleate ER</i> .....       | 21  | EASE .....                              | 108    |
| <i>famotidine (pf)</i> .....             | 82      | <i>fondaparinux sodium</i> .....          | 54  | GLUCAGON EMERGENCY..                    | 52     |
| <i>famotidine premixed</i> .....         | 82      | <i>formoterol fumarate</i> .....          | 114 | <i>glycopyrrolate</i> .....             | 81     |
| FANAPT .....                             | 42      | <i>fosamprenavir calcium</i> .....        | 48  | GOLYTELY.....                           | 82     |
| FANAPT TITRATION PACK ..                 | 42      | <i>fosfomycin tromethamine</i> .....      | 9   | <i>granisetron HCl</i> .....            | 23     |
| FARXIGA.....                             | 51      | <i>fosinopril sodium</i> .....            | 58  | <i>griseofulvin microsize</i> .....     | 24     |
| FASENRA.....                             | 117     | <i>fosinopril sodium-hctz</i> .....       | 62  | <i>griseofulvin ultramicrosize</i> .... | 24     |
| FASENRA PEN .....                        | 117     | <i>fosphenytoin sodium</i> .....          | 19  | <i>guanfacine HCl</i> .....             | 57     |
| <i>febuxostat</i> .....                  | 25      | FOTIVDA.....                              | 28  | <i>guanfacine HCl ER</i> .....          | 67     |
| <i>felbamate</i> .....                   | 15, 16  | <i>fraiche 5000 dental</i> .....          | 71  | GVOKE HYPOPEN 1-PACK .                  | 52     |
| <i>felodipine ER</i> .....               | 60      | FRUZAQLA .....                            | 33  | GVOKE HYPOPEN 2-PACK .                  | 52     |
| <i>fenofibrate</i> .....                 | 64      | <i>furosemide</i> .....                   | 63  | GVOKE KIT .....                         | 52     |
| <i>fenofibrate micronized</i> .....      | 64      | FUZEON .....                              | 48  | GVOKE PFS .....                         | 52     |
| <i>fenofibric acid</i> .....             | 64      | FYAVOLV.....                              | 89  | GYNAZOLE-1 .....                        | 24     |
| <i>fentanyl</i> .....                    | 4       | FYCOMPA .....                             | 16  | <b>H</b>                                |        |
| <i>fentanyl citrate</i> .....            | 6       | <b>G</b>                                  |     | HADLIMA.....                            | 101    |
| FERRIPROX.....                           | 79      | <i>gabapentin</i> .....                   | 17  | HADLIMA PUSH TOUCH ...                  | 101    |
| FERRIPROX TWICE-A-DAY .                  | 79      | GALAFOLD.....                             | 84  | HAEGARDA.....                           | 96     |
| <i>fesoterodine fumarate ER</i> .....    | 85      | <i>galantamine HBr</i> .....              | 19  | <i>hailey 24 fe</i> .....               | 89     |
| FETZIMA .....                            | 21      | <i>galantamine HBr ER</i> .....           | 19  | <i>halobetasol propionate</i> .....     | 74     |
| FETZIMA TITRATION.....                   | 21      | <i>gallifrey</i> .....                    | 93  | <i>haloette</i> .....                   | 89     |
| <i>finasteride</i> .....                 | 85      | GAMASTAN .....                            | 97  | <i>haloperidol</i> .....                | 41     |
| <i>finolimod HCl</i> .....               | 69      | GAMMAGARD .....                           | 97  | <i>haloperidol decanoate</i> .....      | 41     |
| FINTEPLA .....                           | 16      | GAMMAGARD S/D LESS IGA                    |     | <i>haloperidol lactate</i> .....        | 41     |
| FIRDAPSE.....                            | 68      | .....                                     | 97  | HAVRIX .....                            | 104    |
| FIRMAGON .....                           | 95      | GAMMAPLEX.....                            | 97  | <i>heather</i> .....                    | 93     |
| FIRMAGON (240 MG DOSE) .                 | 95      | GAMUNEX-C .....                           | 97  | <i>heparin sodium (porcine)</i> .....   | 54     |
| <i>flavoxate HCl</i> .....               | 85      | <i>ganciclovir sodium</i> .....           | 45  | <i>heparin sodium (porcine) pf</i> ..   | 55     |
| FLEBOGAMMA DIF.....                      | 97      | GARDASIL 9 .....                          | 104 | HEPLISAV-B.....                         | 104    |
| <i>flecainide acetate</i> .....          | 58      | <i>gatifloxacin</i> .....                 | 110 | HERZUMA .....                           | 38     |
| <i>floxuridine</i> .....                 | 28      | GATTEX.....                               | 81  | HETLIOZ LQ.....                         | 118    |

|   |        |   |        |  |        |
|---|--------|---|--------|--|--------|
| HIBERIX.....                              | 104    | <i>imatinib mesylate</i> .....          | 34     | IXEMPRA KIT.....                         | 29     |
| HUMATROPE.....                            | 87     | IMBRUVICA.....                          | 34     | IXIARO.....                              | 104    |
| HUMIRA (2 PEN).....                       | 101    | <i>imipenem-cilastatin</i> .....        | 13     | <b>J</b>                                 |        |
| HUMIRA (2 SYRINGE).....                   | 101    | <i>imipramine HCl</i> .....             | 22     | <i>jaimiess</i> .....                    | 90     |
| HUMIRA-CD/UC/HS STARTER                   |        | <i>imipramine pamoate</i> .....         | 22     | JAKAFI.....                              | 34     |
| .....                                     | 102    | <i>imiquimod</i> .....                  | 75     | <i>jantoven</i> .....                    | 55     |
| HUMIRA-PED<40KG CROHNS                    |        | IMOVAX RABIES.....                      | 104    | JANUMET.....                             | 51     |
| STARTER.....                              | 102    | IMPAVIDO.....                           | 9      | JANUMET XR.....                          | 51     |
| HUMIRA-PED>/=40KG                         |        | INBRIJA.....                            | 40     | JANUVIA.....                             | 51     |
| CROHNS START.....                         | 102    | <i>incassia</i> .....                   | 93     | JARDIANCE.....                           | 51     |
| HUMIRA-PED>/=40KG UC                      |        | INCRELEX.....                           | 87     | <i>jasmiel</i> .....                     | 90     |
| STARTER.....                              | 102    | INCRUSE ELLIPTA.....                    | 114    | JAVYGTOR.....                            | 84     |
| HUMIRA-PS/UV/ADOL HS                      |        | <i>indapamide</i> .....                 | 64     | JAYPIRCA.....                            | 34     |
| STARTER.....                              | 102    | <i>indomethacin</i> .....               | 3      | <i>jencycla</i> .....                    | 93     |
| HUMIRA-PSORIASIS/UEVIT                    |        | <i>indomethacin ER</i> .....            | 3      | <i>jinteli</i> .....                     | 90     |
| STARTER.....                              | 102    | INFANRIX.....                           | 104    | <i>jolessa</i> .....                     | 90     |
| HUMULIN R U-500                           |        | INGREZZA.....                           | 68     | <i>joyeaux</i> .....                     | 90     |
| (CONCENTRATED).....                       | 53     | INLYTA.....                             | 34     | <i>juleber</i> .....                     | 90     |
| HUMULIN R U-500 KWIKPEN                   |        | INQOVI.....                             | 34     | JULUCA.....                              | 46     |
| .....                                     | 53     | INREBIC.....                            | 29     | <i>junel 1.5/30</i> .....                | 90     |
| <i>hydralazine HCl</i> .....              | 66     | <i>insulin degludec</i> .....           | 53     | <i>junel 1/20</i> .....                  | 90     |
| <i>hydrochlorothiazide</i> .....          | 64     | <i>insulin degludec flextouch</i> ..... | 53     | <i>junel fe 1.5/30</i> .....             | 90     |
| <i>hydrocodone-acetaminophen</i> ...      | 6      | <i>insulin glargine-yfgn</i> .....      | 53     | <i>junel fe 1/20</i> .....               | 90     |
| <i>hydrocodone-ibuprofen</i> .....        | 6      | INSULIN SYRINGE-NEEDLE U-               |        | <i>junel fe 24</i> .....                 | 90     |
| <i>hydrocortisone</i> ... 74, 75, 86, 106 |        | 100.....                                | 108    | JUXTAPID.....                            | 65     |
| <i>hydrocortisone (perianal)</i> 74, 106  |        | INTELENCE.....                          | 47     | JYLAMVO.....                             | 102    |
| <i>hydrocortisone ace-pramoxine</i>       |        | INTRALIPID.....                         | 108    | JYNARQUE.....                            | 79, 80 |
| .....                                     | 75     | INVEGA HAFYERA.....                     | 42     | JYNNEOS.....                             | 104    |
| <i>hydrocortisone sod suc (pf)</i> ...86  |        | INVEGA SUSTENNA.....                    | 42, 43 | <b>K</b>                                 |        |
| <i>hydrocortisone-acetic acid</i> ...112  |        | INVEGA TRINZA.....                      | 43     | KABIVEN.....                             | 78     |
| <i>hydromorphone HCl</i> .....            | 6      | IPOL.....                               | 104    | KALYDECO.....                            | 115    |
| <i>hydromorphone HCl pf</i> .....         | 6      | <i>ipratropium bromide</i> .....        | 114    | KANJINTI.....                            | 38     |
| <i>hydroxychloroquine sulfate</i> ...39   |        | <i>ipratropium-albuterol</i> .....      | 117    | KAPSPARGO SPRINKLE.....                  | 59     |
| <i>hydroxyurea</i> .....                  | 28     | <i>irbesartan</i> .....                 | 57     | <i>kariva</i> .....                      | 90     |
| <i>hydroxyzine HCl</i> .....              | 113    | <i>irbesartan-hydrochlorothiazide</i>   |        | KATERZIA.....                            | 60     |
| <i>hydroxyzine pamoate</i> .....          | 49     | .....                                   | 62     | <i>KCl in dextrose-NaCl</i> .....        | 78     |
| HYRIMOZ.....                              | 102    | ISENTRESS.....                          | 46     | <i>KCl-lactated ringers-d5w</i> .....    | 78     |
| HYRIMOZ-CROHNS/UC                         |        | ISENTRESS HD.....                       | 46     | <i>kelnor 1/35</i> .....                 | 90     |
| STARTER.....                              | 102    | <i>isibloom</i> .....                   | 89     | <i>kelnor 1/50</i> .....                 | 90     |
| HYRIMOZ-PED<40KG CROHN                    |        | ISOLYTE-P IN D5W.....                   | 78     | KERENDIA.....                            | 62     |
| STARTER.....                              | 102    | ISOLYTE-S PH 7.4.....                   | 78     | KESIMPTA.....                            | 69     |
| HYRIMOZ-PED>/=40KG                        |        | <i>isoniazid</i> .....                  | 27     | <i>ketoconazole</i> .....                | 24     |
| CROHN START.....                          | 102    | <i>isosorb dinitrate-hydralazine</i> .. | 62     | <i>ketorolac tromethamine</i> ... 3, 111 |        |
| HYRIMOZ-PLAQ PSOR/UEVIT                   |        | <i>isosorbide dinitrate</i> .....       | 65     | KINERET.....                             | 98     |
| START.....                                | 102    | <i>isosorbide mononitrate</i> .....     | 65     | KINRIX.....                              | 104    |
| <b>I</b>                                  |        | <i>isosorbide mononitrate ER</i> ... 65 |        | KISQALI (200 MG DOSE).....               | 34     |
| <i>ibandronate sodium</i> .....           | 107    | <i>isotretinoin</i> .....               | 72     | KISQALI (400 MG DOSE).....               | 34     |
| IBRANCE.....                              | 29, 34 | <i>isradipine</i> .....                 | 60     | KISQALI (600 MG DOSE).....               | 34     |
| <i>ibu</i> .....                          | 3      | ISTURISA.....                           | 94     | KISQALI FEMARA (200 MG                   |        |
| <i>ibuprofen</i> .....                    | 3      | ITOVEBI.....                            | 29     | DOSE).....                               | 29     |
| <i>icatibant acetate</i> .....            | 96     | <i>itraconazole</i> .....               | 24     | KISQALI FEMARA (400 MG                   |        |
| ICLUSIG.....                              | 34     | <i>ivabradine HCl</i> .....             | 62     | DOSE).....                               | 29     |
| <i>icosapent ethyl</i> .....              | 65     | <i>ivermectin</i> .....                 | 39, 76 | KISQALI FEMARA (600 MG                   |        |
| IDHIFA.....                               | 29     | IWILFIN.....                            | 29     | DOSE).....                               | 29     |
| ILEVRO.....                               | 111    | IXCHIQ.....                             | 104    | <i>klayesta</i> .....                    | 24     |

|                                       |        |   |         |                                      |     |
|---------------------------------------|--------|---|---------|--------------------------------------|-----|
| <i>klor-con m10</i> .....             | 78     | <i>leuprolide acetate</i> .....             | 95      | <i>losartan potassium-hctz</i> ..... | 62  |
| <i>klor-con m15</i> .....             | 78     | <i>leuprolide acetate (3 month)</i> ..      | 95      | LOTEMAX.....                         | 111 |
| <i>klor-con m20</i> .....             | 78     | <i>levalbuterol HCl</i> .....               | 114     | LOTEMAX SM.....                      | 111 |
| KOSELUGO.....                         | 34     | <i>levalbuterol tartrate</i> .....          | 114     | <i>loteprednol etabonate</i> .....   | 111 |
| <i>kourzeq</i> .....                  | 71     | <i>levetiracetam</i> .....                  | 16      | <i>lovastatin</i> .....              | 64  |
| KRAZATI.....                          | 29     | <i>levetiracetam ER</i> .....               | 16      | <i>low-ogestrel</i> .....            | 90  |
| KRINTAFEL.....                        | 39     | <i>levobunolol HCl</i> .....                | 111     | <i>loxapine succinate</i> .....      | 41  |
| KRISTALOSE.....                       | 81     | <i>levocarnitine</i> .....                  | 108     | <i>lubiprostone</i> .....            | 81  |
| <i>kurvelo</i> .....                  | 90     | <i>levocetirizine dihydrochloride</i>       |         | LUMAKRAS.....                        | 30  |
| <b>L</b>                              |        | .....                                       | 113     | LUMIGAN.....                         | 112 |
| <i>labetalol HCl</i> .....            | 59     | <i>levofloxacin</i> .....                   | 14, 110 | LUNSUMIO.....                        | 30  |
| <i>lacosamide</i> .....               | 19     | <i>levofloxacin in d5w</i> .....            | 14      | LUPKYNIS.....                        | 103 |
| LACRISERT.....                        | 109    | <i>levonest</i> .....                       | 90      | LUPRON DEPOT (1-MONTH)               |     |
| <i>lactulose</i> .....                | 81     | <i>levonorgest-eth est &amp; eth est</i> .. | 90      | .....                                | 95  |
| <i>lactulose encephalopathy</i> ..... | 81     | <i>levonorgest-eth estrad 91-day</i> 90     |         | LUPRON DEPOT (3-MONTH)               |     |
| LAGEVRIO.....                         | 108    | <i>levonorgestrel-ethinyl estrad</i> ..     | 90      | .....                                | 95  |
| <i>lamivudine</i> .....               | 45, 47 | <i>levonorg-eth estrad triphasic</i> .      | 90      | LUPRON DEPOT (4-MONTH)               |     |
| <i>lamivudine-zidovudine</i> .....    | 47     | <i>levora 0.15/30 (28)</i> .....            | 90      | .....                                | 95  |
| <i>lamotrigine</i> .....              | 16     | LEVO-T.....                                 | 94      | LUPRON DEPOT (6-MONTH)               |     |
| <i>lamotrigine ER</i> .....           | 16     | <i>levothyroxine sodium</i> .....           | 94      | .....                                | 95  |
| LAMPIT.....                           | 39     | LEVOXYL.....                                | 94      | LUPRON DEPOT-PED (1-                 |     |
| <i>lanreotide acetate</i> .....       | 95     | LEXETTE.....                                | 75      | MONTH).....                          | 95  |
| <i>lansoprazole</i> .....             | 83     | LEXIVA.....                                 | 48      | LUPRON DEPOT-PED (3-                 |     |
| <i>lanthanum carbonate</i> .....      | 80     | <i>l-glutamine</i> .....                    | 84      | MONTH).....                          | 95  |
| <i>lapatinib ditosylate</i> .....     | 34     | LIBERVANT.....                              | 17      | LUPRON DEPOT-PED (6-                 |     |
| <i>larin 1.5/30</i> .....             | 90     | <i>lidocaine</i> .....                      | 7       | MONTH).....                          | 95  |
| <i>larin 1/20</i> .....               | 90     | <i>lidocaine HCl</i> .....                  | 7, 71   | <i>lurasidone HCl</i> .....          | 43  |
| <i>larin fe 1.5/30</i> .....          | 90     | <i>lidocaine HCl (cardiac) pf</i> .....     | 58      | <i>lutera</i> .....                  | 90  |
| <i>larin fe 1/20</i> .....            | 90     | <i>lidocaine HCl (pf)</i> .....             | 7       | LYBALVI.....                         | 43  |
| <i>latanoprost</i> .....              | 112    | <i>lidocaine HCl urethral/mucosal</i> 7     |         | <i>lyleq</i> .....                   | 93  |
| LAZCLUZE.....                         | 29     | <i>lidocaine viscous HCl</i> .....          | 71      | <i>lyllana</i> .....                 | 90  |
| <i>leena</i> .....                    | 90     | <i>lidocaine-prilocaine</i> .....           | 7       | LYNPARZA.....                        | 35  |
| <i>leflunomide</i> .....              | 102    | LIDOCAN.....                                | 7       | LYSODREN.....                        | 94  |
| <i>lenalidomide</i> .....             | 28     | <i>linezolid</i> .....                      | 9       | LYTGOBI (12 MG DAILY                 |     |
| LENVIMA (10 MG DAILY                  |        | LINZESS.....                                | 81      | DOSE).....                           | 30  |
| DOSE).....                            | 34     | <i>liothyronine sodium</i> .....            | 94      | LYTGOBI (16 MG DAILY                 |     |
| LENVIMA (12 MG DAILY                  |        | <i>liraglutide</i> .....                    | 51      | DOSE).....                           | 30  |
| DOSE).....                            | 35     | <i>lisdexamfetamine dimesylate</i> ..       | 66      | LYTGOBI (20 MG DAILY                 |     |
| LENVIMA (14 MG DAILY                  |        | <i>lisinopril</i> .....                     | 58      | DOSE).....                           | 30  |
| DOSE).....                            | 35     | <i>lisinopril-hydrochlorothiazide</i> .     | 62      | <i>lyza</i> .....                    | 93  |
| LENVIMA (18 MG DAILY                  |        | <i>lithium</i> .....                        | 50      | <b>M</b>                             |     |
| DOSE).....                            | 35     | <i>lithium carbonate</i> .....              | 50      | <i>mafenide acetate</i> .....        | 77  |
| LENVIMA (20 MG DAILY                  |        | <i>lithium carbonate ER</i> .....           | 50      | <i>magnesium sulfate</i> .....       | 78  |
| DOSE).....                            | 35     | LIVMARLI.....                               | 108     | <i>magnesium sulfate in d5w</i> .... | 78  |
| LENVIMA (24 MG DAILY                  |        | LIVTENCITY.....                             | 45      | <i>malathion</i> .....               | 76  |
| DOSE).....                            | 35     | LOKELMA.....                                | 80      | <i>maraviroc</i> .....               | 48  |
| LENVIMA (4 MG DAILY DOSE)             |        | LONSURF.....                                | 30      | <i>marlissa</i> .....                | 91  |
| .....                                 | 35     | <i>loperamide HCl</i> .....                 | 81      | MARPLAN.....                         | 20  |
| LENVIMA (8 MG DAILY DOSE)             |        | <i>lopinavir-ritonavir</i> .....            | 48      | MATULANE.....                        | 27  |
| .....                                 | 35     | LOQTORZI.....                               | 38      | MAVENCLAD (10 TABS).....             | 69  |
| <i>lessina</i> .....                  | 90     | <i>lorazepam</i> .....                      | 50      | MAVENCLAD (4 TABS).....              | 69  |
| <i>letrozole</i> .....                | 32     | <i>lorazepam intensol</i> .....             | 50      | MAVENCLAD (5 TABS).....              | 69  |
| <i>leucovorin calcium</i> .....       | 29, 38 | LORBRENA.....                               | 35      | MAVENCLAD (6 TABS).....              | 69  |
| LEUKERAN.....                         | 27     | <i>loryna</i> .....                         | 90      | MAVENCLAD (7 TABS).....              | 69  |
| LEUKINE.....                          | 55     | <i>losartan potassium</i> .....             | 57      | MAVENCLAD (8 TABS).....              | 69  |



|  |       |   |         |   |          |
|--|-------|---|---------|---|----------|
| MAVENCLAD (9 TABS).....                  | 70    | <i>mexiletine HCl</i> .....                 | 58      | MYFEMBREE.....                              | 95       |
| MAVYRET.....                             | 45    | <i>micafungin sodium</i> .....              | 24      | MYORISAN.....                               | 72       |
| <i>meclizine HCl</i> .....               | 22    | <i>micafungin sodium-NaCl</i> .....         | 24      | MYRBETRIQ.....                              | 85       |
| <i>meclofenamate sodium</i> .....        | 3     | <i>miconazole 3</i> .....                   | 24      | <b>N</b>                                    |          |
| MEDROL.....                              | 86    | <i>microgestin 1.5/30</i> .....             | 91      | <i>Na sulfate-K sulfate-Mg sulf</i> ..      | 82       |
| <i>medroxyprogesterone acetate</i> ..... | 93    | <i>microgestin 1/20</i> .....               | 91      | <i>nabumetone</i> .....                     | 4        |
| <i>mefenamic acid</i> .....              | 3     | <i>microgestin 24 fe</i> .....              | 91      | <i>nadolol</i> .....                        | 59       |
| <i>mefloquine HCl</i> .....              | 39    | <i>microgestin fe 1.5/30</i> .....          | 91      | <i>nafacillin sodium</i> .....              | 12       |
| <i>megestrol acetate</i> .....           | 93    | <i>microgestin fe 1/20</i> .....            | 91      | <i>naftifine HCl</i> .....                  | 24       |
| MEKINIST.....                            | 35    | <i>midazolam HCl</i> .....                  | 50      | NAGLAZYME.....                              | 84       |
| MEKTOVI.....                             | 35    | <i>midodrine HCl</i> .....                  | 57      | <i>naloxone HCl</i> .....                   | 7, 8     |
| <i>meloxicam</i> .....                   | 4     | <i>mifepristone</i> .....                   | 87      | <i>naltrexone HCl</i> .....                 | 7        |
| <i>memantine HCl</i> .....               | 20    | MIGERGOT.....                               | 25      | <i>naproxen</i> .....                       | 4        |
| <i>memantine HCl ER</i> .....            | 20    | <i>miglitol</i> .....                       | 51      | <i>naproxen dr</i> .....                    | 4        |
| MENACTRA.....                            | 104   | <i>miglustat</i> .....                      | 84      | <i>naproxen sodium</i> .....                | 4        |
| MENQUADFI.....                           | 104   | <i>mili</i> .....                           | 91      | <i>naratriptan HCl</i> .....                | 26       |
| MENVEO.....                              | 104   | <i>milrinone lactate</i> .....              | 62      | NATACYN.....                                | 110      |
| <i>meprobamate</i> .....                 | 49    | <i>milrinone lactate in dextrose</i> ..     | 62      | <i>nateglinide</i> .....                    | 51       |
| <i>mercaptapurine</i> .....              | 28    | <i>mimvey</i> .....                         | 91      | NATPARA.....                                | 107      |
| <i>meropenem</i> .....                   | 13    | MINOCIN.....                                | 15      | NAYZILAM.....                               | 16       |
| <i>merzee</i> .....                      | 91    | <i>minocycline HCl</i> .....                | 15      | <i>nebivolol HCl</i> .....                  | 59       |
| <i>mesalamine</i> .....                  | 106   | <i>minoxidil</i> .....                      | 66      | <i>necon 0.5/35 (28)</i> .....              | 91       |
| <i>mesalamine ER</i> .....               | 106   | <i>mirtazapine</i> .....                    | 20      | <i>nefazodone HCl</i> .....                 | 21       |
| <i>mesna</i> .....                       | 38    | <i>misoprostol</i> .....                    | 83      | <i>neomycin sulfate</i> .....               | 8        |
| MESNEX.....                              | 38    | <i>mitoxantrone HCl</i> .....               | 70      | <i>neomycin-bacitracin zn-polymyx</i>       |          |
| <i>metaxalone</i> .....                  | 118   | M-M-R II.....                               | 104     | .....                                       | 109      |
| <i>metformin HCl</i> .....               | 51    | <i>m-natal plus</i> .....                   | 80      | <i>neomycin-polymyxin-dexameth</i>          |          |
| <i>metformin HCl ER</i> .....            | 51    | <i>modafinil</i> .....                      | 119     | .....                                       | 109      |
| <i>methadone HCl</i> .....               | 4     | <i>moexipril HCl</i> .....                  | 58      | <i>neomycin-polymyxin-gramicidin</i>        |          |
| <i>methadone HCl intensol</i> .....      | 4     | <i>molindone HCl</i> .....                  | 41      | .....                                       | 109      |
| <i>methazolamide</i> .....               | 112   | <i>mometasone furoate</i> .....             | 75, 113 | <i>neomycin-polymyxin-hc</i> .....          | 109, 112 |
| <i>methenamine hippurate</i> .....       | 9     | MONDOXYNE NL.....                           | 15      | NERLYNX.....                                | 35       |
| <i>methimazole</i> .....                 | 96    | <i>montelukast sodium</i> .....             | 113     | NEUAC.....                                  | 72       |
| <i>methocarbamol</i> .....               | 118   | <i>morphine sulfate</i> .....               | 6       | NEUPOGEN.....                               | 55       |
| <i>methotrexate sodium</i> .....         | 103   | <i>morphine sulfate (concentrate)</i> ..... | 6       | NEUPRO.....                                 | 40       |
| <i>methotrexate sodium (pf)</i> .....    | 103   | <i>morphine sulfate (pf)</i> .....          | 6       | <i>nevirapine</i> .....                     | 47       |
| <i>methoxsalen rapid</i> .....           | 75    | <i>morphine sulfate ER</i> .....            | 4, 5    | <i>nevirapine ER</i> .....                  | 47       |
| <i>methscopolamine bromide</i> .....     | 81    | <i>morphine sulfate ER beads</i> .....      | 4       | <i>niacin (antihyperlipidemic)</i> .....    | 65       |
| <i>methsuximide</i> .....                | 17    | MOTEGRITY.....                              | 81      | <i>niacin ER (antihyperlipidemic)</i> ..... | 65       |
| <i>methylphenidate HCl</i> .....         | 67    | MOUNJARO.....                               | 51      | <i>niacor</i> .....                         | 65       |
| <i>methylphenidate HCl ER</i> .....      | 67    | MOVANTIK.....                               | 81      | <i>nicardipine HCl</i> .....                | 60       |
| <i>methylphenidate HCl ER (CD)</i>       |       | <i>moxifloxacin HCl</i> .....               | 14, 110 | NICOTROL.....                               | 8        |
| .....                                    | 67    | <i>moxifloxacin HCl (2x day)</i> .....      | 110     | NICOTROL NS.....                            | 8        |
| <i>methylphenidate HCl ER (LA)</i> ..... | 67    | <i>moxifloxacin HCl in NaCl</i> .....       | 14      | <i>nifedipine</i> .....                     | 60       |
| <i>methylphenidate HCl ER (osm)</i>      |       | MRESVIA.....                                | 104     | <i>nifedipine ER</i> .....                  | 60       |
| .....                                    | 67    | MULPLETA.....                               | 55      | <i>nifedipine ER osmotic release</i> .....  | 60       |
| <i>methylprednisolone</i> .....          | 86    | MULTAQ.....                                 | 58      | <i>nikki</i> .....                          | 91       |
| <i>metoclopramide HCl</i> .....          | 82    | <i>multiple electro type 1 ph 5.5</i> ..... | 78      | <i>nilutamide</i> .....                     | 27       |
| <i>metolazone</i> .....                  | 64    | <i>multiple electro type 1 ph 7.4</i> ..... | 78      | <i>nimodipine</i> .....                     | 60       |
| <i>metoprolol succinate ER</i> .....     | 59    | <i>mupirocin</i> .....                      | 77      | NINLARO.....                                | 30       |
| <i>metoprolol tartrate</i> .....         | 59    | <i>mupirocin calcium</i> .....              | 77      | <i>nisoldipine ER</i> .....                 | 60       |
| <i>metoprolol-hydrochlorothiazide</i>    |       | MVASI.....                                  | 38      | <i>nitazoxanide</i> .....                   | 39       |
| .....                                    | 62    | MYALEPT.....                                | 82      | <i>nitisinone</i> .....                     | 84       |
| <i>metronidazole</i> .....               | 9, 72 | <i>mycophenolate mofetil</i> .....          | 103     | NITRO-BID.....                              | 65       |
| <i>metyrosine</i> .....                  | 62    | <i>mycophenolate sodium</i> .....           | 103     | NITRO-DUR.....                              | 65       |

|   |            |  |              |  |        |
|---|------------|--|--------------|--|--------|
| <i>nitrofurantoin</i> .....                 | 9          | NOVOLOG PENFILL.....                   | 54           | OMNIPOD 5 LIBRE2 PLUS G6                   |        |
| <i>nitrofurantoin macrocrystal</i> .....    | 9          | NOVOLOG RELION.....                    | 54           | PODS.....                                  | 108    |
| <i>nitrofurantoin monohyd macro</i> .....   | 9          | NOVOPEN ECHO.....                      | 108          | OMNIPOD DASH PDM (GEN 4)                   |        |
| <i>nitroglycerin</i> .....                  | 65, 66, 82 | NOXAFIL.....                           | 24           | .....                                      | 108    |
| NITYR.....                                  | 84         | NUBEQA.....                            | 27           | OMNIPOD DASH PODS (GEN                     |        |
| NIVESTYM.....                               | 55         | NUCALA.....                            | 117          | 4).....                                    | 108    |
| <i>nizatidine</i> .....                     | 82         | NUCYNTA.....                           | 6            | <i>ondansetron</i> .....                   | 23     |
| NOCDURNA.....                               | 87         | NUCYNTA ER.....                        | 5            | <i>ondansetron HCl</i> .....               | 23     |
| <i>nora-be</i> .....                        | 93         | NUDEXTA.....                           | 68           | ONTRUZANT.....                             | 38     |
| NORDITROPIN FLEXPEN.....                    | 87         | NUPLAZID.....                          | 43           | ONUREG.....                                | 30     |
| <i>norelgestromin-eth estradiol</i> .....   | 91         | NURTEC.....                            | 26           | OPSUMIT.....                               | 115    |
| <i>norethin ace-eth estrad-fe</i> .....     | 91         | NUTRILIPID.....                        | 108          | OPVEE.....                                 | 8      |
| <i>norethindrone</i> .....                  | 93         | NUTROPIN AQ NUSPIN 10.....             | 87           | OPZELURA.....                              | 75     |
| <i>norethindrone acetate</i> .....          | 93         | NUTROPIN AQ NUSPIN 20.....             | 87           | <i>oralone</i> .....                       | 71     |
| <i>norethindrone acet-ethinyl est</i> ..... | 91         | NUTROPIN AQ NUSPIN 5.....              | 87           | ORENCIA.....                               | 98     |
| <i>norethindrone-eth estradiol</i> .....    | 91         | NUVESSA.....                           | 9            | ORENCIA CLICKJECT.....                     | 98     |
| <i>norethindron-ethinyl estrad-fe</i> ..... | 91         | NUZYRA.....                            | 15           | ORENITRAM.....                             | 116    |
| <i>norgestimate-eth estradiol</i> .....     | 91         | NYAMYC.....                            | 24           | ORENITRAM MONTH 1.....                     | 116    |
| <i>norgestim-eth estrad triphasic</i> ..... | 91         | <i>nylia 1/35</i> .....                | 91           | ORENITRAM MONTH 2.....                     | 116    |
| NORLIQVA.....                               | 60         | NYMALIZE.....                          | 60           | ORENITRAM MONTH 3.....                     | 116    |
| <i>norlyda</i> .....                        | 93         | <i>nystatin</i> .....                  | 24           | ORGOVYX.....                               | 95     |
| NORMOSOL-R PH 7.4.....                      | 78         | <i>nystatin-triamcinolone</i> .....    | 76           | ORILISSA.....                              | 95     |
| NORPACE CR.....                             | 58         | NYSTOP.....                            | 24           | ORKAMBI.....                               | 115    |
| <i>nortrel 0.5/35 (28)</i> .....            | 91         | NYVEPRIA.....                          | 55           | ORLADEYO.....                              | 108    |
| <i>nortrel 1/35 (21)</i> .....              | 91         | <b>O</b>                               |              | <i>orphenadrine citrate ER</i> .....       | 118    |
| <i>nortrel 1/35 (28)</i> .....              | 91         | OCALIVA.....                           | 82           | ORSERDU.....                               | 30     |
| <i>nortrel 7/7/7</i> .....                  | 91         | <i>ocella</i> .....                    | 91           | <i>oseltamivir phosphate</i> .....         | 49     |
| <i>nortriptyline HCl</i> .....              | 22         | OCTAGAM.....                           | 97           | OSPHENA.....                               | 93     |
| NORVIR.....                                 | 48         | <i>octreotide acetate</i> .....        | 95           | OTEZLA.....                                | 76, 98 |
| NOVOLIN 70/30.....                          | 53         | ODEFSEY.....                           | 47           | <i>oxacillin sodium</i> .....              | 13     |
| NOVOLIN 70/30 FLEXPEN.....                  | 53         | ODOMZO.....                            | 35           | <i>oxacillin sodium in dextrose</i> .....  | 13     |
| NOVOLIN 70/30 FLEXPEN                       |            | OFEV.....                              | 116          | <i>oxaprozin</i> .....                     | 4      |
| RELION.....                                 | 53         | <i>ofloxacin</i> .....                 | 14, 110, 112 | <i>oxazepam</i> .....                      | 50     |
| NOVOLIN 70/30 RELION.....                   | 53         | OGIVRI.....                            | 38           | OXBRYTA.....                               | 56     |
| NOVOLIN N.....                              | 53         | OGSIVEO.....                           | 30           | <i>oxcarbazepine</i> .....                 | 19     |
| NOVOLIN N FLEXPEN.....                      | 53         | OJEMDA.....                            | 35           | <i>oxcarbazepine ER</i> .....              | 19     |
| NOVOLIN N FLEXPEN RELION                    |            | OJJAARA.....                           | 35           | OXERVATE.....                              | 109    |
| .....                                       | 53         | <i>olanzapine</i> .....                | 43           | <i>oxiconazole nitrate</i> .....           | 24     |
| NOVOLIN N RELION.....                       | 53         | <i>olmesartan medoxomil</i> .....      | 57           | <i>oxybutynin chloride</i> .....           | 85     |
| NOVOLIN R.....                              | 53         | <i>olmesartan medoxomil-hctz</i> ..... | 63           | <i>oxybutynin chloride ER</i> .....        | 85     |
| NOVOLIN R FLEXPEN.....                      | 53         | <i>olopatadine HCl</i> .....           | 110, 113     | <i>oxycodone HCl</i> .....                 | 6, 7   |
| NOVOLIN R FLEXPEN RELION                    |            | <i>omega-3-acid ethyl esters</i> ..... | 65           | <i>oxycodone HCl ER</i> .....              | 5      |
| .....                                       | 53         | OMEGAVEN.....                          | 108          | <i>oxycodone-acetaminophen</i> .....       | 7      |
| NOVOLIN R RELION.....                       | 53         | <i>omeprazole</i> .....                | 83           | OXYCONTIN.....                             | 5      |
| NOVOLOG.....                                | 54         | OMNIPOD 5 DEXG7G6 INTRO                |              | <b>P</b>                                   |        |
| NOVOLOG 70/30 FLEXPEN                       |            | GEN 5.....                             | 108          | PACERONE.....                              | 58     |
| RELION.....                                 | 54         | OMNIPOD 5 DEXG7G6 PODS                 |              | <i>paclitaxel protein-bound part</i> ..... | 30     |
| NOVOLOG FLEXPEN.....                        | 54         | GEN 5.....                             | 108          | <i>paliperidone ER</i> .....               | 43     |
| NOVOLOG FLEXPEN RELION                      |            | OMNIPOD 5 G7 INTRO (GEN                |              | PALYNZIQ.....                              | 84     |
| .....                                       | 54         | 5).....                                | 108          | PANRETIN.....                              | 38     |
| NOVOLOG MIX 70/30.....                      | 54         | OMNIPOD 5 G7 PODS (GEN 5)              |              | <i>pantoprazole sodium</i> .....           | 83     |
| NOVOLOG MIX 70/30                           |            | .....                                  | 108          | <i>paricalcitol</i> .....                  | 107    |
| FLEXPEN.....                                | 54         | OMNIPOD 5 LIBRE2 PLUS G6               |              | <i>paromomycin sulfate</i> .....           | 8      |
| NOVOLOG MIX 70/30 RELION                    |            | .....                                  | 108          | <i>paroxetine HCl</i> .....                | 21     |
| .....                                       | 54         |  |              | <i>paroxetine HCl ER</i> .....             | 21     |

|   |         |   |          |                                       |        |
|---|---------|---|----------|---------------------------------------|--------|
| PAXLOVID (150/100).....                     | 108     | PIQRAY (300 MG DAILY DOSE).....             | 35       | PREVIDENT 5000 ORTHO DEFENSE .....    | 71     |
| PAXLOVID (300/100).....                     | 108     | <i>pirfenidone</i> .....                    | 116, 117 | PREVIDENT 5000 PLUS .....             | 71     |
| <i>pazopanib HCl</i> .....                  | 35      | <i>piroxicam</i> .....                      | 4        | PREVIDENT 5000 SENSITIVE .....        | 71     |
| PEDIARIX.....                               | 104     | PLASMA-LYTE A .....                         | 78       | PREVYMIS .....                        | 45     |
| PEDVAX HIB .....                            | 105     | PLEGRIDY .....                              | 70       | PREZCOBIX.....                        | 48     |
| <i>peg 3350-KCl-Na bicarb-NaCl</i> 82       |         | PLEGRIDY STARTER PACK                       | 70       | PREZISTA .....                        | 49     |
| <i>peg-3350/electrolytes</i> .....          | 82      | PLENAMINE .....                             | 78       | PRIFTIN.....                          | 27     |
| <i>peg-3350/electrolytes/ascorbat</i> ..... | 82      | <i>podofilox</i> .....                      | 76       | <i>primaquine phosphate</i> .....     | 39     |
| PEGASYS .....                               | 99      | POLYCIN .....                               | 109      | <i>primidone</i> .....                | 17     |
| PEMAZYRE.....                               | 30      | <i>polymyxin b sulfate</i> .....            | 9        | PRIORIX.....                          | 105    |
| PENBRAYA .....                              | 105     | <i>polymyxin b-trimethoprim</i> ...         | 110      | PRIVIGEN.....                         | 97     |
| <i>penicillamine</i> .....                  | 80, 86  | POMALYST.....                               | 28       | PROAIR RESPICLICK .....               | 114    |
| <i>penicillin g pot in dextrose</i> .....   | 13      | <i>portia-28</i> .....                      | 91       | <i>probenecid</i> .....               | 25     |
| <i>penicillin g potassium</i> .....         | 13      | <i>posaconazole</i> .....                   | 24, 25   | <i>prochlorperazine</i> .....         | 22     |
| <i>penicillin g procaine</i> .....          | 13      | <i>potassium chloride</i> .....             | 79       | <i>prochlorperazine maleate</i> ..... | 22     |
| <i>penicillin g sodium</i> .....            | 13      | <i>potassium chloride crys ER</i> ...       | 78       | PROCTOFOAM HC .....                   | 76     |
| <i>penicillin v potassium</i> .....         | 13      | <i>potassium chloride ER</i> .....          | 78       | PROCTO-MED HC .....                   | 106    |
| PENTACEL.....                               | 105     | <i>potassium chloride in NaCl</i> ....      | 79       | PROCTOSOL HC .....                    | 106    |
| PENTAM.....                                 | 39      | <i>potassium citrate ER</i> .....           | 79       | PROCTOZONE-HC .....                   | 106    |
| <i>pentamidine isethionate</i> .....        | 39      | <i>potassium cl in dextrose 5%</i> ..       | 79       | <i>progesterone</i> .....             | 93     |
| PENTASA.....                                | 106     | <i>pramipexole dihydrochloride</i> ..       | 40       | PROGRAF .....                         | 103    |
| <i>pentazocine-naloxone HCl</i> .....       | 7       | <i>pramipexole dihydrochloride ER</i> ..... | 40       | PROLASTIN-C.....                      | 84     |
| <i>pentoxifylline ER</i> .....              | 63      | <i>prasugrel HCl</i> .....                  | 56       | PROLIA.....                           | 107    |
| PERIKABIVEN .....                           | 78      | <i>pravastatin sodium</i> .....             | 64       | PROMACTA .....                        | 56     |
| <i>perindopril erbumine</i> .....           | 58      | <i>praziquantel</i> .....                   | 39       | <i>promethazine HCl</i> .....         | 23     |
| PERIOGARD .....                             | 71      | <i>prazosin HCl</i> .....                   | 57       | <i>promethegan</i> .....              | 23     |
| <i>permethrin</i> .....                     | 76      | <i>prednisolone</i> .....                   | 86       | <i>propafenone HCl</i> .....          | 58     |
| <i>perphenazine</i> .....                   | 41      | <i>prednisolone acetate</i> .....           | 111      | <i>propafenone HCl ER</i> .....       | 58     |
| <i>perphenazine-amitriptyline</i> ....      | 20      | <i>prednisolone sodium phosphate</i> .....  | 86, 111  | <i>proparacaine HCl</i> .....         | 110    |
| PERSERIS .....                              | 43      | <i>prednisone</i> .....                     | 86, 87   | <i>propranolol HCl</i> .....          | 59, 60 |
| <i>phenelzine sulfate</i> .....             | 20      | <i>prednisone intensol</i> .....            | 86       | <i>propylthiouracil</i> .....         | 96     |
| <i>phenobarbital</i> .....                  | 17      | PREFERRED PLUS INSULIN SYRINGE .....        | 108      | PROQUAD.....                          | 105    |
| <i>phenoxybenzamine HCl</i> .....           | 57      | PREFEST.....                                | 91       | PROSOL.....                           | 79     |
| <i>phenylephrine HCl</i> .....              | 109     | <i>pregabalin</i> .....                     | 68, 69   | <i>protriptyline HCl</i> .....        | 22     |
| PHENYTEK .....                              | 19      | PREHEVBRIO .....                            | 105      | PULMOZYME .....                       | 115    |
| <i>phenytoin</i> .....                      | 19      | PREMARIN .....                              | 91, 92   | PURIXAN.....                          | 28     |
| <i>phenytoin sodium</i> .....               | 19      | PREMASOL .....                              | 79       | <i>pyrazinamide</i> .....             | 27     |
| <i>phenytoin sodium extended</i> ...        | 19      | PREMPHASE.....                              | 92       | <i>pyridostigmine bromide</i> .....   | 26     |
| PHEXXI .....                                | 86      | PREMPRO .....                               | 92       | <i>pyridostigmine bromide ER</i> ...  | 26     |
| PHOSLYRA .....                              | 80      | <i>prenatal</i> .....                       | 80       | <i>pyrimethamine</i> .....            | 39     |
| PIFELTRO .....                              | 47      | <i>pretomanid</i> .....                     | 26       | PYRUKYND .....                        | 56     |
| <i>pilocarpine HCl</i> .....                | 71, 112 | <i>prevalite</i> .....                      | 65       | PYRUKYND TAPER PACK...                | 56     |
| <i>pimecrolimus</i> .....                   | 75      | PREVIDENT.....                              | 71       | <b>Q</b>                              |        |
| <i>pimozide</i> .....                       | 41      | PREVIDENT 5000 BOOSTER PLUS.....            | 71       | QBRELIS .....                         | 58     |
| <i>pimtrea</i> .....                        | 91      | PREVIDENT 5000 DRY MOUTH .....              | 71       | QBREXZA.....                          | 76     |
| <i>pindolol</i> .....                       | 59      | PREVIDENT 5000 ENAMEL PROTECT .....         | 71       | QC PEN NEEDLES.....                   | 108    |
| <i>pioglitazone HCl</i> .....               | 51      | PREVIDENT 5000 KIDS.....                    | 71       | QINLOCK.....                          | 28     |
| <i>piperacillin sod-tazobactam so</i> ..... | 13      |   |          | QUADRACEL.....                        | 105    |
| PIQRAY (200 MG DAILY DOSE) .....            | 35      |   |          | <i>quetiapine fumarate</i> .....      | 43     |
| PIQRAY (250 MG DAILY DOSE) .....            | 35      |   |          | <i>quetiapine fumarate ER</i> .....   | 43     |
|   |         |   |          | <i>quinapril HCl</i> .....            | 58     |
|   |         |   |          | <i>quinapril-hydrochlorothiazide</i>  | 63     |

|                                     |     |                                       |     |  |         |
|-------------------------------------|-----|---------------------------------------|-----|--|---------|
| <i>quinidine gluconate ER</i> ..... | 58  | RINVOQ LQ .....                       | 98  | <i>sirolimus</i> .....                 | 103     |
| <i>quinidine sulfate</i> .....      | 59  | <i>risedronate sodium</i> .....       | 107 | SIRTURO.....                           | 27      |
| <i>quinine sulfate</i> .....        | 39  | <i>risperidone</i> .....              | 44  | SIVEXTRO.....                          | 10      |
| QULIPTA .....                       | 26  | <i>risperidone microspheres ER</i>    | 44  | SKYRIZI.....                           | 98, 99  |
| <b>R</b>                            |     | <i>ritonavir</i> .....                | 49  | SKYRIZI PEN.....                       | 98      |
| RABAVERT .....                      | 105 | <i>rivastigmine</i> .....             | 20  | <i>smoflipid</i> .....                 | 108     |
| <i>rabeprazole sodium</i> .....     | 83  | <i>rivastigmine tartrate</i> .....    | 20  | <i>sod fluoride-potassium nitrate</i>  | 71      |
| RADICAVA ORS.....                   | 68  | <i>rivelsa</i> .....                  | 92  | <i>sodium chloride</i> .....           | 79, 108 |
| RADICAVA ORS STARTER KIT            |     | <i>rizatriptan benzoate</i> .....     | 26  | <i>sodium chloride (pf)</i> .....      | 79      |
| .....                               | 68  | ROCKLATAN .....                       | 110 | <i>sodium fluoride</i> .....           | 72, 79  |
| <i>raloxifene HCl</i> .....         | 94  | <i>roflumilast</i> .....              | 115 | <i>sodium fluoride 5000 enamel</i>     | 71      |
| <i>ramelteon</i> .....              | 118 | <i>ropinirole HCl</i> .....           | 40  | <i>sodium fluoride 5000 plus</i> ..... | 71      |
| <i>ramipril</i> .....               | 58  | <i>ropinirole HCl ER</i> .....        | 40  | <i>sodium fluoride 5000 ppm</i> .....  | 71      |
| <i>ranolazine ER</i> .....          | 63  | ROSADAN .....                         | 72  | <i>sodium fluoride 5000 sensitive</i>  |         |
| <i>rasagiline mesylate</i> .....    | 40  | <i>rosuvastatin calcium</i> .....     | 64  | .....                                  | 71      |
| RAVICTI .....                       | 84  | ROTARIX .....                         | 105 | <i>sodium oxybate</i> .....            | 119     |
| RAYALDEE .....                      | 107 | ROTATEQ.....                          | 105 | <i>sodium phenylbutyrate</i> .....     | 84      |
| REBIF .....                         | 70  | ROZLYTREK.....                        | 36  | <i>sodium polystyrene sulfonate</i>    | 80      |
| REBIF REBIDOSE.....                 | 70  | RUBRACA.....                          | 36  | <i>sofosbuvir-velpatasvir</i> .....    | 45      |
| REBIF REBIDOSE TITRATION            |     | <i>rufinamide</i> .....               | 19  | <i>solifenacin succinate</i> .....     | 85      |
| PACK.....                           | 70  | RUKOBIA .....                         | 48  | SOLTAMOX.....                          | 28      |
| REBIF TITRATION PACK.....           | 70  | RUXIENCE.....                         | 38  | SOLU-CORTEF .....                      | 87      |
| <i>reclipsen</i> .....              | 92  | RYDAPT.....                           | 36  | SOMATULINE DEPOT .....                 | 96      |
| RECOMBIVAX HB.....                  | 105 | RYTARY.....                           | 40  | SOMAVERT.....                          | 96      |
| REGRANEX .....                      | 76  | <b>S</b>                              |     | <i>sorafenib tosylate</i> .....        | 36      |
| RELENZA DISKHALER.....              | 49  | SAJAZIR .....                         | 96  | SORINE .....                           | 59      |
| RELI-ON INSULIN SYRINGE             |     | SANDOSTATIN LAR DEPOT                 | 96  | <i>sotalol HCl</i> .....               | 59      |
| .....                               | 108 | SANTYL .....                          | 76  | <i>sotalol HCl (af)</i> .....          | 59      |
| RELYVRIO .....                      | 68  | <i>sapropterin dihydrochloride</i> .. | 84  | SOTYLIZE .....                         | 59      |
| <i>repaglinide</i> .....            | 51  | SAVELLA .....                         | 69  | SPINOSAD .....                         | 76      |
| REPATHA.....                        | 65  | SAVELLA TITRATION PACK                | 69  | <i>spironolactone</i> .....            | 63      |
| REPATHA PUSHTRONEX                  |     | SCSEMBLIX.....                        | 30  | <i>spironolactone-hctz</i> .....       | 63      |
| SYSTEM.....                         | 65  | <i>scopolamine</i> .....              | 23  | <i>sprintec 28</i> .....               | 92      |
| REPATHA SURECLICK .....             | 65  | SECUADO .....                         | 44  | SPRITAM.....                           | 16      |
| RETACRIT.....                       | 56  | SEGLUROMET .....                      | 51  | <i>SPS (sodium polystyrene sulf)</i>   |         |
| RETEVMO.....                        | 30  | <i>selegiline HCl</i> .....           | 40  | .....                                  | 80      |
| RETROVIR.....                       | 47  | <i>selenium sulfide</i> .....         | 75  | <i>sronyx</i> .....                    | 92      |
| REVCOVI .....                       | 84  | SELZENTRY .....                       | 48  | SSD .....                              | 76      |
| REVLIMID.....                       | 28  | <i>se-natal 19</i> .....              | 80  | <i>stavudine</i> .....                 | 47      |
| REVONTO.....                        | 44  | SEREVENT DISKUS.....                  | 114 | STEGLATRO .....                        | 51      |
| REXULTI .....                       | 44  | SEROSTIM .....                        | 87  | STEGLUJAN.....                         | 51      |
| REYATAZ.....                        | 49  | <i>sertraline HCl</i> .....           | 21  | STELARA .....                          | 99      |
| REYVOW.....                         | 26  | <i>setlakin</i> .....                 | 92  | STIOLTO RESPIMAT .....                 | 117     |
| REZLIDHIA.....                      | 36  | <i>sevelamer carbonate</i> .....      | 80  | STIVARGA.....                          | 36      |
| REZUROCK .....                      | 103 | <i>sevelamer HCl</i> .....            | 80  | STRENSIQ .....                         | 84      |
| RHOFADE.....                        | 72  | <i>sf 71</i>                          |     | <i>streptomycin sulfate</i> .....      | 8       |
| RHOPRESSA .....                     | 112 | <i>sf 5000 plus</i> .....             | 71  | STRIBILD.....                          | 46      |
| RIABNI .....                        | 38  | <i>sharobel</i> .....                 | 93  | STRIVERDI RESPIMAT.....                | 114     |
| <i>ribavirin</i> .....              | 45  | SHINGRIX.....                         | 105 | SUBVENITE .....                        | 16      |
| RIDAURA .....                       | 98  | SIGNIFOR.....                         | 96  | SUCRAID.....                           | 84      |
| <i>rifabutin</i> .....              | 26  | <i>sildenafil citrate</i> .....       | 116 | <i>sucralfate</i> .....                | 83      |
| <i>rifampin</i> .....               | 27  | <i>silodosin</i> .....                | 85  | <i>sulfacetamide sodium</i> .....      | 110     |
| <i>riluzole</i> .....               | 68  | <i>silver sulfadiazine</i> .....      | 76  | <i>sulfacetamide sodium (acne)</i>     | 14      |
| <i>rimantadine HCl</i> .....        | 49  | SIMBRINZA.....                        | 110 | <i>sulfacetamide-prednisolone</i>      | 110     |
| RINVOQ .....                        | 98  | <i>simvastatin</i> .....              | 64  | <i>sulfadiazine</i> .....              | 15      |

|                                      |                                      |                                   |
|--------------------------------------|--------------------------------------|-----------------------------------|
| <i>sulfamethoxazole-trimethoprim</i> | <i>telmisartan-hctz</i>              | TPN ELECTROLYTES                  |
| .....15                              | .....63                              | .....79                           |
| SULFAMYLON                           | <i>temazepam</i>                     | TRACLEER                          |
| .....77                              | .....118                             | .....116                          |
| <i>sulfasalazine</i>                 | <i>tencon</i>                        | <i>tramadol HCl</i>               |
| .....106                             | .....68                              | .....7                            |
| <i>sulindac</i>                      | TENIVAC                              | <i>tramadol HCl (ER biphasic)</i> |
| .....4                               | .....105                             | .....5                            |
| <i>sumatriptan</i>                   | <i>tenofovir disoproxil fumarate</i> | <i>tramadol HCl ER</i>            |
| .....26                              | .....47                              | .....5                            |
| <i>sumatriptan succinate</i>         | TEPMETKO                             | <i>tramadol-acetaminophen</i>     |
| .....26                              | .....36                              | .....7                            |
| <i>sumatriptan succinate refill</i>  | <i>terazosin HCl</i>                 | <i>trandolapril</i>               |
| .....26                              | .....57                              | .....58                           |
| <i>sunitinib malate</i>              | <i>terbinafine HCl</i>               | <i>tranexamic acid</i>            |
| .....36                              | .....25                              | .....56                           |
| SUNLENCA                             | <i>terbutaline sulfate</i>           | <i>tranylcypromine sulfate</i>    |
| .....48                              | .....114                             | .....21                           |
| SUNOSI                               | <i>terconazole</i>                   | TRAVASOL                          |
| .....119                             | .....25                              | .....79                           |
| SUPRAX                               | <i>teriflunomide</i>                 | <i>travoprost (bak free)</i>      |
| .....11                              | .....70                              | .....112                          |
| <i>syeda</i>                         | <i>teriparatide</i>                  | TRAZIMERA                         |
| .....92                              | .....107                             | .....38                           |
| SYMDEKO                              | <i>testosterone</i>                  | <i>trazodone HCl</i>              |
| .....115                             | .....88                              | .....22                           |
| SYMJEPI                              | <i>testosterone cypionate</i>        | TRECTOR                           |
| .....114                             | .....87                              | .....27                           |
| SYMLINPEN 120                        | <i>testosterone enanthate</i>        | TRELEGY ELLIPTA                   |
| .....52                              | .....88                              | .....118                          |
| SYMLINPEN 60                         | <i>tetrabenazine</i>                 | TRELSTAR MIXJECT                  |
| .....52                              | .....68                              | .....96                           |
| SYMPAZAN                             | <i>tetracaine HCl</i>                | TREMFYA                           |
| .....17, 18                          | .....110                             | .....99                           |
| SYMTUZA                              | <i>tetracycline HCl</i>              | TRESIBA                           |
| .....49                              | .....15                              | .....54                           |
| SYNAREL                              | TEVIMBRA                             | TRESIBA FLEXTOUCH                 |
| .....96                              | .....38                              | .....54                           |
| SYNERCID                             | TEZSPIRE                             | <i>tretinoin</i>                  |
| .....10                              | .....117                             | .....38, 73                       |
| SYNJARDY                             | THALOMID                             | <i>triamcinolone acetonide</i>    |
| .....52                              | .....28                              | .....72, 75                       |
| SYNJARDY XR                          | THEO-24                              | <i>triamterene</i>                |
| .....52                              | .....115                             | .....63                           |
| SYNRIBO                              | <i>theophylline</i>                  | <i>triamterene-hctz</i>           |
| .....31                              | .....115                             | .....63                           |
| SYNTHROID                            | <i>theophylline ER</i>               | <i>triazolam</i>                  |
| .....94                              | .....115                             | .....118                          |
| <b>T</b>                             | <i>thioridazine HCl</i>              | <i>tricare</i>                    |
| TABLOID                              | <i>thiothixene</i>                   | .....80                           |
| .....28                              | .....41                              | <i>triderm</i>                    |
| TABRECTA                             | THYQUIDITY                           | .....75                           |
| .....28                              | .....94                              | <i>trientine HCl</i>              |
| <i>tacrolimus</i>                    | <i>tiadylt ER</i>                    | .....80                           |
| .....75, 103                         | .....61                              | <i>tri-estarylla</i>              |
| <i>tadalafil</i>                     | <i>tiagabine HCl</i>                 | .....92                           |
| .....85                              | .....18                              | <i>trifluoperazine HCl</i>        |
| <i>tadalafil (pah)</i>               | TIBSOVO                              | .....41                           |
| .....116                             | .....36                              | <i>trifluridine</i>               |
| TAFINLAR                             | TICOVAC                              | .....111                          |
| .....36                              | .....105                             | <i>trihexyphenidyl HCl</i>        |
| <i>tafluprost (pf)</i>               | <i>tigecycline</i>                   | .....39                           |
| .....112                             | .....10                              | TRIKAFTA                          |
| TAGRISSO                             | TIGLUTIK                             | .....115                          |
| .....36                              | .....68                              | <i>tri-legest fe</i>              |
| TAKHZYRO                             | <i>timolol maleate</i>               | .....92                           |
| .....96                              | .....26, 111                         | <i>tri-lo-estarylla</i>           |
| TALVEY                               | <i>timolol maleate pf</i>            | .....92                           |
| .....31                              | .....111                             | <i>tri-lo-sprintec</i>            |
| TALZENNA                             | <i>tinidazole</i>                    | .....92                           |
| .....36                              | .....10                              | <i>trimethobenzamide HCl</i>      |
| <i>tamoxifen citrate</i>             | <i>tiopronin</i>                     | .....23                           |
| .....28                              | .....86                              | <i>trimethoprim</i>               |
| <i>tamsulosin HCl</i>                | TIVICAY                              | .....10                           |
| .....85                              | .....46                              | <i>tri-mili</i>                   |
| <i>tarina 24 fe</i>                  | TIVICAY PD                           | .....92                           |
| .....92                              | .....46                              | <i>trimipramine maleate</i>       |
| <i>tarina fe 1/20 eq</i>             | <i>tizanidine HCl</i>                | .....22                           |
| .....92                              | .....44                              | TRINTELLIX                        |
| TASIGNA                              | TOBRADEX                             | .....22                           |
| .....36                              | .....110                             | <i>tri-nymyo</i>                  |
| <i>tasimelteon</i>                   | <i>tobramycin</i>                    | .....92                           |
| .....118                             | .....111, 115                        | <i>tri-sprintec</i>               |
| TAVALISSE                            | <i>tobramycin sulfate</i>            | .....92                           |
| .....56                              | .....8                               | TRIUMEQ                           |
| <i>taysofy</i>                       | <i>tobramycin-dexamethasone</i>      | .....47                           |
| .....92                              | .....110                             | TRIUMEQ PD                        |
| <i>tazarotene</i>                    | TOBEX                                | .....47                           |
| .....72, 73                          | .....111                             | <i>trivora (28)</i>               |
| TAZICEF                              | <i>tolcapone</i>                     | .....92                           |
| .....11, 12                          | .....40                              | <i>tri-vylibra</i>                |
| <i>taztia XT</i>                     | <i>tolterodine tartrate</i>          | .....92                           |
| .....61                              | .....85                              | <i>tri-vylibra lo</i>             |
| TAZVERIK                             | <i>tolterodine tartrate ER</i>       | .....92                           |
| .....31                              | .....85                              | TRIZIVIR                          |
| TDVAX                                | <i>tolvaptan</i>                     | .....47                           |
| .....105                             | .....80                              | TROPHAMINE                        |
| TEFLARO                              | <i>topiramate</i>                    | .....79                           |
| .....12                              | .....16                              | <i>tropium chloride</i>           |
| TEGLUTIK                             | <i>topiramate ER</i>                 | .....85                           |
| .....68                              | .....16                              | <i>tropium chloride ER</i>        |
| TEGRETOL-XR                          | TOPOSAR                              | .....85                           |
| .....19                              | .....32                              | TRULICITY                         |
| TEGSEDI                              | <i>topotecan HCl</i>                 | .....52                           |
| .....84                              | .....32                              | TRUMENBA                          |
| <i>telmisartan</i>                   | <i>toremifene citrate</i>            | .....105                          |
| .....57                              | .....28                              | TRUQAP                            |
|                                      | <i>torseamide</i>                    | .....36                           |
|                                      | .....63                              |                                   |

|   |          |                                      |     |                                  |        |
|---|----------|--------------------------------------|-----|----------------------------------|--------|
| TRUSELTIQ (100MG DAILY DOSE).....           | 31       | VENCLEXTA STARTING PACK .....        | 37  | XARELTO STARTER PACK .           | 55     |
| TRUSELTIQ (125MG DAILY DOSE).....           | 31       | <i>venlafaxine besylate ER</i> ..... | 22  | XATMEP .....                     | 103    |
| TRUSELTIQ (50MG DAILY DOSE).....            | 31       | <i>venlafaxine HCl</i> .....         | 22  | XCOPRI.....                      | 16, 17 |
| TRUSELTIQ (75MG DAILY DOSE).....            | 31       | <i>venlafaxine HCl ER</i> .....      | 22  | XCOPRI (250 MG DAILY DOSE).....  | 16     |
| TRUXIMA.....                                | 38       | VENTAVIS .....                       | 116 | XCOPRI (350 MG DAILY DOSE).....  | 16     |
| TUKYSA.....                                 | 31       | <i>verapamil HCl</i> .....           | 61  | XELJANZ.....                     | 99     |
| TURALIO.....                                | 31, 36   | <i>verapamil HCl ER</i> .....        | 61  | XELJANZ XR.....                  | 99     |
| <i>turqoz</i> .....                         | 92       | VERDESO.....                         | 75  | XENLETA.....                     | 10     |
| TWINRIX.....                                | 105      | VEREGEN.....                         | 76  | XERMELO.....                     | 81     |
| <i>tyblume</i> .....                        | 92       | VERKAZIA.....                        | 110 | XGEVA.....                       | 107    |
| TYBOST.....                                 | 48       | VERQUVO.....                         | 66  | XIFAXAN.....                     | 82     |
| <i>tydemy</i> .....                         | 92       | VERSACLOZ.....                       | 44  | XIGDUO XR.....                   | 52     |
| TYMLOS.....                                 | 107      | VERZENIO.....                        | 37  | XOFLUZA (40 MG DOSE)....         | 49     |
| TYPHIM VI.....                              | 105, 106 | <i>vestura</i> .....                 | 92  | XOFLUZA (80 MG DOSE)....         | 49     |
| TYSABRI.....                                | 70       | V-GO 20.....                         | 109 | XOLAIR.....                      | 99     |
| TYVASO.....                                 | 116      | V-GO 30.....                         | 109 | XOSPATA.....                     | 37     |
| TYVASO REFILL KIT.....                      | 116      | V-GO 40.....                         | 109 | XPOVIO (100 MG ONCE WEEKLY)..... | 31     |
| TYVASO STARTER KIT.....                     | 116      | VIBERZI.....                         | 81  | XPOVIO (40 MG ONCE WEEKLY).....  | 31     |
| <b>U</b>                                    |          | <i>vienna</i> .....                  | 92  | XPOVIO (40 MG TWICE WEEKLY)..... | 31     |
| UBRELVY.....                                | 26       | <i>vigabatrin</i> .....              | 18  | XPOVIO (60 MG ONCE WEEKLY).....  | 31     |
| UNITHROID.....                              | 94       | <i>vigadrone</i> .....               | 18  | XPOVIO (60 MG TWICE WEEKLY)..... | 31     |
| UPTRAVI.....                                | 116      | VIGAFYDE.....                        | 18  | XPOVIO (80 MG ONCE WEEKLY).....  | 31     |
| UPTRAVI TITRATION.....                      | 116      | VIGPODER.....                        | 18  | XPOVIO (80 MG TWICE WEEKLY)..... | 31     |
| <i>ursodiol</i> .....                       | 82       | <i>vilazodone HCl</i> .....          | 22  | XTANDI.....                      | 27, 28 |
| <b>V</b>                                    |          | <i>vinorelbine tartrate</i> .....    | 31  | <i>xulane</i> .....              | 92     |
| <i>valacyclovir HCl</i> .....               | 45       | VIRACEPT.....                        | 49  | XURIDEN.....                     | 84     |
| VALCHLOR.....                               | 27       | VIREAD.....                          | 47  | <b>Y</b>                         |        |
| <i>valganciclovir HCl</i> .....             | 45       | VISTOGARD.....                       | 109 | YARGESA.....                     | 85     |
| <i>valproate sodium</i> .....               | 16       | VITRAKVI.....                        | 37  | YF-VAX.....                      | 106    |
| <i>valproic acid</i> .....                  | 50       | VIVITROL.....                        | 7   | YONSA.....                       | 28     |
| <i>valsartan</i> .....                      | 57       | VIVJOA.....                          | 25  | <i>yuvafem</i> .....             | 93     |
| <i>valsartan-hydrochlorothiazide</i> .....  | 63       | VIZIMPRO.....                        | 37  | <b>Z</b>                         |        |
| VALTOCO 10 MG DOSE.....                     | 18       | VOCABRIA.....                        | 46  | <i>zafemy</i> .....              | 93     |
| VALTOCO 15 MG DOSE.....                     | 18       | VONJO.....                           | 31  | <i>zafirlukast</i> .....         | 113    |
| VALTOCO 20 MG DOSE.....                     | 18       | VORANIGO.....                        | 37  | <i>zaleplon</i> .....            | 118    |
| VALTOCO 5 MG DOSE.....                      | 18       | <i>voriconazole</i> .....            | 25  | ZEJULA.....                      | 37     |
| <i>vancomycin HCl</i> .....                 | 10       | VOSEVI.....                          | 45  | ZELAPAR.....                     | 41     |
| VANDAZOLE.....                              | 10       | VOWST.....                           | 82  | ZELBORAF.....                    | 37     |
| VANFLYTA.....                               | 36       | VRAYLAR.....                         | 44  | <i>zenatane</i> .....            | 73     |
| VAQTA.....                                  | 106      | VUITY.....                           | 112 | ZEPOSIA.....                     | 70     |
| <i>varenicline tartrate</i> .....           | 8        | <i>vyfemla</i> .....                 | 92  | ZEPOSIA 7-DAY STARTER PACK.....  | 70     |
| <i>varenicline tartrate (starter)</i> ..... | 8        | <i>vylibra</i> .....                 | 92  | ZEPOSIA STARTER KIT.....         | 70     |
| VARIVAX.....                                | 106      | VYNDAMAX.....                        | 63  | ZEPZELCA.....                    | 27     |
| VAXCHORA.....                               | 106      | VYNDAQEL.....                        | 84  | <i>zidovudine</i> .....          | 48     |
| VEGZELMA.....                               | 38       | VYVANSE.....                         | 66  | ZIMHI.....                       | 8      |
| <i>velivet</i> .....                        | 92       | VYXEOS.....                          | 28  |                                  |        |
| VELPHORO.....                               | 80       | VYZULTA.....                         | 112 |                                  |        |
| VELTASSA.....                               | 80       | <b>W</b>                             |     |                                  |        |
| VEMLIDY.....                                | 45       | <i>warfarin sodium</i> .....         | 55  |                                  |        |
| VENCLEXTA.....                              | 37       | WELIREG.....                         | 37  |                                  |        |
|   |          | WIXELA INHUB.....                    | 118 |                                  |        |
|   |          | <b>X</b>                             |     |                                  |        |
|   |          | XALKORI.....                         | 37  |                                  |        |
|   |          | XARELTO.....                         | 55  |                                  |        |

|                                   |     |                                   |     |                          |     |
|-----------------------------------|-----|-----------------------------------|-----|--------------------------|-----|
| <i>ziprasidone HCl</i> .....      | 44  | <i>zolpidem tartrate</i> .....    | 118 | ZTALMY.....              | 68  |
| <i>ziprasidone mesylate</i> ..... | 44  | <i>zolpidem tartrate ER</i> ..... | 118 | <i>zumandimine</i> ..... | 93  |
| ZIRABEV .....                     | 38  | ZONISADE.....                     | 19  | ZURZUVAE .....           | 20  |
| ZIRGAN.....                       | 111 | <i>zonisamide</i> .....           | 19  | ZYDELIG .....            | 37  |
| ZOKINVY.....                      | 85  | ZONTIVITY .....                   | 55  | ZYFLO .....              | 113 |
| ZOLINZA .....                     | 31  | ZORYVE .....                      | 76  | ZYKADIA .....            | 37  |
| <i>zolmitriptan</i> .....         | 26  | <i>zovia 1/35 (28)</i> .....      | 93  | ZYPREXA RELPREVV .....   | 44  |

## NOTICE OF NONDISCRIMINATION

Quartz Medicare Advantage (HMO) and Quartz Med Advantage Dual Eligible w/Rx are the marketing names operating under the entities of Quartz Health Plan Corporation and Quartz Health Plan MN Corporation. These companies are separate legal entities. In this notice, “we” refers to these companies. We comply with applicable federal civil rights laws and do not discriminate on the basis of race, color, national origin, age, disability, gender identity, or sexual orientation.

- We provide free aids and services to people with disabilities to communicate effectively with us, such as:
  - Qualified sign language interpreters
  - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- We provide free language services to people whose primary language is not English, such as:
  - Qualified interpreters
  - Information written in other languages

**If you need these services, contact Customer Success at (800) 362-3310.**

If you believe that we have failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, gender identity, or sexual orientation, you can file a grievance with:

**Kristie Breunig, Compliance Officer; 2650 Novation Parkway, Fitchburg, WI 53713**  
**Phone: (800) 362-3310 (TTY: 711); Fax: (608) 644-3500**  
**Email: [AppealsSpecialists@QuartzBenefits.com](mailto:AppealsSpecialists@QuartzBenefits.com)**

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, Kristie Breunig, Compliance Officer, is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at [ocrportal.hhs.gov/ocr/portal/lobby.jsf](https://ocrportal.hhs.gov/ocr/portal/lobby.jsf) or by mail or phone at:

**U.S. Department of Health and Human Services**  
**200 Independence Avenue, SW**  
**Room 509F HHH Building**  
**Washington, D.C. 20201**  
**(800) 368-1019; (800) 537-7697 (TDD)**

Complaint forms are available at [hhs.gov/ocr/office/file/index.html](https://hhs.gov/ocr/office/file/index.html).





## Multi-Language Insert

### Multi-language Interpreter Services

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-800-394-5566 (TTY: 711). Someone who speaks English/Language can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-800-394-5566 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-800-394-5566 (TTY: 711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-800-394-5566 (TTY:711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-800-394-5566 (TTY:711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-800-394-5566 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-800-394-5566 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí .

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-800-394-5566 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-800-394-5566 (TTY: 711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-800-394-5566 (TTY:711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-800-394-5566 (TTY: 711) سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं. एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-800-394-5566 (TTY: 711) पर फोन करें. कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है. यह एक मुफ्त सेवा है.

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-800-394-5566 (TTY: 711). Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-800-394-5566 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-800-394-5566 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-800-394-5566 (TTY: 711). Ta usługa jest bezpłatna.

**Japanese:** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、1-800-394 5566 (TTY: 711) にお電話ください。日本語を話す人者が支援いたします。これは無料のサービスです。



This formulary was updated on 12/01/2024. For more recent information or other questions, please call a Quartz Champion at **(800) 394-5566 (TTY: 711)**, Monday through Friday, from 8 a.m. to 8 p.m. October 1 through March 31, we're available daily from 8 a.m. to 8 p.m. You can also reach us on our website at **[QuartzBenefits.com/MedicareAdvantage](https://QuartzBenefits.com/MedicareAdvantage)**.

Quartz Medicare Advantage (HMO) is an HMO plan with a Medicare contract. Quartz Medicare Advantage Dual Eligible with Rx is a D-SNP HMO plan that has a contract with Medicare and with a State Medicaid program. Enrollment in these plans depends on contract renewal.

GH00171\_C\_0723 Y0092\_23 194\_C