



Gender Reassignment Surgery for ETF Participants

Last Revision/Review Date: November 18, 2020

P&P # C.5.36

Policy

The Medical Management Department reviews referral requests for authorization of gender reassignment surgical procedures for ETF participants with a gender dysphoria diagnosis.

This Medical Policy does not constitute medical advice. When deciding coverage, the enrollee's specific plan document must be referenced. The terms of an enrollee's plan document (Certificate of Coverage (COC) or Summary Plan Description (SPD)) may differ from this Medical Policy. In the event of a conflict, the enrollee's specific benefit plan document supersedes this Medical Policy. All reviewers must first identify enrollee eligibility, any federal or state regulatory requirements, and the plan benefit coverage prior to use of this Medical Policy. Other Policies and Coverage Determination Guidelines may apply. Quartz reserves the right, in its sole discretion, to modify its Policies and Guidelines as necessary.

Procedure

A. Documentation Required:

1. To facilitate the authorization process, referral requests for gender reassignment surgery must include at least one letter or clinical document of readiness for breast/chest surgery and two independent letters of readiness for genital surgery from qualified mental health professionals. Qualified mental health professionals must meet the following criteria:
 - i. A Master's degree professional or higher equivalent in a clinical behavioral science or mental health field; **OR**
 - ii. The equivalent in clinical behavioral science granted by an accredited institution.

Note: The letters of readiness for genital surgeries must be from **two independent** evaluations by a qualified mental health professional who meet the training criteria **A.1.i.** above.

2. Referral letters of readiness for **ANY** gender reassignment surgery must include the following:
 - i. The patient's general identifying characteristics;
 - ii. Results of the client's psychosocial assessment, including any diagnoses;
 - iii. The duration of the mental health professional's relationship with the patient, including the type of evaluation and therapy or counseling to date;
 - iv. An explanation that the criteria for gender reassignment surgery have been met, and a description of the clinical rationale for supporting the patient's request for gender reassignment surgery;
 - v. A statement that the patient is making a fully informed decision for surgery;
 - vi. A statement that the mental health professional is available for coordination of care and on-going treatment as needed.

3. Documentation from the surgical provider that includes the following:
 - i. Surgical history related to previous gender reassignment treatment including, facial plastic surgery, breast/chest, and genital surgery; **AND**
 - ii. History of previous hormone treatment; **AND**
 - iii. A statement regarding the patient's gender-related goals for surgery.

B. General Requirements for ALL Gender Reassignment Surgical Procedures

Gender reassignment surgeries are considered medically necessary for patients who meet

ALL the following criteria:

1. Patient is 18 years of age or older with mental capacity to make an informed decision **OR** for mastectomy only, patient is 16 years of age or older and has documented consent of their parent or legal guardian; **AND**
2. Patient has a diagnosis of persistent, well-documented gender dysphoria; **AND**
3. The patient's co-existing medical and mental health concerns are reasonably controlled; **AND**
4. The surgeon performing the procedures is part of an interdisciplinary team that treats patients with gender dysphoria **OR** has a close association with the mental health and other health professional(s) involved in the treatment of the patient's gender dysphoria; **AND**
5. The surgeon has expertise in performing the gender reassignment surgery being requested.

C. Male-to-Female Gender Reassignment Surgical Procedures

Male to female gender reassignment surgeries are considered medically necessary for patients diagnosed with persistent, well-documented gender dysphoria who meet the documentation requirements in **section IA, IB AND** the following procedure specific criteria:

1. **Breast augmentation mammoplasty (using breast implants) with nipple reconstruction.**
At least 12 months of feminizing hormone therapy, (e.g., estrogen and anti-androgen therapy), is required prior to surgery unless the patient has a medical contraindication or is otherwise unwilling or unable to take hormones.
2. **Orchiectomy.** At least 12 months of feminizing hormone therapy, (e.g., estrogen and anti-androgen therapy), is required prior to surgery unless the patient has a medical contraindication or is otherwise unwilling or unable to take hormones.
3. **Genital reconstruction procedures** (e.g., vaginoplasty including laser hair removal of the tissue intended for use in vaginoplasty, labiaplasty, vulvoplasty, clitoroplasty, or penectomy) are considered medically necessary if **ALL** the following criteria are met:
 - i. At least 12 months of feminizing hormone therapy, (e.g., estrogen and anti-androgen therapy), is required prior to surgery unless the patient has a medical contraindication or is otherwise unwilling or unable to take hormones; **AND**
 - ii. 12 continuous months living in a gender role congruent with their gender identity (real life experience); **AND**
 - iii. A statement that the mental health professional is available for coordination of care and on-going treatment as needed.
4. **Facial feminization procedures**
 - i. Frontal cranioplasty (forehead contouring);
 - ii. Tracheal shave/reduction thyroid chondroplasty;
 - iii. Blepharoplasty and brow lift when the criteria in *Medical Policy C.5.07 Ptosis Surgical Procedures* are met;
 - iv. Septorhinoplasty when the criteria in *Medical Policy C.5.09 Rhinoplasty-Septorhinoplasty* are met.

D. Female-to-Male Gender Reassignment Surgical Procedures

Female to Male gender reassignment surgeries are considered medically necessary for patients diagnosed with persistent, well documented gender dysphoria who meet the documentation requirements in **section IA, IB, AND** the following procedure specific criteria:

1. **Mastectomy with nipple reconstruction** (12 months of hormone therapy **not** required).
2. **Hysterectomy and salpingo-oophorectomy.**
At least 12 months of masculinizing hormone therapy is required prior to surgery unless the patient has a medical contraindication or is otherwise unwilling or unable to take hormones.
3. **Genital reconstruction procedures** (e.g., hysterectomy/ovariectomy, reconstruction of the fixed part of the urethra, which can be combined with a metoidioplasty or with a phalloplasty (employing a pedicled or free vascularized flap), vaginectomy, scrotoplasty, and implantation of erection and/or testicular prostheses) are considered medically necessary if **ALL** the following criteria are met:
 - i. At least 12 months of masculinizing hormone therapy is required prior to surgery unless the patient has a medical contraindication or is otherwise unwilling or unable to take hormones; **AND**
 - ii. 12 continuous months living in a gender role congruent with their gender identity (real life experience); **AND**
 - iii. A statement that the mental health professional is available for coordination of care and on-going treatment as needed.

E. The following reproductive services are not covered as benefit exclusions:

1. Cryopreservation of fertilized embryos
2. Donor eggs
3. Donor sperm
4. Gestational carrier
5. Oocyte preservation
6. Sperm preservation in advance of hormone replacement of gender reassignment surgery
7. Surrogate parenting/services
8. Other assisted reproductive services noted in the ETF certificate of coverage.

Covered Procedures: Male-to-Female

19324 -19325	Mammoplasty, augmentation
19340	Immediate insertion of breast prosthesis following mastopexy, mastectomy or in reconstruction
19342	Delayed insertion of breast prosthesis following mastopexy, mastectomy or in reconstruction
19350	Nipple/areola reconstruction
53410	Urethroplasty, 1-stage reconstruction of male anterior urethra
54125	Amputation of penis, complete
54520	Orchiectomy, simple (including subcapsular), with or without testicular prosthesis, scrotal or inguinal approach
54690	Laparoscopy, surgical; orchiectomy
55970	Intersex surgery; male to female [a series of staged procedures that includes male genitalia removal, penile dissection, urethral transposition, creation of vagina and labia with stent placement]

57291-57292	Construction of artificial vagina
56805	Clitoroplasty for intersex state
57335	Vaginoplasty for intersex state
17999	Unlisted procedure, skin, mucous membrane and subcutaneous tissue (when specified as permanent hair removal by laser to the tissue intended for use in the vaginoplasty).
31599	Unlisted procedure, larynx
21137	Reduction forehead; contouring only
21139	Reduction forehead; contouring and setback of anterior frontal sinus wall

Covered Procedures: Female-to-Male

19303	Mastectomy, simple, complete
19304	Mastectomy, subcutaneous
19350	Nipple/areola reconstruction
55980	Intersex surgery, female to male [a series of staged procedures that include penis and scrotum formation by graft, and prostheses placement
57106	Vaginectomy, partial removal of vaginal wall
57110	Vaginectomy, complete removal of vaginal wall
58150, 58180 58260-58262, 58275-58291, 58541-58544, 58550-58554	Hysterectomy
58570-58573	Laparoscopy, surgical with total hysterectomy
58661	Laparoscopy, surgical; with removal of adnexal structures (partial or total oophorectomy and/or salpingectomy)
58720	Salpingo-oophorectomy, complete or partial, unilateral or bilateral

References

American Psychological Association (2015) Guidelines for Psychological Practice with Transgender and Gender Nonconforming People. *American Psychologist*, 70 (9), 832-864.

Coleman, E., Bockting, W, Botzer, M., et al; Standards of Care for the Health of Transsexual, Transgender, and Gender Nonconforming People, World Professional Association for Transgender Health (WPATH), Version 7, *International Journal of Transgenderism* 13:165-232, 2011.

Hayes, Inc. Health Technology Assessment. Sex reassignment surgery for the treatment of gender dysphoria. Published Aug 1, 2018. Annual review Sep 1, 2020.

Hembree WC, Cohen-Kettenis P T, Gooren L, et al. Endocrine treatment of gender-dysphoric/gender-incongruent persons: an Endocrine Society clinical practice guideline. *J Clin Endocrinol Metab*. 2017; 102(11): 3869-3903.

Van Damme S, Cosyns M, Deman S et al. the effectiveness of pitch-raising surgery in make-to-female transsexuals: a systematic review. *Journal of Voice*. 2017;31(2): 244.e1-244.e5.